SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425. 045-23348

5. LEASE DESIGNATION AND SERIAL NO.

(Other instructions on reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY						M X 00-	C-1420	-171 6	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK							AN, ALLOTT	<u> </u>	BE NAME
1a. TYPE OF WORK	LL 🖫	DEEPEN [٦	PLUG BAC	ж 🗇	7. UNIT A	tain U	NAME &	
b. TYPE OF WELL	••	DEE, EN			<u></u>	93 e Supa Tolis	tnen	the l	- <u>-</u>
OIL CA WE 2. NAME OF OPERATOR	S OTHER			INGLE X MULTIPE	The state of the s	~ (c	DR LEASE NA	c walk	
ENERGETICS,	INC.				W3.9 8	9. WELL	1819:	7 7 77	
3. ADDRESS OF OPERATOR					584	.35	NO.	Total	_
333 W. Hampo 4. LOCATION OF WELL (Re	len Avenue, Sui	te 1010, En	glew	ood, Colorado	80110		AND POOL,	: <u>_</u>	CAT
4. LOCATION OF WELL (Re At surface	port location clearly and	in accordance with	папу	State requirements.*)	ن پھ		e Gallı		
360' FNL & 1950' FEL At proposed prod. zone						AND	URVEY OR	REA E	
Same					h _{ed}	Sec.	19-T31		4 / N
14. DISTANCE IN MILES A	ND DIRECTION FROM NEAR	EST TOWN OR POST	OFFIC	E *	Eson,	្នា2. count San J	T OR PARIS	3 3	
15. DISTANCE FROM PROPO	SED*	i	<u>:</u>			F ACRES AS		એ <u>ડે ફે</u> - કે દે	NM
LOCATION TO NEAREST PROPERTY OR LEASE LI	INE, FT.	`	ļ			IIS WELL	Tread		
(Also to nearest drig. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED,			19. P	1280 ROPOSED DEPTH	20. ROTAL	EY OR CABL		5 -	
OR APPLIED FOR, ON THIS	S LEASE, FT.	<u> </u>		2600	Rotar	i light iy ik Ca			
21. ELEVATIONS (Show whe		•			e Pilot.	를 들지 않는	BOX. DATE W	3 : -	L START*
23.	75 g.l.	ROPOSED CASIN	IG AN	D CEMENTING PROGRA	ya.	<u>의</u> Janu 를 불로	ary 1,	1979	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO		SETTING DEPTH			TTY OF CEM	ENT	.
12 1/4	8 5/8	20		100	100		F = 1	- 5	OFF
7 7/8	5 1/2	14		2400	330		£ 5 :	x ±	Ĵ
4 3/4	Open hole			2400-2600	4	e Ba		110 A) then
(See Attachm	ents)			•				M tele official postural	en e
(200 1100001111									
					9 E	inatol Testile		of the Control	
					7 m		ntone Aort	Terral s	
				A CONTRACTOR OF THE PARTY OF TH	trans.		<u></u> μα	15 15 15 15 15 15 15 15 15 15 15 15 15 1	
						od silbassi		with alter	
				////	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		nezi(P ² ippati isinglar		
					0100	-		100 mg / 100	
				1 3 CO		1 1		2 2 2	
				1 17	ું.કુ ં				
				Oir	~ ·				
IN ABOVE SPACE DESCRIBE	PROPOSED PROGRAM: If I	proposal is to deep	en or i	plug back, give data on pr	esent prod	uctive zone	and propos	sed new	productive
zone. If proposal is to d preventer program, if any	lrill or deepen directiona	lly, give pertinent	data	on subsurface locations an	d measured	l and true	ertical dep	ths. Gi	ve blowout
24.	~ ~ ~							-	
SIGNED	n (Clexand	Ze~	LE	Agent		DA:	-12/1	13/78	
John (This space for Feder	Alexander al or State office use)								
					, i			r Ņā.	
PERMIT NO.	· · · · · · · · · · · · · · · · · · ·			APPROVAL DATE	2.1				_ +
APPROVED BY		TIT	LE			[_]	E	IV	EM
CONDITIONS OF APPROVA	L, IF ANY;				i.	ASS			_ M
13			-			*****.	DEC 1	8 197	3
or I am		, ,							

U, S. GEOLOGICAL SURVEY DURANGO. COLO.

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section. Operator Well No. ENERGETICS, INCORPORATED **UTE 1819** 35 Unit Letter Section Township 31N 17M San Juan Actual Footage Location of Well: feet from the North line and feet from the Ground Level Elev. Producing Formation Dedicated Acreage: 5675 Gallup Verde Gallup Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? ☐ No If answer is "yes," type of consolidation If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. **CERTIFICATION** 1950' I hereby certify that the information contained herein is true and complete to the my knowledge and þeli<mark>ef.</mark> Agent Position Energetics, Inc December 13, 1978 Sec 19 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 1320 1650 660 1980 2310 1000 2000 1500

ENERGETICS, INCORPORATED

FORMATION INFORMATION AND DRILLING PRACTICES

WELL: Ute 1819 #35

LOCATION:
360' FNL & 1950' FEL
Sec. 19-T31N-R14W
San Juan County, NM

LEASE NO.: Noo-C-1420-1716



LL S. GEGLOCICAL SURVEY BURANGO, COLO.

1. SURFACE FORMATION

Menefee

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS

Point Lookout 724 Mancos 1108 Gallup 2470

3. HYDRO CARBON, WATER OR MINERAL BEARING FORMATION

2470' Oil

4. PROPOSED CASING PROGRAM

0-100'

8 5/8, 32#, new casing. Cement with 100 sk Class B + 2% CaCl₂.

0-2400

5½, 15.5#, new casing. Cement with 230 sk. Halliburton Light with 6¼ lb. Gilsonite/sk. followed by 100 sk. Class B + 2% CaCl₂ with 6¼ lb. Gilsonite/sk.

2400-2600

Open hole (drill with Cable tool)

5. SPECIFICATIONS FOR PRESSURE CONTROL EQUIPMENT

The attached schematic shows the type of blow out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after its installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and its operation will be manually checked when practical.

6. DRILLING FLUIDS

Depth	Type	Viscosity	Weight	Fluid Loss		
0-100 100-2400 2400-2600	Gel-Lime Gel-Chem Water	35 - 55 30 - 40	8.9-9.2 8.6-9.5	N/C 10		

7. AUXILIARY EQUIPMENT

A. Bit float

B. Full opening valve for stabbing in drill pipe when the kelly is not in use.

8. LOGGING - CORING - DRILL STEM TESTING

Logging: Induction Electric Log.

Coring: None

Drill Stem Testing: None

DEG 1 8 1978

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

9. ABNORMAL TEMPERATURES, PRESSURES, OR HAZARDOUS CONDITIONS

None expected.

10. STARTING DATE

Anticipated starting date is January 1, 1979. Approximately 15 days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately 7 days to complete.



U, S. GEOLOGICAL SURVEY DURANGO, COLO. ENERGETICS, INCORPORATED

SURFACE DEVELOPMENT PLAN

WELL: Ute 1819 #35

LOCATION: 360' FNL & 1950' FEL Sec. 19-T31N-R14N San Juan County, NM

LEASE NO.: Noo-C-1420-1716



U. S. GEOLOGICAL SURVEY DURANGO, COLO.

1. EXISTING ROADS (Shown in green)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road 100' mile west of the location.

2. Ome existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

2. PLANNED ACCESS ROAD (Shown in red)

The planned access road will be approximately 100' long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

3. LOCATION OF EXISTING WELLS

All wells (water, abandoned, disposal, and drilling) are shown and so labled on the attached section layout.

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES AND PRODUCTION, GATHERING AND SERVICE LINES.

All production facilities are to be contained within the proposed location. Energetics does not own or control any such facilities in the area.

5. LOCATION AND TYPE OF WATER SUPPLY

Water for drilling will be trucked from the San Juan River located 15 miles southeast of location. This water is not on federal land.

6. SOURCE OF CONSTRUCTION MATERIAL

Any construction material required for road or location will be excess material accumulated during building of such sites.

7. METHODS OF HANDLING WASTE DISPOSAL

(Refer to attached well site layout)
All burnable material will be burned in the trash pit when conditions
permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc)
will be held in the reserve pit and buried when dry. Any oil produced
while drilling will be trucked from the location prior to leaving the
pit to dry. Pits will be fenced during dryout time, the completely
back filled with dirt prior to preparing the location for production or
abandonment.

8. ANCILLARY FACILITIES

No ancillary facilities are planned.



U. S. GEOLOGICAL SURVEY DURANGO, COLO.

9. WELL SITE LAY OUT

The attached lay out shows the drilling rig with all facilities. Cut and fill required is also indicated.

10 PLANS FOR RESTORATION OF SURFACE

Restoration of well site and access road will begin within 90 days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to its approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location, not needed for operation, will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that can not be buried. Any oil that has accumulated on the pits will be trucked away.

11. OTHER INFORMATION

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is sandy loam. Small animals and sheep inhabit the area.

The surface is administered by The Bureau of Indian Affairs, and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no archaeological or cultural sites visible on the location.

The archaeologist report is forthcoming.

12.

John Alexander 3E Company, Inc. P.O. Box 190 Farmington, NM 87401 Phone: 505-327-4020

DEC 1 8 1978

U. S. GEOLOGICAL SURVEY

13. I hereby certify that I or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Energetics, Incorporated and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

December 13, 1978

John Alexander