REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON\*

FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL

1

33.34

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

UNITED STATES  DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY	5. LEASE SF 078459-B 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME Allison Unit
1. oil gas well other	8. FARM OR LEASE NAME Allison Unit
2. NAME OF OPERATOR	9. WELL NO. 55
El Paso Natural Gas Company  3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Blanco Mesa Verde
Box 289, Farmington, New Mexico 87401  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 10, T-32-N, R-7-W N.M.P.M.
AT SURFACE: 2200'S, 2330'W AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE San Juan New Mexico 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone

6867' GL

691979 change on Form 9-330.)

(other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

SUBSEQUENT REPORT OF:

X

11-1-79: PBTD 6502'. Tested casing to 3500#, OK. Perfed 6244,6261,6292,6328,6340, 6359,6377,6397,6407,6430,6476,6485,6498' W/1 SPZ. Fraced w/ 66.000# 20/40 sand, 76,000 gal. wtr. Flushed w/8400 gal. wtr. Perfed 6028,6034,6040,6046,6060,6066,6072,6078,6084,6090,6096,6102,6109,6114, 6128,6145,6160,6177,6187,6213' W/1 SPZ. Fraced w/124,000# 20/40 sand, 134,000 gal. wtr. Flushed w/8300 gal. wtr. Perfed 5738,5746,5752,5757,5775,5791,5879,5919,5923,5968' W/1 SPZ. Fraced w/ 44,250#20/40 sand, 54,250 gal. wtr. Flushed w/ 8100 gal. wtr.

Subsurface Safety Valve: Manu. and Type \_\_\_\_ 18. I hereby certify that the foregoing is true and correct TITLE Drilling Clerk Novermber 2, DATE (This space for Federal or State office use) APPROVED BY DATE CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side