orm 9-331 C (May 1963)		TED STATES T OF THE INT	SUBMIT IN TH (Other instru- reverse s ERIOR	ctions on	Form approved. Budget Bureau No. 42-R1425. 30-045-33437 5. LEASE DESIGNATION AND SEBIAL NO.
·	GEOLO	GICAL SURVEY	•		NM 013688
APPLICATION	I FOR PERMIT	TO DRILL, DE	PEN, OR PLUG E	BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
a. TIPE OF WORK	LL 🖄	DEEPEN	PLUG BA		7. UNIT AGREEMENT NAME
<b>b.</b> TYPE OF WELL					
	ELL OTHER		SINGLE ZONE ZONE		8. FARM OR LEASE NAME Atlantic
. NAME OF OPERATOR El Paso Nat	cural Gas Con	npany		-	9. WELL NO.
. ADDRESS OF OPERATOR					12
	, Farmington				10. FIELD AND POOL, OR WILDCAT
. LOCATION OF WELL (Re At surface	port location clearly and 980'S, 11		y State requirements.*)	-	Blanco Pic.Cliffs . 11. SEC., T., B., M., OB BLK.
	•	55 W			Sec. 23, T-31-N, R-10-
At proposed prod. zon	same				NMPM
	ND DIRECTION FROM NEA				12. COUNTY OR PABISH   13. STATE
3 miles sou	theast of Ce		NO. OF ACRES IN LEASE	17 10 0	San Juan NM
LOCATION TO NEAREST PROPERTY OR LEASE L	INE, FT.	980'	148.49		IS WELL 156.57
(Also to nearest drig 8. DISTANCE FROM PROP	OSED LOCATION*		PROPOSED DEPTH	20. ROTAR	Y OR CABLE TOOLS
TO NEAREST WELL, DI Or Applied For, on thi		193'	3375	Rotar	Y
1. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)				22. APPROX. DATE WORK WILL START*
3.	·	DEODOGED CLEAN			
	,	-,	AND CEMENTING PROGRA	3.M.	· ·
SIZE OF HOLE	SIZE OF CASING	24.0#		106 0	u.ft. to circulate
12 1/4"					
<u>12 1/4"</u> 6 3/4"	<u>8 5/8"</u> 2 7/8"	6.4#	3375'		
6 3/4"	2 7/8"	6.4#	3375'	581 c	u.ft.to cover Ojo Al
6 3/4"	2 7/8"	6.4#	3375'	581 c	u.ft.to cover Ojo Al
6 3/4"	2 7/8"	6.4#	3375'	581 c	u.ft.to cover Ojo Al ured Cliffs formatic
6 3/4" Selectively A 3000 psi	2 7/8" y perforate a WP and 6000	6.4# and sandwate psi test do	3375' er fracture the	581 c e Pict venter	u.ft.to cover Ojo Al
6 3/4" Selectively A 3000 psi	2 7/8" y perforate a WP and 6000	6.4# and sandwate psi test do	3375' er fracture the	581 c e Pict venter	u.ft.to cover Ojo Al ured Cliffs formatic eguipped with
6 3/4" Selectively A 3000 psi blind and p	2 7/8" y perforate a WP and 6000 pipe rams with	6.4# and sandwate psi test do	3375' er fracture the	581 c e Pict venter	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion of this well.
6 3/4" Selectively A 3000 psi blind and p This gas is	2 7/8" y perforate a WP and 6000 pipe rams with s dedicated.	6.4# and sandwate psi test do	3375' er fracture the	581 c e Pict venter	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion of this well.
6 3/4" Selectively A 3000 psi blind and p This gas is	2 7/8" y perforate a WP and 6000 pipe rams with	6.4# and sandwate psi test do	3375' er fracture the	581 c e Pict venter	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion of this well.
6 3/4" Selectively A 3000 psi blind and p This gas is	2 7/8" y perforate a WP and 6000 pipe rams with s dedicated.	6.4# and sandwate psi test do ll be used f	3375' er fracture the puble gate pre- for blow out p	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatic eguipped with
6 3/4" Selectively A 3000 psi blind and p This gas is The SW/4 of	2 7/8" y perforate a WP and 6000 pipe rams with dedicated. E Section 23	6.4# and sandwate psi test do ll be used f	3375' er fracture the puble gate pre- for blow out p ed to this wel	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion on this well. MAR 22 1979 MAR 22 1979 MAR 20 CON OIL DIST. 3
6 3/4" Selectively A 3000 psi blind and p This gas is The SW/4 of N ABOVE SPACE DESCRIBE	2 7/8" y perforate WP and 6000 pipe rams with a dedicated. E Section 23 PROFOSED PROGRAM: If drill or deepen direction	6.4# and sandwate psi test do ll be used f is dedicate proposal is to deepen	3375' er fracture the buble gate pre- for blow out part ed to this wel	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion of this well.
6 3/4" Selectively A 3000 psi blind and p This gas is The SW/4 of N ABOVE SPACE DESCRIBE One. If proposal is to reventer program, if any	2 7/8" y perforate a WP and 6000 Dipe rams will dedicated. E Section 23 PROPOSED PROGRAM: If drill or deepen direction	6.4# and sandwate psi test do ll be used f is dedicate proposal is to deepen	3375' er fracture the buble gate pre- for blow out pre- for blow out pre- ed to this wel	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatic equipped with ion of this well. MAR 22, 979 MAR 22, 979 OIL 051.3 OIL 051.3 oil 051.3 ctive some and proposed new productive and true vertical depths. Give blowout
6 3/4" Selectively A 3000 psi blind and p This gas is The SW/4 of N ABOVE SPACE DESCRIBE DDE. If proposal is to the	2 7/8" y perforate WP and 6000 pipe rams with a dedicated. E Section 23 PROFOSED PROGRAM: If drill or deepen direction	6.4# and sandwate psi test do ll be used f is dedicate proposal is to deepen	3375' er fracture the buble gate pre- for blow out part ed to this wel	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatio equipped with ion on this well. MAR 22, 1979 MAR 20, CON 014 DIST. 3 out DIST. 3
6 3/4" Selectively A 3000 psi blind and p This gas is The SW/4 of N ABOVE SPACE DESCRIBE DRE. If proposal is to o reventer program, if any 4.	2 7/8" y perforate a WP and 6000 Dipe rams will dedicated. E Section 23 PROPOSED PROGRAM: If drill or deepen direction	6.4# and sandwate psi test do ll be used f is dedicate proposal is to deepen a	3375' er fracture the buble gate pre- for blow out pre- for blow out pre- ed to this wel	e Pict venter revent	u.ft.to cover Ojo Al ured Cliffs formatio equipped with ion of this well. MAR 2, 979 MAR 2, 979 OIL 001.3 OIL 0151.3 oIL 0151.3

dignal

\*See Instructions On Reverse Side NMOCC

TITLE

.

DATE

a service and the service of the ser

19. 19.3.18

2

nerses canon a manage

# . NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

AII.	distances	must	be	from	1.	0112.0.*	houndaries		the Section.	
			00	11010	ule	vuter	poundaries	07	the Section	

Operator		All distances must be from	where the second se	the Section.	
EL	PASO NATURAL	GAS COMPANY	ATLANTIC	(NM-013688)	Well No. 12
Unit Letter M	Section 23	Township 31-N	Range 10-W	County SAN JUAN	
Actual Footage Loc 980	ation of Well: feet from the	SOUTH line and	1183	et from the WEST	
Ground Lavel Elev. 6377	Producing For PICT	·····	BLANCO PICT		Ine Dedicated Acreage: 156.57
1. Outline th	e acreage dedica	ted to the subject well			Acres
2. If more th interest an	an one lease is 1d royalty).	dedicated to the well,	outline each and ide	entify the ownership t	hereof (both as to working
3. If more tha dated by c	un one lease of di ommunitization, u	fferent ownership is de nitization, force-pooling	dicated to the well, . etc?	have the interests o	f all owners been consoli-
Yes Yes	No If an	swer is "yes," type of a	consolidation <u>10</u>	mmun tys tim	· · · · · · · · · · · · · · · · · · ·
If answer i	is "no;" list the d	owners and tract descrip	otions which have a	U ctually been consolid	ated. (Use reverse side of
No allowab	le will be assigne	d to the well until all in	nterests have been	consolidated (by con	munitization unitization
forced-pool sion.	ing, or otherwise)	or until a non-standard ı	unit, eliminating suc	ch interests, has beer	a approved by the Commis-
	1				CERTIFICATION
	Ì			I hereby	certify that the information con-
	1		1		rein is true and complete to the y knowledge and belief.
	1			d.	J. Dused
				Dril	ling Clerk
	1		1	Position El F	aso Natural Gas
	•			Company	h 20, 1979
	1		1	Date	
		SECON 23			·
		R		1 hereby	certify that the well location
NM-013688	3 FEY McAl		·		this plat was plotted from field actual surveys made by me or
					supervision, and that the same
× ×	·	N			e and ballef.
1183'	-0/ 130 4	K			
		R		1	ARY 23, 1979
	080	K	CON DOM	Registered. and/or Land	Protessional Engineer
		<u> </u>		$\mathcal{O}$	Villien
0 230 eec c	1320 1650 1980	2310 2640 2000	1500 1000 s	Certificate ]	ו• 1760

1. . . <del>.</del> . . . . . . .

# EIPaso NATURAL GAS COMPANY

P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

### Multi-Point Surface Use Plan Atlantic #12

1. Existing Road - Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.

- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines - Please refer to Maps No. 1 and No. 2. Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from Hart Canyon Water Well.
- Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.
- 7. Methods of Handling Waste Materials All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1,

will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.

- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed mixture as designated by the responsible government agency will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted as designated by the responsible government agency.
- 11. Other Information The terrain is rolling hills and sandstone ledges with pinon and cedar growing. Cattle occasionally graze the proposed project site.
- 12. Operator's Representative W.D. Dawson, PO Box 990, Farmington, NM
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

L. A. Aimes Project Drilling Engineer

Operations Plan - Atlantic #12

- I. Location: 980'S, 1183'W, Section 23, T-31-N, R-10-W, San Juan County, NM Field: Blanco Pictured Cliffs Elevation: 6377'GR
- II. Geology:
  - A. Surface Formation: Nacimiento

Sub-surface	Formation Tops:		
Ojo Alamo	1470'	Pictured Cliffs	3152'
Kirtland	1570 <b>'</b>	Lewis	3335 <b>'</b>
Fruitland	2780'	Total Depth	3375 <b>'</b>

- B. Logging Program: Induction Electric and Gamma Ray Density at TD.
- C. Coring: none
- D. Testing: none

#### III. Drilling:

A. Anticipated Starting Date and Duration of the Project:

1979 Drilling Program - approximately 4 days to complete.

B. Circulating Medium: Treated water and a low solids gel base mud will be used from surface to TD.

#### IV. Materials:

Α.	Casing Program:	Hole Size	Depth	Csg.Size	Wt.&Grade
		12 1/4" 6 3/4"	120' 3375'	8 5/8" 2 7/8"	24.0# J-55 6.4# J-55

B. Float Equipment: 8 5/8" surface casing - cement guide shoe.

2 7/8" production casing - 10' shoe joint with notched collar for guide shoe and 2 7/8" latch down baffle on top. Two 3 1/16" balls and one 2 7/8" latch down plug.

C. Tubing: none

D. Wellhead Equipment: Larkin wellhead (fig. 75)

V. Cementing:

8 5/8" surface casing - 90 sks. of Class "B" cement with 1/4# gel-flake
per sack and 3% calcium chloride (106 cu.ft. of slurry, 100% excess to
circulate to surface). WOC 12 hrs. Test casing wellhead and BOP to 600#/
30 minutes.

2 7/8" production - 308 sks. 65/35 Class "B" Poz with 6% gel, 2% CaCl2, and 8.3 gallons water per sack followed by 70 sks.Class "B" neat cement (581 cu.ft. slurry, 50% excess to cover Ojo Alamo). Run temperature survey after 12 hrs.



Scale : 12" 51 =



Typical Mud Drilled B.O.P. Installation

at 3000 psi Working Pressure

11

## EL PASO NATURAL GAS COMPANY Atlantic No. 12 SW 23-31-10



.:



MAP #2

Proposed Location 0