SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side) **UNITED STATES** DEPARTMENT OF THE INTERIOR

30 -045 - 23496 5. LEASE DESIGNATION AND SERIAL NO.

GEOLOGICAL SURVEY					SF 080917		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK					6. IF INDIAN, ALLOT	TEE OR TRIBE NAME	
1a. TYPE OF WORK DRI b. TYPE OF WELL	LL 🖺	DEEPEN [PLUG BAC	K 🗆	7. UNIT AGREEMENT	NAME
OIL C	AS ELL OTHER			INGLE X MULTIPE	ræ 🗌	8. FARM OR LEASE	
2. NAME OF OPERATOR						Atlantic	В —
	ural Gas Com	pany				9. WELL NO. 20	
3. ADDRESS OF OPERATOR PO Box 289, Farmington, NM 87401						10. FIELD AND POOL	, OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)						Blanco Pi	
At surface	1180'S, 87	0'W				11. SEC., T., R., M., C	R BLK.
At proposed prod. zone same					NMPM	3T -N,R-10-W	
	AND DIRECTION FROM NEAR		T OFFIC	E.		12. COUNTY OF PART	SH 13. STATE NM
	st of Aztec,	INIM	10 10). OF ACRES IN LEASE	17 No 01		141-1
15. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE I (Also to nearest drig	r .INE, FT. z. unit line, if any)	870'		2538.18	то тн	F ACRES ASSIGNED IIS WELL	156.20 -
18. DISTANCE FROM PROP TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	200	19. PI 	3175 '	Rotar). ROTARY OR CABLE TOOLS Otary	
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)		•		<u> </u>	22. APPROX. DATE	WORK WILL START*
23.	F	PROPOSED CASI	NG ANI	CEMENTING PROGRA	M	<u>'</u>	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	00т	SETTING DEPTH		QUANTITY OF CE	
12 1/4"	8 5/8"	24.0#		120'	.1		to surface
6 3/4"	2 7/8"	6.4#		3175'	488 c	u.ft.to co	ver Ojo Ala
A 3000 psi	y perforate a WP and 6000 pipe rams wil	psi test	dou	ble gate prev r blow out pr	venter	equipped ion on thi	with s well.
This gas is	dedicated.					· · · · · · · · · · · · · · · · · · ·	(OIII)
	-						11 18 30 1979 N. 1. 3
•	f Section 33			*			APRON.3
zone. If proposal is to preventer program, if an	PROPOSED PROGRAM: If drill or deepen directions	proposal is to deep ally, give pertinen	pen or j t data (plug back, give data on pi on subsurface locations ar	resent produ id measured	terias mons una bisto	DREAT THE PARTY OF TAKE
8IGNED .	1. Dusco	TI	rl e	Drilling	Clerk	Ap	ril 26, 197
(This space for Fede	ral or State office use)				· · · · · · · · · · · · · · · · · · ·		
PERMIT NO.				APPROVAL DATE			
ADDDOWED DV			PT.P			DATE	1
CONDITIONS OF APPROV	AL, IF ANY:	TI	rl e	······································			
							- 1

*See Instructions On Reverse Side

wh Fruh

NMOCC

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section.

Cperator			Lease	······	Well No.	
El Paso Natural Gas Company			Atlantic	20.		
Unit Letter	Section	Township	Range	County		
M	33	31N	10W	San Juan		
Actual Footage Location of Well:						
1180 feet from the South line and 870 feet from the West line Ground Level Elev. Producing Formation Pool Dedicated Assessed						
6278	Pictured		Blanco Pictu	red Cliffs /	Dedicated Acreage:	
			······································		Acres	
1. Outline in	e acreage dedica	ted to the subject we	il by colored pencil o	r hachure marks on th	ie plat below.	
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).						
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc?						
☐ Yes	No If an	swer is "yes," type o	consolidation			
If answer	is "no," list the o	owners and tract descr	riptions which have ac	ctually been consolidate	ated. (Use reverse side of	
Ì	· ·	d to the well until all	interests have been	one olidated (L	munitization, unitization,	
forced-pool	ling. or otherwise)	or until a non-standare	unit, eliminating suc	consolidated (by com h interests has been	approved by the Commis-	
sion.	,		anti, omminating suc	n interests, has been	approved by the Commis-	
	i i		! !		CERTIFICATION	
	, ,		İ			
1	¦ ·		l l	1 1	certify that the information con-	
	i		1	1'1	rein is true and complete to the year year.	
	ı		i	//	11 2 .	
	t		i t	10.	D. Ducas	
	-+	+	 	Nome		
	i		ì	Dril Position	ling Clerk	
	1			l !	Paso Natural Gas	
	1		į	Company	aso Natarar das	
	l		1	Apri	.1 26, 1979	
!	1		1	Date		
			i			
	××××××××××××××××××××××××××××××××××××××	XXXXX				
X	l I	XP3	l		``````````````````````````````````````	
		×	1	1 1	certify that the well location	
X) s	SF-080917	Ø	<u> </u>	1 1	this plat was plotted from field octual surveys made by me or	
×	1	×		1 1	supervision, and that the same	
XI .	•	Ø		1 1	nd correct to the best of my	
Ø	1	13 <i>i</i>	A COLON	knowledge	e and belief.	
X	+ `	 	J. J. J. L. J	 		
870'	1	×	ON THE CO		· Santing	
	l	⊠ \	いかがか	Date Survey	ed	
XI _		×	1 1000	Augus		
	i i	×	0.	Registered F and/or Land		
	i	×		12		
M I	i	Ø	i I	Fred	B Serr In	
				Centicate:	indy - he strong of the sent of	
0 330 660	00 1320 1650 1980	2310 2640 2000	1500 1000 50	0 3950		



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

Multi-Point Surface Use Plan Atlantic B #20

- 1. Existing Road Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map.

 All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

 Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from Hart Canyon Water Well.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.
- 7. Methods of Handling Waste Materials All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1,

7. cont'd.

- will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed mixture as designated by the responsible government agency will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted as designated by the responsible government agency.
- 11. Other Information The terrain is rolling hills with cedar and sagebrush growing. Cattle, deer and rabbits are occasionally seen on the proposed project site.
- 12. Operator's Representative W.D. Dawson, PO Box 990, Farmington, NM
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

L. A. Aimes

Project Drilling Engineer

Operations Plan - Atlantic B#20

I. Location: 1180'S, 870'W, Section 33, T-31-N, R-10-W, San Juan County, NM

Field: Blanco Pictured Cliffs Elevation: 6278'GL

II. Geology:

A. Surface Formation: Nacimiento

Sub-surface Formation Tops:

Ojo Alamo 1575' Pictured Cliffs 2953'
Kirtland 1663' Lewis 3135'
Fruitland 2580' Total Depth 3175'

- B. Logging Program: Induction Electric and Gamma Ray Density at TD.
- C. Coring: none
- D. Testing: none

III. Drilling:

A. Anticipated Starting Date and Duration of the Project:
1979 Drilling Program - approximately 4 days to complete.

B. Circulating Medium: Treated water and a low solids gel base mud will be used from surface to TD.

IV. Materials:

Α.	Casing Program:	Hole Size	<u>Depth</u>	Csg.Size	Wt.&Grade
		12 1/4" 6 3/4"	120 ' 3175 '	8 5/8" 2 7/8"	24.0# J-55 6.4# J-55

B. Float Equipment: 8 5/8" surface casing - cement guide shoe.

2 7/8" production casing - 10' shoe joint with notched collar for guide shoe and 2 7/8" latch down baffle on top. Two 3 1/16" balls and one 2 7/8" latch down plug.


- C. Tubing: none
- D. Wellhead Equipment: Larkin wellhead (fig. 75)

V. Cementing:


8 5/8" surface casing - 90 sks. of Class "B" cement with 1/4# gel-flake per sack and 3% calcium chloride (106 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hrs. Test casing wellhead and BOP to 600#/30 minutes.

2 7/8" production - 250 sks. 65/35 Class "B" Poz with 6% gel, 2% CaCl₂, and 8.3 gallons water per sack followed by 70 sks.Class "B" neat cement (488 cu.ft. slurry, 50% excess to cover Ojo Alamo). Run temperature survey after 12 hrs.


Typical Mud Drilled B.O.P. Installation for Pictured Cliffs Well



8" Series 900 Double Gate BOP, rated at 3000 psi Working Pressure



EL PASO NATURAL GAS COMPANY Atlantic B #20 SW 33-31-10



LEGEND OF RIGHT-OF-WAYS

EXISTING ROADS


EXISTING PIPELINES

EXISTING ROAD & PIPELINE

PROPOSED ROADS

PROPOSED PIPELINES

PROPOSED ROAD & PIPELINE



MAP #2