

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR  
Getty Oil Company
3. ADDRESS OF OPERATOR  
Box 3360, Casper, Wyoming 82602
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1025' FSL, 1120' FEL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

- |                      |                          |                          |
|----------------------|--------------------------|--------------------------|
| TEST WATER SHUT-OFF  | <input type="checkbox"/> | <input type="checkbox"/> |
| FRACTURE TREAT       | <input type="checkbox"/> | <input type="checkbox"/> |
| SHOOT OR ACIDIZE     | <input type="checkbox"/> | <input type="checkbox"/> |
| REPAIR WELL          | <input type="checkbox"/> | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | <input type="checkbox"/> |
| MULTIPLE COMPLETE    | <input type="checkbox"/> | <input type="checkbox"/> |
| CHANGE ZONES         | <input type="checkbox"/> | <input type="checkbox"/> |
| ABANDON*             | <input type="checkbox"/> | <input type="checkbox"/> |

(other) Date started and casing report

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Date spudded - 12-30-79

Ran 10 3/4" casing 32.75# on 12-31-79, set at 270' with 250 sks cement (circ. to top)

Ran 7 5/8" casing 26.40# on 1-26-80, set at 4175' with 528 sks cement (circ. to top)

Ran 5 1/2" Liner 15.5# on 2-4-80, set top at 4002', bottom 7015' with 400 sks cement.

RECEIVED

AUG 1 1980

U. S. GEOLOGICAL SURVEY  
FARMINGTON, N. M.

Subsurface Safety Valve: Manu. and Type

Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles E. Mooney TITLE Area Engineer DATE 7-30-80

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE  
N.M. 080-280
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
N/A
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
Mexico-Federal M
9. WELL NO.  
1-A
10. FIELD OR WILDCAT NAME  
Blanco
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 12, T31N-R13W
12. COUNTY OR PARISH  
San Juan
13. STATE  
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
5859' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

\*See Instructions on Reverse Side

NM000

BY \_\_\_\_\_