#### SUBMIT IN TRIPLICATE\*

Form approved.

(May 1963)		ED STATES			ther instru- reverse s	ctions on ide)	Budget Burea	u No. 42-R1425.
	DEPARTMENT OF THE INTERIOR						5. LEASE DESIGNATION	. / .
	GEOLO	GICAL SURV		SF 081155				
APPLICATION	V FOR PERMIT T	O DRILL,	DEEP	EN, OR I	PLUG E	BACK	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
1a. TYPE OF WORK								
	LL 🗷	DEEPEN		PL	.UG BA	CK 📙	7. UNIT AGREEMENT 1	
	AS []			INGLE	MULTIP	LE	Allison Un	
WELL W	ELL OTHER		z	ONE X	ZONE			
Fl Pago Na	atural Gas Co	mnanu					Allison Un	10
3. ADDRESS OF OPERATOR	icural Gas Co.	шрану				-	52	_
PO Box 289	). Farmington	. NM 87	401				10. FIELD AND POOL,	OR WILDCAT
4. LOCATION OF WELL (R At surface	O, Farmington eport location clearly and	in accordance wi	th any	State requirem	ents.*)		Blanco Mes	a Verde
$\mathcal{L}$	890'S, 176	0 <b>'</b> W					11. SEC., T., E., M., OR AND SURVEY OR A	BLK.
At proposed prod. zon	e						Sec. 28, T-3	2-N,R-6-W
<del></del>	same						NMPM	
	AND DIRECTION FROM NEAR		T OFFIC	E*			12. COUNTY OR PARISH	13. STATE
4 miles No	orth of Allis	on, NM					San Juan	NM
LOCATION TO NEAREST PROPERTY OR LEASE I	C .		16. N	O. OF ACRES IN	N LEASE		OF ACRES ASSIGNED HIS WELL	
(Also to nearest drig	g. unit line, if any)	880'		uni			<i>\\</i>	320.00
18. DISTANCE FROM PROP TO NEAREST WELL, D				RY OR CABLE TOOLS				
or applied for, on the		1/2 mi	te	639	0.	Rotar		
6702 GL	etner Dr, KI, GR, etc.)						22. APPROX. DATE WO	ORK WILL START*
23.	P	ROPOSED CASI	NG AN	D CEMENTIN	G PROGRA	AM		-
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING	DEPTH		QUANTITY OF CEME	NT
13 3/4"	9 5/8"	36.0#		2.0	0'	224	u.ft. to ci	rculate
8_3/4"	7"	20.0#		385	5'	ı		er Ojo Alamo
6 1/4"	4 1/2"line	r 10.5#		3705-6	390'		u.ft.to cir	
A 3000 psi	ly perforate WP and 6000 pipe rams wi	psi test	. do	uble ga	te pre	evente	er equipped	with
This gas i	s dedicated.							

The W/2 of Section 28 is dedicated to this well.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Drilling Clerk TITLE . (This space for Federal or State office use) PERMIT NO. APPROVAL DATE .

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

0 0 7 1979

ah Frank

\*See Instructions On Reverse Side

#### OIL CONSERVATION DIVISION

### STATE OF NEW MEXICO LHERGY MIS MINERALS DEPARTMENT

# P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-102 Revised 10-1-16

T	····	All distances must be f	on the cuter houndaries	of the Section.	
Operator			Leuse		Well No.
EL PASO MA	ATURAL GAS COM	PANY	ALLISON UNIT	(SF-0811	L55)   52
Unit Letter	Section	Township	Range	County	
N	28	32N	6W	San Juan	
Actual Footage Loc	ation of Well:	<del></del>	l <u>"</u>	Dan oddii	
390	feet from the SC	outh line and	1760	leet from the West	
Ground Level Elev.	Producing For	Title Gito	TP:00	feet from the West	11110
5702	1	VERDE	1	MESA VERDE	Dedicated Acreage:
<del></del>			4		320.00 Acres
1. Outline th	e acreage dedica	ted to the subject w	ell by colored pencil	or hachure marks	on the plat below.
					hip thereof (both as to working
interest ar	nd royalty).			,	and to working
3. If more the	n one lease of d	ifferent ownership is	dedicated to the well	l. have the interes	ts of all owners been consoli-
dated by c	ommunitization, u	mitization, force-pool	ing. etc?	.,	or all owners been consum-
X		•	C		
Yes	No If ar	nswer is "yes;" type	of consolidation	Unitizat	cion
If answer	is "no," list the	owners and tract des	criptions which have	actually been con-	solidated. (Use reverse side of
this form i	f necessary.)				Solidated, (Ose leverse side of
1	· ·	ed to the well until al	l interests have has-	consolidated ()	communitization, unitization,
forced-nool	ling or otherwise	or until a non standar	i micicala nave been	consolidated (by	communitization, unitization,
sion.	ing, or otherwise,	or until a non-standar	u unit, eliminating si	uch interests, has	been approved by the Commis-
X X X X X	~~~~	~ ~ ~			
				<del></del>	CERTIFICATION
K	ł	N	1		CERTIFICATION
	İ	KI	!		
(1	i	И	İ	1 1	ereby certify that the information con-
K	1	K	1	tain	ned herein is true and complete to the
Ŋ		N	1	bes	t of my knowledge and belief.
	1	Ŋ		de	. D. Busco
<del> </del>	+	\		Name	Drilling Clerk
$\mathbb{R}$	1		1	Positi E1	Paso Natural Gas Co
R	i	A	1	Compo	December 3, 1979
K	ļ	K		Date	
K	i S	ec.			
<b>y</b>	1	KI			
	1	K			
<u>/</u>	1	28	I		ereby certify that the well-location
) SF	-081155	Ŋ	U ga e time time est	· [ ]	wn on this plat was plotted from field
	1	'KI		_ []	es of actual surveys made by me or
1		И		~ 11	er my supervision, and that the same
K	1	K	1		
K	•	N	1	1 1	true and correct to the Eest of my
(L	· 1	KI	1	клоч	wledge and belief.
<u> </u>	- T	N		-	
1760'	1	KI		/	
X130	<u>-</u>	N	1	/ Date S	Surveyed
	1	KI	1	Se   Se	ot 63283410, 270
1		KI		Regist	toped rintergy of the their theer
K	90	Ы	1	and/or	stand Surveyor of
Ŋ	<u> </u>	N	ì		九上北級分門到日
<b>(</b>		KI		13. 13. 13. 13. 13. 13. 13. 13. 13. 13.	I and the Source of the
A Share				Certiti	water put 118X
0 330 660 6	' '   1 90 1320 1650 1980	2310 2640 2000	, ,		50 TERR, NO.
		<del>· · · · · · · · · · · · · · · · · · · </del>			

# EIPEED COMPANY

В О посети. В Киппинент, на суму на се путо Рионе, населения

Well Name Allison Unit #5	7
Location 5W 28-32-6	
Formation MU	
	•
We, the undersigned, have inspected this location	n and road.
U. S. Forest Service	Date
Dabace Ford	10/10/79 Date
ureau of Indian Affairs Representative	Date
ureau of Land Management Representative	Date //O/
S. Geological Survey Representative - AGREES O THE FOOTAGE LOCATION OF THIS WELL.	Date
eed Mixture:	
quipment Color: BROWN	
oad and Row: '(Same) or (Separate)	
emarks: Put gat: top of hill	

C.C. to Dave Vilvin
Earl Mealer
John Ahlm



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

#### Multi-Point Surface Use Plan

#### Allison Unit #52

- 1. Existing Road Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map.

  All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Pleace refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

  Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from San Juan River Arboles.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.
- 7. Methods of Handling Waste Materials All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1,

7. cont'd.

will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.

- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed mixture as designated by the responsible government agency will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted as designated by the responsible government agency.
- 11. Other Information The terrain is rolling hills with grass and juniper and pinon growing. Cattle, deer and elk are occasionally seen on the proposed project site.
- 12. Operator's Representative W.D. Dawson, PO Box 990, Farmington, NM
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

L. A. Aimes

Project Drilling Engineer

#### Operations Plan Allison Unit #52

I. Location: 890'S, 1760'W, Section 28, T-32-N, R-6-W, San Juan County, NM

Field: Blanco Mesa Verde Elevation: 6702'

## II. Geology:

Α.	Formation	Tops:	Surface	San Jose	Lewis	3657'
			Ojo Alamo	2586 <b>'</b>	Mesa Verde	5717 <b>'</b>
			Kirtland	2710 <b>'</b>	Menefee	5742'
			Fruitland	3270 <b>'</b>	Point Lookout	5942'
			Pic.Cliffs	3420'	Total Depth	6390'

- B. Logging Program: GR-Ind. and GR-Density at Total Depth.
- C. Coring Program: none
- D. Natural Gauges: 5705', 5730', 5930' and at Total Depth.
  Also gauge any noticeable increase in gas. Record all gauges in daily drilling report and on morning report.

#### III. Drilling:

A. Mud Program: mud from surface to 3855'. Gas from intermediate casing to Total Depth.

### IV. Materials:

Α.	Casing Progr	ram: Hole Siz	ze Depth	Casing S	ize Wt.&Grade
		13 3/4"	200'	9 5/8"	36.0# H-40
		8 3/4"	3855 <b>'</b>	7"	20.0# K-55
		6 1/4"	3705-6390	4 1/2"	10.5# K-55

B. Float Equipment: 9 5/8" surface casing - cement guide shoe.

7" intermediate casing - cement guide shoe and self-fill insert float valve, 5 stabilizers every other joint above shoe. Run float two joints above shoe.


- 4 1/2" liner 4 1/2" liner hanger with neoprene packoff. Geyser shoe and flapper type float collar
- C. Tubing: 6390' of 2 3/8", 4.7#, J-55 8rd EUE tubing with a common pump seating nipple one joint above bottom. Tubing will be open ended.
- D. Wellhead Equipment: 10" 2000 x 9 5/8" casing head. 10" 2000 x 6" 2000 xmas tree.

## V. Cementing:

9 5/8" surface casing - use 190 sks. of Class "B" cement with 1/4# gel-flake per sack and 3% calcium chloride (224 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600#/30 minutes.


7" intermediate casing - use 104 sks. of 65/35 Class "B" Poz with 6% gel and 2% calcium chloride (8.3 gallons of water per sack) followed by 100 sks. of Class "B" with 2% calcium chloride (286 cu.ft. of slurry, 50% excess to cover Ojo Alamo). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.

4 1/2" liner - precede cement with 20 barrels of gel water (2 sks. gel) Cement with 350sks. of 50/50 Class "B" Poz with 2% gel, 0.6% Halad-9, 6.25# gilsonite plus 1/4# Flocele per sack (486 cu.ft. of slurry, 70% excess to circulate liner). WOC 18 hours.




				ļ	ENG. REC.	DATE	El Paso Natural Gas Company
				<del>-  </del>	DRAWN J.L.H.	8-16-78	
					CHECKED		TYPICAL LOCATION PLAT FOR
ļ					CHECKED		MESAVERDE OR DAKOTA DRILL SITE
55-					PROJ. APP.		STATE STATE
PRT.	SEP.	DATE	10	w.o.	DESIGN		SCALE: 1" = 50' DWG. REV
		PRI	NT RECORD		W.O.		SCALE: 1 - 30

# Typical R.O. to Augustinian for Mena Vende Well



Series 900 Double Gate BOP, rated at 3000 psi Working Pressure
When gas drilling operations begin a Shaffer type 50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line




MAP 1

# LEGEND OF RIGHT-OF-WAYS

EXISTING ROADS
EXISTING PIPELINES
EXISTING ROAD & PIPELINE
PROPOSED ROADS
PROPOSED PIPELINES

PROPOSED ROAD & PIPELINE + +



MMP/2

Proposed Location .