UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	MN	021125		
•	ACTINICALAND	ALLOTTEE	OD TOIDE MAN	

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

- gas 1. oil other well well
- 2. NAME OF OPERATOR CONSOLIDATED OIL & GAS, INC.
- 3. ADDRESS OF OPERATOR P.O. Box 2038, Farmington, New Mexico 87401
- 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 AT SURFACE: 815' FSL & 1550' FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH:
- 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

6. IF INDIAN, ALLOTTEE OR TRIBE NAME 7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME **JACKSON** 9. WELL NO. 2-E 10. FIELD OR WILDCAT NAME: Basin Dakota 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 18T-31-N, R-12-W 12. COUNTY OR PARISH 13. STATE New Mexico San Juan 14. API NO.


(NOTE: Repo

cha

5. LEASE

15. ELEVATIONS (SHOW DF, KDB, AND WD) 5980 GL

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2-6-81 Perf. 6775, 79, 84, 88, 92, 96, 6808, 12, 16, 22, 34, 38, 42, 48, 52, 56, 60, 64, 68. With 20 perfs .32 dia. Acidize w/500 gal 75% HCL. Frac w/60,000 gal 30# gel, 72,500# 20/40 sn. Max tr pr 3400 psi. Avg tr pr 2900, Avg inj rate 34 BPM.

2-9-81 Ran 222 jts of 12", 2.9#, V55 tbg. Landed @ 6854.56 (KB)

-	1.		-	•
80000	***		-	
VI.I.F.		LIII	uL	
ACCEP	TLU.	run	n.c	60NU
	** .	CALC		
		Set @	1	

18. I hereby certify that the foregoing is true and correct

TITLE DRILLING ENGINEER DATE APR 6

2-13-81 FARMINGTON DISTRICT

(This space for Federal or State office use)

DATE

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

Subsurface Safety Valve: Manu. and Type ___

2-16-81