Form 9-331 Dec. 1973

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	SF - 078244
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME N/A
reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME Taliaferro
1. oil gas K other	9. WELL NO.
2. NAME OF OPERATOR	4-E
Supron Energy Corp. % John H. Hill, et al	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR Kysar Building, Suite 020	Basin Dakota
300 W. Arrington, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA TOTAL BIOLE
below.) at surface: 830' FNL & 1850' FWL (NE NW)	Sec. 29 T31N R12W
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	San Juan New Mexico
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	6030' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT SHOOT OR ACIDIZE X	ENER
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING []	change on Form 9-330.)
MULTIPLE COMPLETE	18 July 18 July 18 18 18
	to the transfer of the second
(other)	and the second s
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner Ran Gamma Ray and CCL logs for correlation Perforated Mesa Verde: 4717, 19, 22, 28, 	irectionally drilled, give subsurface locations and it to this work.)*
50, 54, 61, 74, 82, 85, 92, 94, 96, 98 - 4 56, 71, 86, 4910, 12, 30. Total 24 holes Tolson Gun.	1806, 32,
3. Acidize Mesa Verde with 1780.8 gallons 15% Dropped 48 ball sealers. Balled off.	HCL Acido,
4. Maximum Treating Pressure 5000#, Final Shu vacuum in 1 minute. Job complete 12/21/80	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. the by certify that the foregring is true and correct	
SIGNED WIMMAN I MARINITLE Superintender	and Development DEC 2 3 1980
ACCEPTED FOR HECUHL (This space for Federal or State of	fice use)
APPROVED BY TITLE	DATE
FARMINGTON DISTRICT	

*See Instructions on Reverse Side