

CLIENT: <u>R.R. CLICK</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>BR311</u> C.O.C. NO: _____
---------------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
LOCATION: NAME: <u>TALIAFERRO</u>	WELL #: <u>6</u>	PIT: <u>SEP/PROD</u>
QUAD/UNIT: <u>A</u>	SEC: <u>30</u> TWP: <u>31N</u>	RNG: <u>12W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>
QTR/FOOTAGE: <u>1090' PNL / 1080' FEL</u>		CONTRACTOR: <u>EPC</u>
ENVIRONMENTAL SPECIALIST: <u>NV</u>		

EXCAVATION APPROX. <u>14</u> FT. x <u>13</u> FT. x <u>8</u> FT. DEEP.	CUBIC YARDAGE: <u>25</u>
DISPOSAL FACILITY: <u>ON-SITE</u>	REMEDIATION METHOD: <u>LANDFARMED</u>
LAND USE: <u>RANGE</u>	LEASE: <u>SF-078244</u> FORMATION: <u>MV</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>90</u> FT. <u>N80E</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u>7100'</u>	NEAREST WATER SOURCE: <u>71000'</u> NEAREST SURFACE WATER: <u>71000'</u>
NMOCD BANKING SCORE: <u>0</u>	NMOCD TPH CLOSURE STD: <u>5000</u> PPM
SOIL AND EXCAVATION DESCRIPTION: <u>ELEV. 5985'</u>	
CHECK ONE: ☐ PIT ABANDONED ☒ STEEL TANK INSTALLED	

SIDEWALLS: OK. YELL. BROWN SILTY SAND / SILTY CLAY, COHESIVE, SLIGHTLY MOIST, FIRM TO SLIGHTLY STIFF. NO APPARENT HC ODOR IN ANY OF THE OVM SAMPLES.

BOTTOM - SHALE (BEDROCK) SOFT TO DENSE, OLIVE GRAY IN COLOR, STRONG HC ODOR IN OVM SAMPLE.


FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1305	3 @ 6'	TPH-1628	5	20	1:1	9	36

SCALE

0 FT

PIT PERIMETER




OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 6'	0.0
2 @ 6'	1.5
3 @ 6'	2.3
4 @ 6'	0.0
5 @ 8'	467

LAB SAMPLES		
SAMPLE ID	ANALYSIS	TIME

PIT PROFILE



TRAVEL NOTES:	CALLOUT: <u>10/23/95 MORN.</u>	ONSITE: <u>10/23/95 MORN.</u>
---------------	--------------------------------	-------------------------------

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

**FIELD MODIFIED EPA METHOD 418.1
TOTAL PETROLEUM HYDROCARBONS**

Client: R.R. CLICK
Sample ID: 3 @ 6'
Project Location: Taliaferro #6
Laboratory Number: TPH-1628

Project #:
Date Analyzed: 10-23-95
Date Reported: 10-23-95
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
-----	-----	-----
Total Recoverable Petroleum Hydrocarbons	36	20


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	-----	-----	-----
	920	910	1.09

* Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and Waste,
USEPA Storet No.4551, 1978

Comments: Separator / Production Tank Pit - BR311


Analyst


Review

CLIENT: <u>RL RESOURCES</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>82311</u> C.D.C. NO: <u>7276</u>
-----------------------------	--	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>TALIAFERRO</u>	WELL #: <u>6</u>	PITS: <u>SEP, PROD.</u>	DATE STARTED: <u>8.13.99</u>
QUAD/UNIT: <u>A</u>	SEC: <u>30</u>	TWP: <u>31N</u>	RNG: <u>12W</u>
PM: <u>NM</u>	CNTY: <u>ST</u>	ST: <u>NM</u>	DATE FINISHED: <u>8.17.99</u>
CTR/FOOTAGE: <u>1090N/1080E</u>	CONTRACTOR: <u>EPL</u>	ENVIRONMENTAL SPECIALIST: <u>REP</u>	

SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: 25

LAND USE: RANGE

LIFT DEPTH (ft): -

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'


NMDC RANKING SCORE: 6 NMDC TPH CLOSURE STD: 5000 PPM

DARK YELLOWISH BROWN SAND, NON COHESIVE, SLIGHTLY MOIST, FIRM.
NO LANDFARM OBSERVED, COLLECTED A 5PT. COMPOSITE SAMPLE
FROM WELL PAD (SEE SKETCH BELOW) SAMPLING DEPTHS RANGE
FROM 6" - 10"

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
<u>LF-1</u>	<u>0.0</u>

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME	RESULTS
<u>LF-1</u>	<u>TPH (8015)</u>	<u>1025</u>	<u>0.3</u>

SCALE

0 FT

TRAVEL NOTES:

CALLOUT: NA

ONSITE: 8.13.99

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / RC Resources	Project #:	403410
Sample ID:	LF - 1	Date Reported:	08-17-99
Laboratory Number:	F918	Date Sampled:	08-13-99
Chain of Custody No:	7276	Date Received:	08-13-99
Sample Matrix:	Soil	Date Extracted:	08-16-99
Preservative:	Cool	Date Analyzed:	08-17-99
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.3	0.1
Total Petroleum Hydrocarbons	0.3	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Taliaferro 6 LF. 5 Pt. Composite.


Analyst


Review

7276

[illegible]