

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1190' FNL 900' FEL, Sec.17, T-32-N, R-6-W, NMPM

A

5. Lease Number
NM-04207

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name
Allison Unit

8. Well Name & Number
Allison Unit #110

9. API Well No.
30-045-27171

10. Field and Pool
Basin Fruitland Coal

11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment ☐ Change of Plans
☐ Recompletion ☐ New Construction
☐ Plugging Back ☐ Non-Routine Fracturing
☐ Casing Repair ☐ Water Shut off
☐ Altering Casing ☐ Conversion to Injection
☒ Other -

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the
attached procedure and wellbore diagram.

RECEIVED
BLM
99 MAR -4 PM 2:33
070 FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (PDM) Title Regulatory Administrator Date 3/2/99
TLW

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the
United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ACCEPTED FOR RECORD

MAR 10 1999

NMOC

cert
FARMINGTON FIELD OFFICE
BY _____

Reggy

Allison #110
PUMPING UNIT INSTALLATION PROCEDURE

Unit A, Section 17, T32N-R6W, San Juan County, New Mexico


Lat. 36.984490 / 36° 59.07'

Long. 107.475270 / 107° 28.52'

1. MIRU pulling unit.
2. NDWH / NUBOP. NOTE: Blow well dead. Kill if necessary with produced Fruitland coal water.
3. PU one joint of tubing. TIH to tag for fill.
4. TOH standing back 2-3/8" tubing. (Tubing is set @ 3085' - there are 96 jts of 2-3/8" 4.7# J-55 with an "F" nipple @ 3053').
5. PU 3-7/8" bit on tubing and TIH to COTD. Circ hole clean. (Note: Liner is 4 1/2" 10.5# casing. PBTD is @ 3091').
6. TIH w/ 2-3/8" tubing string and land tubing @ 3085'. Purge valve will be on bottom followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
7. Hang tubing in donut. NDBOP / NUWH.
8. TIH w/ new 1.25" top hold down pump, 7/8" Grade D sucker rods (w/ spray metal couplings), polished rod, and polished rod liner. (Note: Vendor contact is listed below).
9. Seat the downhole pump, hang horses head, and space out pump.
10. Load tubing, and pressure test.
11. Start pumping unit and test (adjust spacing if needed).
12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.


Prepared: D.W. Mussett

 2.11.99
Approved: Drilling Supt.

Pump Vendor: Energy Pump
Leo Noyes 564-2874

Allison 110

Basin Fruitland Coal
Unit A, Section 17, T32N, R6W, San Juan County, New Mexico

Completed: 8/1/89

