

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

Santa Fe, New Mexico 87504-2888

SEP 16 1996

OIL CON. DIV.

WELL API NO.

5. Indicate Type of Lease

STATE ☐

FEE ☐

6. State Oil & Gas Lease No.

NM-013642

7. Lease Name or Unit Agreement Name

Gardner C

8. Well No.

5

9. Pool name or Wildcat

Basin Fruitland Coal

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☒

OTHER

2. Name of Operator

Koch Exploration Company

3. Address of Operator

P.O. Box 489, Aztec, NM 87410

4. Well Location

Unit Letter L : 1680 Feet From The South Line and 1010 Feet From The West Line

Section

26

Township

32N

Range

9W

NMPM

San Juan

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: Install Cathodic Protection Groundbed ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We plan on drilling a Cathodic Protection Groundbed for casing protection on this well. We will drill a 10" diameter hole to the depth determined by sufficient water source (estimated at 400'). Will install a minimum of 20' of 10" Sch 80 PVC surface casing which will extend 24" above existing ground level and it will be capped with a PVC cap upon completion of Groundbed. We will record soil and water formations and changes in soil and water types, identification of those types, and moisture content will be generally described. We will also install a 1" vent pipe from bottom anode to junction box post.

Request approval to install a small earthen pit to contain drilling fluids during drilling operations and after completion will reclaim and reseed such area to BLM specs. All work performed will remain on existing disturbed well pad. Also will install a power supply for such Groundbed which will consist of electrical or solar power. We will trench necessary cables for casing protection on existing well pads or current ROW's.

A Completion Report will be submitted in triplicate to NMOCD on "Data Sheet for Deep Groundbed Cathodic Protection Wells for Northwestern New Mexico" after Groundbed is installed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Don Johnson

TITLE

Foreman

DATE

9-14-96

TYPE OR PRINT NAME

Don Johnson

TELEPHONE NO. 334-9111

(This space for State Use)

APPROVED BY ORIGINAL SIGNED BY ERNIE BUSCH

TITLE

DEPUTY OIL & GAS INSPECTOR, DIST. #3

SEP
DATE

18 1996

CONDITIONS OF APPROVAL, IF ANY: