State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division

	Sundry Notices and F	Reports on Wells	
		API	# (assigned by OCD) 30-045-28565
1. Type of Well GAS		5.	Lease Number
		- 6.	State Oil&Gas Lease # K-5808-NM
2. Name of Operator		7.	Lease Name/Unit Name
BURLINGTON RESOURCES OIL & GAS COMPANY			Albino Canyon
		_ 8.	
 Address & Phone No. of Operat PO Box 4289, Farmington, NM 		9.	#100 Pool Name or Wildcat Basin Fruitland Coal
4. Location of Well, Footage, Se	c., T, R, M	10.	Elevation:
1090'FNL 830'FEL, Sec.36, T-3		Juan County	
Type of Submission	Type of A		
X Notice of Intent	Abandonment Recompletion	Change of Pl New Construc	
Subsequent Report	Plugging Back	New Constitute	
	Casing Repair	Water Shut o	ff
Final Abandonment	Altering Casing X Other -	Conversion t	o Injection
It is intended to install attached procedure	and wellbore diagram.		to the
SIGNATURE SAGAY MAN PLA	(DWM) Regulatory	Administrator_	
(This space for State Use)			TLW
ORIGINAL SIGNED BY CHARLE	ET. PERFIN	CAC BIEBERTAN ALIE	MAR 3 199
•	Title	GAS INSPECTOR, DIST.	Date "199

Albino Canyon #100 PUMPING UNIT INSTALLATION PROCEDURE

<u>Unit I, Section 36, T32N-R8W, San Juan County, New Mexico</u> <u>Lat. 36.941380 / 36° 56.48'</u> <u>Long. 107.619950 / 107° 32.20'</u>

- 1. MIRU pulling unit.
- 2. NDWH / NUBOP. Kill if necessary with produced Fruitland coal water.
- 3. PU 2 joints of tubing. TIH to tag for fill.
- 4. TOH standing back 2-3/8" tubing. (Tubing is set @ 3434', there are 110 jts of 2-3/8" 4.7# J-55 with an "F" nipple @ 3402').
- 5. PU 4-3/4" bit on tubing and TIH to PBTD. Circ hole clean. (Note: COTD is @ ~3489').
- 6. TIH w/2-3/8" tubing string and land tubing @ 3484'. Purge valve will be on bottom followed by pup joint, perforated sub, and standard seating nipple. Space out as needed with pup joints.
- 7. Hang tubing in donut. NDBOP / NUWH.
- 8. TIH w/ new 1.25" top hold down pump, 3/4" Grade D sucker rods (w/ spray metal couplings), polished rod, and polished rod liner. (Note: Vendor contact is listed below).
- 9. Seat the downhole pump, hang horses head, and space out pump.
- 10. Load tubing, and pressure test.
- 11. Start pumping unit and test (adjust spacing if needed).
- 12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.

Prepared: D.W. Mussett

Pump Vendor: Energy Pump

Leo Noyes 564-2874

Albino Canyon #100 March 18, 1999 Basin Fruitland Coal Unit A, Section 36, T32N, R8W, San Juan County, New Mexico

