

TABULATION OF DEVIATION TESTS

* * AMOCO PRODUCTION COMPANY * *

DEPTH	DEVIATION	DEPTH	DEVIATION
385	.750	5820	2.00
894	1.00	6415	4.75
1326	.500	6722	3.50
1829	.750	7101	2.75
2314	.250		
2810	.500		
3228	.250		
3750	.750		
4285	.750		
4815	.750		
5320	.250		

~~CONFIDENTIAL~~

AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation tests taken on AMOCO PRODUCTION COMPANY'S:

Martinez /J/#1

Section 32 Township 32N Range 10W

San Juan, New Mexico

~~CONFIDENTIAL~~

Signed

Title

DeAnne Tallant
Staff Assistant

THE STATE OF COLORADO)
) SS.
COUNTY OF DENVER)

RECEIVED

FEB 21 1994

BEFORE ME, the undersigned authority, on this day personally appeared DeAnne Tallant known to me to be Staff Assistant for Amoco Production Company and to be the person whose name is subscribed to the above statement, who, being by me dully sworn on oath, states that he has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 18th day of February, 19 94
Erica W. Baker
Notary Public

My Commission Expires: August 20, 1997