

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well
GAS

API # (assigned by OCD)
30-045-29253

5. Lease Number
Fee

6. State Oil&Gas Lease #

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

7. Lease Name/Unit Name

Allison Unit Com

8. Well No.
#122

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

9. Pool Name or Wildcat
Basin Fruitland Coal

4. Location of Well, Footage, Sec., T, R, M

935'FNL, 880'FEL, Sec.31, T-32-N, R-6-W, NMPM, San Juan County, NM

10. Elevation:

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - Pump Installation

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to install a pump in the subject well according to the attached procedure and wellbore diagram.

RECEIVED
AUG 25 1999

OIL CON. DIV.
DIST. 3

SIGNATURE

[Signature]

Regulatory Administrator August 23, 1999

trc

(This space for State Use)

ORIGINAL SIGNED BY CHARLIE T. PERRIN

DEPUTY OIL & GAS INSPECTOR, DIST. 3

Approved by _____ Title _____

Date AUG 25 1999

Allison Unit Com #122
PUMPING UNIT INSTALLATION PROCEDURE
7/15/99


Unit A, Section 31, T32N, R6W, San Juan County, New Mexico
Lat. 36.941071 / 36° 56.46'
Long. 107.493835 / 107° 29.63'

1. MIRU pulling unit.
2. NDWH / NU BOP. NOTE: Blow well dead. Kill if necessary with produced Fruitland coal water.
3. PU one joint of tubing and TIH to tag for fill.
4. TOH laying down 106 joints of 2-7/8", 6.5#, J55 tubing, set @ 3279'. F nipple @ 3249'.
5. PU 2-3/8" tubing and 4-3/4" bit. TIH w/ bit on tubing and COTD @ 3301'. Circulate hole clean. TOOH.
6. TIH w/ 2-3/8" tubing string configured for downhole pump and land @ 3296'. Purge valve will be on bottom, followed by pup joint, perforated sub, and seating nipple. Space out as needed with pup joints.
7. Hang tubing in donut. ND BOP / NUWH.
8. TIH w/ new 1.25" top hold down pump, 3/4" Grade D sucker rods w/ spray metal couplings, polished rod, and polished rod liner. (Note: Vendor contact is listed below)
9. Seat the downhole pump, hang horses head, and space out pump.
10. Load tubing, and pressure test to 500 psi.
11. Start pumping unit and test (adjust spacing as required).
12. RDMO.

COMPLY WITH ALL FEDERAL, STATE AND LOCAL RULES AND REGULATIONS RELATING TO OIL AND GAS OPERATIONS.



Prepared: S.T. Portra

 8-19-99

Approved: Drilling Supt.

Pump vendor: ENERGY PUMP

Leo Noves @ 564-2874

Allison Unit Com #122

Basin Fruitland Coal
Unit A, Section 31, T32N, R6W, San Juan County, New Mexico

Completed: 12/31/95
Note: 2-3/8", 4.7# J55
tubing, 3/4" sucker rods and
a downhole pump assembly
will be run.

Ojo Alamo @ 2189'

Kirtland @ 2319'

Fruitland @ 3282'

Perforations: 2982'-3072'
3252'-3298'

