

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

5525 Highway 64, NBU 3004, Farmington, NM 87401 505-599-3451

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit F, 1475' FNL & 1470' FWL
Section 33, T32N, R7W

5. Lease Designation and Serial No.

SF-078543

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 32-7 Unit

8. Well Name and No.

SJ 32-7 Unit #91

9. API Well No.

30-045-29877

10. Field and Pool, or exploratory Area

S. Los Pinos
Fruitland Sands PC

11. County or Parish, State

San Juan, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change casing & cement
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Phillips is planning a casing and cement change. Due to the availability of the 8-5/8" BOP equipment for the surface casing it made it feasible to change the surface casing from the 7" (permitted) to 8-5/8" (actual). The size of the hole for the production casing will be changed from the permitted 6-1/4" hole to 7-7/8" because of the difference in the strength of the bit. Using a large stronger bit will save time as well as money, due to less drill time and less bit changeouts.

The following is planned.

Surface casing - 12-1/4" bit, 8-5/8" 24#, K-55 casing, 205 sx C1 H cement (247 cf)
Production casing - 7-7/8" bit, 2-7/8" 6.5# J-55 casing, Lead - 650 sx C1 H (1898 cf)
Tail - 220 sx C1 H (266 cf)

Both surface and production casing cement is designed to be circulated to surface.

14. I hereby certify that the foregoing is true and correct

Signed Patsy Clugston Title Regulatory Assistant Date 5/20/99

(This space for Federal or State office use)

Approved by /s/ Duane W. Spencer Title Team Lead, Petroleum Management Date JUN 01 1999
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instruction on Reverse Side

NMOC