

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

ndian Agency
Navajo Tribal
llottee
. 14-20-403-5013

TICE OF INTENTION TO DRILL		X SUBSEQ	UENT REPORT OF WATER	CHILL USE	_
TICE OF INTENTION TO DRILL TICE OF INTENTION TO CHANGE F			UENT REPORT OF WATER UENT REPORT OF SHOOTI	11.77 12 12 1	2 1
TICE OF INTENTION TO CHANGE F			UENT REPORT OF SHOOT! UENT REPORT OF ALTER!	1111	
TICE OF INTENTION TO REDRILL			UENT REPORT OF REDRIL		
TICE OF INTENTION TO SHOOT OF		1 11	UENT REPORT OF ABANDO	1100	10 1962
FICE OF INTENTION TO PULL OR		1 1	MENTARY WELL HISTORY.		
TICE OF INTENTION TO ABANDON				U.S. CECLOC	1031 giler
				FARMINGTON.	N'W JIEY
(INDICA)	TE ABOVE BY CHECK MAI	RK NATURE OF R	EPORT, NOTICE, OR OTHER	DATA)	
		400000000000000000000000000000000000000	November	r 12	, 19 .62
No. 2-25 Navajo is lo	catedft. f	from ${\mathbb{S}}$ line	e and \$25 ft. fr	$\operatorname{fom}\left\{egin{array}{c} \mathrm{E} \\ \mathbf{x} \end{array}\right\}$ line of s	ec. 28
SE SE 24	32N	179	NAP		
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	Manager M. B. 11 11 4 11 11	
Wildrat (Field)		aty or Subdivision		(State or Territory)	
elevation of the derrick	. Acor above sea	laval is 54	S4 fr		
	DEL	AILS OF V	VORK		
e names of and expected depths t	o objective sands: show	aizes, weights, a	-	sings; indicate muddin	g jobs, ceme
e names of and expected depths t	o objective sands; show ing points, and a	aizes, weights, a ll other importa	nd lengths of proposed can nt proposed work)		g jobs, ceme
octive Horizon: Gaile cipated TD: 1630' is	o objective sands; show ing points, and a sp (Horseshoe) Sanoetes form	eizes, weights, a all other imports candstone	nd lengths of proposed cannot proposed work) At approximate	ły 1 58 0'.	
etive Horizon: Galla	o objective sands; show ing points, and a sp (Horseshoe) Sanoetes form	eizes, weights, a all other imports candstone	nd lengths of proposed cannot proposed work) At approximate	ły 1 58 0'.	
etive Horizon: Gaile cipated TD: 1630' is	o objective sands; show ing points, and a sp (Horseshoe) Sanoetes form	eizes, weights, a all other imports candstone	nd lengths of proposed cannot proposed work) At approximate	ły 1 58 0'.	
etive Horizon: Galla cipated TD: 1630' in drill 9" surface hole coment to surface.	o objective sands; show ing points, and a sp (Horseshoe) a Sanostee form a and set 1 join	eardstone at (approxis	at approximate mately 30° of 7°	ly 1580'.) surface cast	ng and
etive Horizon: Galla cipated TD: 1630' in drill 9" surface hole coment to surface.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in	eaizes, weights, a all other importa candstone nation. at (approxi-	at approximate mately 30° of 7°	ly 1580'.) surface cast out to rise 200	ng and
ective Horizon: Galla cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in	eaizes, weights, a all other importa candstone nation. at (approxi-	at approximate mately 30° of 7°	ly 1580'.) surface cast out to rise 200	ng and
ective Horizon: Galla cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in	eaizes, weights, a all other importa candstone nation. at (approxi-	at approximate mately 30° of 7°	ly 1580'.) surface cast out to rise 200	ng and
ective Horizon: Galla cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in	eaizes, weights, a all other importa candstone nation. at (approxi-	at approximate mately 30° of 7°	ly 1580'.) surface cast out to rise 200	ng and
ctive Horizon: Galla sipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a and 20, 000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in and sand-oil from sand-oil fr	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7° hole with compensate among the compensat	ly 1580'.) surface cast out to rise 200	ng and
ctive Horizon: Galla signted TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a and 20,000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in and sand-oil from sand-oil fr	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7° hole with compensate among the compensat	ly 1580'.) surface cast out to rise 200	ng and
ctive Horizon: Galla signted TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a and 20,000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in and sand-oil from sand-oil fr	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallons
ctive Horizon: Galla signted TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a and 20,000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in and sand-oil from sand-oil fr	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast out to rise 200	ng and ' above gallons
ctive Horizon: Galla signted TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation a and 20,000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 join 2" oil string in and sand-oil from sand-oil fr	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallone
ctive Horizon: Gaile cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation and 20, 000*.	o objective sands; show ing points, and a specific points, and a specific point and set 1 join 2" oil string in and sand-oil from sand-oil from the sand-oil	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7° hole with compensate among the compensat	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallone
octive Horizon: Gaile cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2	o objective sands; show ing points, and a specific points, and a specific point and set 1 join 2" oil string in and sand-oil from sand-oil from the sand-oil	enizes, weights, a all other importa- candstone nation. It (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallons
cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation and 20, 000*.	o objective sands; show ing points, and a specific points, and a specific point and set 1 join 2" oil string in and sand-oil from sand-oil from the sand-oil	aizes, weights, a all other importation. At (approximation aide 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallons
ctive Horizon: Gaile cipated TD: 1630' in drill 9" surface hole coment to surface. to run 1620' of 4 1/2 highest perforation and 20, 000*.	o objective sands; show ing points, and a specific points, and a specific points and set 1 joints and send set 1 joints and send-oil from the send send send send send send send sen	enizes, weights, a all other importa- candstone nation. at (approxi- side 6 1/4 ac in the a	at approximate mately 30° of 7" hole with comproximate and	ly 1580'.) surface cast ent to rise 200 must of 10,000	ng and ' above gallons

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.						I	Date Nove	sher L	, 1962
Operator		J. Little			⊭สธе _	28 Navajo	1		
Well No. 2 Logated	800	Unit Letter Feet From_						Range	17 West Kie
Deunty San	The state of the s			1 5854	825	Feet Fr	The second name of the last of	<u> </u>	Lin
Sine of Prod	ucing Fo	rmationG	allup (H	orseshee)	F	Pool Wild	cat	 	hore
Is the Yes	e Operat X ×	or the only ow	ner* in th	ne dedicat	ed acre	age outlined	on the pla	t below	ò
		to question or	ne is #no	* hove the	intono	ete of all th			
by co	munitiz	ation agreeme	nt or other	nave the rwise? Ye	: Intere	No .	10 owners b If answer	een com la "vac	solidated -
TAbe	or cons	olidation							
If the	e answer	to question to	vo is "no,	" list all	the own	n er s and thei	rrespecti	ve int+	resta belam
- Q		Our on							
		Owner				Land	Descript	<u>ion</u>	
· .		······································	-		***			GE	IVEM
ra Ka							W		
					-	·		NOV 1	3-1962-
									•
ection. B	•						U. S.	CEOLOGIC	AL SURVEY
							FAIN	incrura	NEW MEXICO
				' ' 			This is	to cert	ify that the
							informat	ion in	Section A
									nd complete
	1	;					and belie	-	knowledge
	1.7				1		(4	shas	2 Tittle
		2			\$ }	İ	Curt	العنا	istie
	1				 			(Operat	or)
	Ţ							····	
					1			present	
					j		2929 Mont Albuquerq		
				_					
		Sec.	28	(50)	1711		No.	Addre	34.
				195	14 -		ants is t	o derts	ty, that the
				SIL	V. 10	62 COM.	plat in se	ing the i	was plotted
				1 20	Mr	COAL	from fiel	d notes	of actual
				1 4	COL	.3	Surveys m	rade by:	me or under
	1			/0	in Dia		seme ts.t.	are bug	correct to
<u> </u>	 						the best	de my Ki	owledge and
	į	-			7				
	1	,)	所。人		· ·	ov. 5, 1962
	1				y 🧖	14,80			chohau
•	! }	Į.		,	ا ام	75	Ernest V.		wk Surveyor.
		· ·			! <i>8</i> 2		Wedrucald	a mana	ourveyor.
		<u> </u>	<u> </u>				Certifica	te No.	3602