

Santa Fe, New Mexico

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-106 IS PROPERLY FILLED OUT.**

PRINCE, N.M.

Address

188

The information given is to be kept confidential until.....19.....

No. 3, from.....to..... No. 6, from.....to.....

No. 4, from to feet.

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
7-7/8	5 1/2	15H7	75	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material..... Length..... Depth Set.....
 Adapters—Material..... Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from..... 0..... feet to..... 1615..... feet, and from..... feet to..... feet
 Cable tools were used from..... feet to..... feet, and from..... feet to..... feet

PRODUCTION

Put to producing..... August 4,....., 19 46
 The production of the first 24 hours was..... 8.45..... barrels of fluid of which..... 99.....% was oil;.....%
 emulsion;..... 1.....% water; and.....% sediment. Gravity, Be.....
 If gas well, cu. ft. per 24 hours..... Gallons gasoline per 1,000 cu. ft. of gas.....
 Rock pressure, lbs. per sq. in.....

EMPLOYEES

..... T. H. Ray....., Driller Olan Bracka....., Driller
 H. S. Ray....., Driller Henry Bean....., Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this..... 9th.....

day of..... August....., 19 46

..... Clarence D. Lollar.....
 Notary Public

My Commission expires..... May 7, 1950.....

..... Prewitt, N.M...... 5/9/46
 Place Date

Name..... FET.....

Position..... President.....

Representing..... PETROLEUM PRODUCTS MFG. & PRODUCING CO
 Company or Operator

Address..... Prewitt, New Mexico.....

(T)

(T)

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	80	80	Sand and shale
80	190	110	Sand and shale with some coal
190	211	21	Coal
211	316	105	Coal and shale
316	384	68	Sand - streaks of shale
384	420	36	Sand and showing of oil
420	510	90	Sand
510	805	295	Broken sand, shale and coal
805	1095	290	Sandy shale
1095	1128	33	Shale
1128	1310	182	Sandy shale
1310	1457	147	Shale
1457	1488	31	Broken sand and shale
1488	1587	99	Shale
1587	1615	28	Total Depth - Saturated oil sand.