

OIL CONSERVATION COMMISSION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO

*174 A
S-10-60
C-10-60
C-10-60*
March 27, 1961

Westates Petroleum Co.
855 Petroleum Club Building
Denver 2, Colorado

Re: Westates Petroleum #1 Bond et al
Section 35-20N-3W, Sandoval County

Gentlemen:

Notice of Intention to Drill was filed by your company for the above well on May 19, 1960. Later Form C-103 was filed showing that surface casing was set. No further information has been received in this office. Will you please file a status report on this well immediately.

If the well has been drilled and completed it will be necessary that all subsequent reports and Form C-105, Well Record Form, be filed within 30 days or we will institute action with the bonding company to properly plug and abandon the well.

Yours very truly

Emery C. Arnold
Supervisor, District #3

ECA:ks

cc: Mr. Oliver Payne
OCC, Santa Fe, N.M.

UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C. 20535

1991, 1992, 1993, 1994

10-10-68
10-10-68
10-10-68

[illegible]

Control

[illegible]

1. The first of these is the fact that the Commission has not yet received any information from the Government of the United States regarding the activities of the Committee for the Liberation of the People of the South (CLPS) in the United States. The Commission is therefore unable to provide any information on this subject.

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Whistler (1973). The total chlorophyll content was determined by the method of Arar and Johnson (1977). The carotenoid content was determined by the method of Lichtenthaler and Whistler (1973). The total carotenoid content was determined by the method of Arar and Johnson (1977). The total protein content was determined by the method of Lowry et al. (1951). The total lipid content was determined by the method of Bligh and Dyer (1959). The total carbohydrate content was determined by the method of Dubois and Gilles (1950). The total nucleic acid content was determined by the method of Burton (1956). The total ash content was determined by the method of AOAC (1970). The total water content was determined by the method of AOAC (1970). The total dry weight was determined by the method of AOAC (1970). The total organic matter content was determined by the method of AOAC (1970). The total inorganic matter content was determined by the method of AOAC (1970). The total mineral content was determined by the method of AOAC (1970). The total nutrient content was determined by the method of AOAC (1970). The total quality index was determined by the method of AOAC (1970).

1000 1000 1000
1000 1000 1000

459

[illegible]