(April 1902)							
X							

Form 9-331 b

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian A	ency
Allottee .	Navajo
Lease No.	I-149-Ind818a

Davis /

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RE	PORT OF WATER SHUT-OFF			
NOTICE OF INTENTION TO CHANGE PLANS		PORT OF SHOOTING OR ACIDIZING			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF SUBSEQUENT REPORT OF ALTERING CASING.					
NOTICE OF INTENTION TO REDRILL OR REPAIR	i i	PORT OF REDRILLING OR REPAIR			
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT RE	EPORT OF ABANDONMENT.			
NOTICE OF INTENTION TO PULL OR ALTER CAS	SING SUPPLEMENTAR	Y WELL HISTORY.			
NOTICE OF INTENTION TO ABANDON WELL		FARMINATAL N			
(INDICATE ABOVE E	BY CHECK MARK NATURE OF REPORT, N	NOTICE, OR OTHER DATA)			
		August 5th , 19			
Vell No. 1 is located 7	720 ft from Mine and	620 ft. from   line of sec. 12			
		H.M.P.M.			
8M/4 8M/4 Sec. 12 (4 Sec. and Sec. No.)	Twp.) (Range)	(Meridian)			
Oak History	san Juan	New Mexico			
tate names of and expected depths to objective ing		hs of proposed casings; indicate mudding jobs, camer need work)			
State names of and expected depths to objective ing  Well was plugged and a  It is proposed to move  and attempt completion	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope abandoned 12-6-57 e in rotary rig, of n in the Dakota for	hs of proposed casings; indicate mudding jobs, camer need work)  at total depth of 61681. Lean hole out to bottom,			
State names of and expected depths to objective ing  Well was plugged and a  Thin proposed to move	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope abandoned 12-6-57 e in rotary rig, of n in the Dakota for	hs of proposed casings; indicate mudding jobs, camer need work)  at total depth of 61681. Lean hole out to bottom,			
Well was plugged and a lit is proposed to move and attempt completion will be sand-water from	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope  abendoned 12-6-57 e in rotary rig, c a in the Dakota for actured.	hs of proposed casings; indicate mudding jobs, comes over work)  at total depth of 6168'.  Hean hole out to bottom, prestion.  The formation  AUG 25 1959  OIL CON. COM.  DIST. 3			
Well was plugged and the proposed to move and attempt completions.	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope  abendoned 12-6-57 e in rotary rig, c a in the Dakota for actured.	hs of proposed casings; indicate mudding jobs, comes over work)  at total depth of 6168'.  Hean hole out to bottom, prestion.  The formation  AUG 25 1959  OIL CON. COM.  DIST. 3			
Well was plugged and it is proposed to move and attempt completion will be sand-water from tunderstand that this plan of work must recompany	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope abandoned 12-6-57 in rotary rig, o n in the Dakota for setured.  ceive approval in writing by the Geological Conf.	hs of proposed casings; indicate mudding jobs, comes over work)  at total depth of 6168'.  Hean hole out to bottom, prestion.  The formation  AUG 25 1959  OIL CON. COM.  DIST. 3			
Well was plugged and it is proposed to move and attempt completion will be sand-water from tunderstand that this plan of work must recompany	DETAILS OF WORK e sands; show sizes, weights, and lengt points, and all other important prope  abendoned 12-6-57 e in rotary rig, c n in the Dakota for me tured.  ceive approval in writing by the Geological Control ater Building	hs of proposed casings; indicate mudding jobs, comes over work)  at total depth of 6168'.  Hean hole out to bottom, prestion.  The formation  AUG 25 1959  OIL CON. COM.  DIST. 3			

FORM C-128 Revised 5/1/57

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE  SECTION A								
Operator			L	ease		<del></del>	Well No.	
	MTIN-GREER		CORP.		DAVIS	<del></del>	1	
Unit Letter	Section 12	Township	7 11	Range	County	Son T	'	
Actual Footage Lo			7N	136		San J	(ABS)	
720	feet from the	<b>s</b> outh	line and	<b>્ટ</b> ુ	feet from the	್ಕಾ <b>ಕ</b>	line	
Ground Level Elev. 5840	1	rmation Cota	P	ool	ildeat	Dec	dicated Acreage:	
who has the right another. (65-3	bt to drill into and 1–29 (e) NMSA 193 question one is " NO If	to produce from 5 Comp.) no," have the in answer is "yes	any pool and any p	nd to appropriate all the owners be Consolidation —	the production e	ither for himself	KFPFIAFD/	
-				Sand Ses	——————————————————————————————————————	<del>\c)</del>	6 2 5 1959 CON. COM	
					·		DIST. 5 /	
		SECTION	В			CE	RTIFICATION	
						in SECTION of plete to the belief.  Name  Position V1CCC  Company  Benson—M	President ontin-Greer brilling Corp. 5th, 1959	
I-149-Ind -620-8	St 32B	Company of the state of the sta				shown on the plotted from fi surveys made supervision, a and correct to and belief.  Date Surveyed	ofessional Engineer	
0 330 660 99	0 1320 1650 196	30 2310 2640	2000	1500 1000	500 0	Certificate No	•	

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.