

(SUBMIT IN TRIPLICATE)

Indian Agency **Window Rock**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee **None**

Lease No. **1-149-Ind.-31825**

Area 2

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 26th, 19 **59**

Well No. **1** is located **720** ft. from **[S]** line and **620** ft. from **[W]** line of sec. **12**
SW 1/4 Sec. 12 **27N** **13W** **N.H.P.M.**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox **San Juan** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5052** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding ing points, and all other important proposed work)

Drilled to TD 1985'. Unable to locate old hole. Footage drilled was new hole. It is proposed to spot cement plugs as follows:

1. From 1985' to 1885'
2. From 1885' to 1800'
3. From 1800' to 50' (inside 8-5/8" casing).

10-cush plug will be spotted in top of 8-5/8" casing, and dry hole marker erected.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **HENDERSON-MONTIN-GRUBER DRILLING CORP.**

Address **158 Petroleum Center Building**

Farmington, New Mexico

By *[Signature]*

Title **Vice-President**

