

18P.24.05

### CLOSURE REPORT

TEXAS - NEW MEXICO PIPE LINE COMPANY MONUMENT SITE 8 AND 8A LEA COUNTY, NEW MEXICO



5309 Wurzbach, Suite 100 San Antonio, Texas 78238 (210) 680-3767 (210) 680-3763 FAX

### **CLOSURE REPORT**

TEXAS - NEW MEXICO PIPE LINE COMPANY **MONUMENT SITE 8 AND 8A** LEA COUNTY, NEW MEXICO

PREPARED FOR:

TEXAS - NEW MEXICO PIPE LINE COMPANY

P. O. Box 1030 Jal, New Mexico 88252

Mr. Tony Savoie

PREPARED BY:

KEI

Theresa Nix

Project Manager

J. Michael Hawthorne, P.G., REM

Senior Geologist

TA	BL	E	OF	CO	N	(EN	JTS

EXECUTIVE SUMMARY	1
PURPOSE AND SCOPE	2
BACKGROUND INFORMATION	2
CLOSURE ACTIVITIES  CLOSURE STANDARDS  SOIL REMOVAL  SOIL CHARACTERIZATION  CONFIRMATION SAMPLING  SOIL DISPOSAL  BACKFILL AND RESTORATION	2
QA/QC PROCEDURES SOIL WATER	4
FIGURES  FIG. 1 - SITE LOCATION MAP  FIG. 2 - SITE DETAILS  FIG. 3 - SAMPLING POINT LOCATIONS AND CONCENTRATIONS	
TABLES  GENERAL NOTES  TABLE I - SUMMARY OF LABORATORY RESULTS - SOIL  TABLE II - SUMMARY OF LABORATORY RESULTS - WATER	
APPENDICES  APPENDIX A - LABORATORY REPORTS  CHAIN-OF-CUSTODY DOCUMENTATION  APPENDIX B - DISPOSAL DOCUMENTATION	

### **EXECUTIVE SUMMARY**

The Texas - New Mexico Pipe Line Company (TNMPL) alleged release sites 8 and 8A are located approximately 1.8 miles west of Monument in Lea County, New Mexico. The sites are specifically located in Section 5, Township 26 South, Range 37 East. A site location map is presented as FIG. 1. The sites are owned by the State of New Mexico and leased to Mr. Jimmy Cooper. Specific site details are presented on FIG. 2. This report summarizes closure activities performed at the project site from June through October of 1997.

Closure activities performed included the following:

- collection of soil samples from the initial excavation to determine hydrocarbon concentration levels;
- excavation and stockpiling of additional soils which exceeded closure levels;
- collection of confirmation samples in the excavated area;
- · characterization of stockpiled soils;
- transportation and off-site landfarming of stockpiled soils; and
- backfilling the excavation with clean soils.

2499'

The following conclusions are based on field and laboratory data:

• The closure standards at the site were determined to be as follows:

CONSTITUENT	CLOSURE CONCENTRATIONS (mg/kg)
BENZENE	10
BTEX	50
TPH	100 + Background Concentration

- Approximately 833 cubic yards of impacted soil was excavated, stockpiled, and landfarmed off-site.
- Confirmation soil samples at the site indicated TPH, benzene, and BTEX concentrations below closure standards.

From the conclusions presented above, we request the site be closed under New Mexico Oil Conservation Division (OCD) regulations.

### PURPOSE AND SCOPE

The objective of the site closure activities was to obtain closure for the site based on OCD regulations. The following activities were performed to achieve this objective:

- · determination of closure standards;
- removal of impacted soil;
- · characterization of removed impacted soil;
- confirmation sampling in the excavated area;
- transportation and off-site landfarming of impacted soil; and
- · backfilling with clean soil in the excavated area.

### BACKGROUND INFORMÁTION

3/2/cag

A <u>hydrocarbon release</u> was identified at the subject site during 1997. The following activities were performed as part of the current release response activities:

- Clean overburden soils including topsoil were removed and stockpiled on-site.
- Soils were excavated, stockpiled, and some soils were landfarmed off-site.
- Five exploratory soil borings were advanced at Site 8.
- Soil samples were collected from native soils during soil boring advancement.
- A water sample was collected from water which had accumulated in the excavation bottom at Site 8A.

### **CLOSURE ACTIVITIES**

### **CLOSURE STANDARDS**

The New Mexico OCD Guidelines for Remediation of Leaks, Spills, and Releases contains the standard criteria for remediation activities. A ranking analysis for the site was performed to determine appropriate soil remediation levels. The ranking analysis is as follows:

CRITERIA	APPLICABLE STANDARD	POINTS
Depth to Ground Water	(Less Than 50 Feet	20 Points
Well Head Protection	Greater Than 1000 Feet to Water Source Greater Than 200 Feet to Private Water Source	0 Points
Surface Water Body	Greater Than 1000 Feet	0 Points
	Total Ranking Score	20 Points

On June 6, 1997, exploratory soil boring B8-4 was re-entered and extended to the depth of ground water, at approximately 16.5 feet below ground surface.

Based on the total ranking score, the closure objectives for this site for concentrations of benzene, BTEX, and TPH are summarized below.

CONSTITUENT	CLOSURE CONCENTRATIONS (mg/kg)
BENZENE	10
BTEX	50
TPH	100 + Background Concentration

### SOIL REMOVAL

Additional soils were removed from the bottom and sidewalls of the existing excavation from June 6, 1997 through June 25, 1997. These soils included sediments which had washed into the excavation. An estimated 833 cubic yards were removed from the existing excavation and stockpiled on-site for characterization prior to off-site landfarming.

### SOIL CHARACTERIZATION

The soil stockpiles were characterized by collecting two composite soil samples for determination of TPH. Laboratory results indicated TPH concentrations of 280 mg/kg and 3,500 mg/kg. Laboratory results are presented in APPENDIX A.

### **CONFIRMATION SAMPLING**

Composite soil samples were collected from the excavation bottom and excavation sidewall and submitted for determination of TPH concentrations. Based on the laboratory results of the excavation bottom soil sample, additional soils were excavated and the bottom resampled. The sample locations are presented on FIG. 3.

A water sample was collected on June 12, 1997 from ground water which had accumulated in the excavation bottom at Site 8A and submitted for determination of BTEX and TPH concentrations. Laboratory results indicated BTEX and TPH concentrations of 0.006 mg/l and 6 mg/l, respectively.

Laboratory results of the final composite soil samples indicated the following:

SAMPLE LOCATION	MAX. TPH	MAX. BTEX	MAX. BENZENE
Final Soil Sidewall (mg/kg)	190*	1.277	0.183
Soil Bottom (mg/kg)	130*	ND	ND

<sup>\*</sup> Background level was 192 mg/kg. Closure level was 292 mg/kg.

Previous soil samples collected during the advancement of soil borings B8-1 through B8-5 were submitted for determination of BTEX and TPH concentrations. Soil samples obtained from borings B8-1 and B8-2 indicated BTEX concentrations ranging from 1.58 to 18.45 mg/kg. Therefore, excavation bottom and sidewall samples were also submitted for determination of BTEX concentrations.

Soil laboratory results are summarized on TABLE I and graphically presented on FIG. 3. Water results are summarized on TABLE II.

### SOIL DISPOSAL

Authorization to transport and landfarm the impacted soils off-site was obtained from OCD. The impacted soils were transported to C&C Landfarm Incorporated located approximately two miles south of Monument, New Mexico. Disposal documentation is presented in APPENDIX B.

#### BACKFILL AND RESTORATION

Approximately 210 cubic yards of clay was placed into the excavation to a depth of approximately six feet below ground surface. Approximately 460 cubic yards of clean fill material was purchased from Mr. Cooper. An estimated 210 cubic yards of the clean fill material was rock which was placed above the clay layer in the excavation. The remaining 250 cubic yards of clean soil was placed over the rock in the excavation to complete the backfilling operations. The area was graded and reseeded following backfilling.

### **QA/QC PROCEDURES**

### SOIL

The soil samples collected were placed in a sterile glass container equipped with a Teflon-lined lid furnished by the analytical laboratory. The container was filled to capacity with soil to limit the amount of head-space present. Each container was labeled and placed on ice in an insulated cooler. The cooler was sealed for shipment to Environmental Lab of Texas, Inc. in Odessa, Texas for determination of TPH concentrations using EPA Method 418.1 and BTEX concentrations using EPA Method SW846-8020, 5030. Proper chain-of-custody documentation was maintained throughout the sampling process.

### WATER

A sample was collected of water which had seeped into the excavation bottom. The excavation water sample was collected with a disposable Teflon bailer and polyethylene line. Water sample containers were filled in the order of decreasing volatility (i.e., BTEX containers were filled first and TPH containers second).

Water samples collected for BTEX analyses were placed in sterile, 40 ml glass VOA vials equipped with Teflon-lined caps. The containers were provided by the analytical laboratory. The vials were filled to a positive meniscus, sealed, and visually checked for the presence of air bubbles.

Water samples collected for TPH analysis were filled to capacity in sterile, one liter glass containers equipped with Teflon-lined caps. The containers were provided by the analytical laboratory.


The filled containers were labeled and placed on ice in an insulated cooler. The cooler was sealed for shipment to Environmental Lab of Texas, Inc. in Odessa, Texas for determination of BTEX and TPH concentrations using EPA Method SW846-8020 and EPA Method 418.1, respectively. Proper chain-of-custody documentation was maintained throughout the sampling process.

## MONUMENT SOUTH QUADR IMENT NORTH QUADRANGLE **NEW MEXICO - LEA COUNTY NEW MEXICO - LEA COUNTY** PRINTED 1986 PRINTED 1985 ∆ 16 PROJECT 7 A SITE 9 4 30 r Мог 3 A EL PASO NATURAL GAS PLANT 1 MILE 7000 FEET KILOMETRE CONTOUR INTERVAL 5 FEET SITE LOCATION MAP

MONUMENT SITE No. 8 AND 8A

**TEXAS - NEW MEXICO PIPE LINE CO.** 


LEA COUNTY, NEW MEXICO



kei

TEXAS - NEW MEXICO PIPE LINE CO. MONUMENT SITE No. 8 AND 8A LEA COUNTY, NEW MEXICO

FIG 2



kei

TEXAS - NEW MEXICO PIPE LINE CO. MONUMENT SITE No. 8 AND 8A LEA COUNTY, NEW MEXICO

FIG 3

### **GENERAL NOTES**

ND - Indicates constituent was not detected above the method detection limit.

Method detection limits:

Soil: BTEX - 0.001 mg/kg

TPH - 10 mg/kg

Water: BTEX - 0.001 mg/l

TPH - 1 mg/l

Laboratory test methods: BTEX - EPA Method SW846-8020, 5030

TPH - EPA Method 418.1

**TABLE I** 

## SUMMARY OF LABORATORY RESULTS - SOIL EXCAVATION ACTIVITIES - MONUMENT SITE 8 LEA COUNTY, NEW MEXICO

SAMPLE LOCATION	SAMPLE DATE	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	XYLENES (mg/kg)	BTEX (mg/kg)	TPH (mg/kg)
Boring Installation							
B8-1 at 1 - 2 feet	03/06/97	8.20	3.40	1.33	5.52	18.45	17,500
B8-1 at 5 - 6 feet	04/08/97	ND	ND	ND	ND	ND	ND
B8-1 at 10 - 11 feet	04/08/97	ND	ND	ND	ND	ND	15.5
B8-2 at 1 - 2 feet	04/08/97	ND	0.12	0.14	1.32	1.58	18,300
B8-2 at 10 - 11 feet	04/08/97	ND	ND	ND	ND	ND	ND
B8-3 at 5 - 6 feet	04/08/97	ND	ND	ND	ND	ND	ND
B8-3 at 10 - 11 feet	04/08/97	ND	ND	ND	ND	ND	ND
B8-4 at 5 - 6 feet	04/08/97	ND	ND	ND	ND	ND	11.0
B8-4 at 10 - 11 feet	04/08/97	ND	ND	ND	ND	ND	ND
B8-5 at 5 - 6 feet	04/08/97	ND	ND	ND	ND	ND	24.0
B8-5 at 10 - 11 feet	04/08/97	ND	ND	ND	ND	ND	160
Excavation Sampling							
Excavation Bottom	02/24/97	ND	ND	ND	ND	ND	190
East Sidewall	06/12/97	0.183	0.163	ND	0.137	0.483	130
South Sidewall	06/12/97	ND	ND	ND	ND	ND	30
North Sidewall	06/12/97	ND	0.493	0.127	0.657	1.277	30
West Sidewall	06/12/97	ND	ND	ND	ND	ND	190
Soil Characterization Sampling							
Stockpile	02/24/97	ND	ND	ND	ND	ND	280
Stockpile	06/25/97						3,500
Background Sampling							
Background	05/28/97						192
Confirmation Sampling							
Excavation Bottom <sup>(1)</sup>	06/12/97	ND	ND	ND	ND	ND	130

### NOTES:

1. Indicates the retest of excavation sample collected February 24, 1997, following overexcavation of additional soils.

### TABLE II

## SUMMARY OF LABORATORY RESULTS - WATER EXCAVATION ACTIVITIES - MONUMENT SITE 8A LEA COUNTY, NEW MEXICO

SAMPLE LOCATION	SAMPLE DATE	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL- BENZENE (mg/kg)	XYLENES (mg/kg)	BTEX (mg/kg)	TPH (mg/kg)
Excavation Bottom	06/12/97	ND	0.003	ND	0.003	0.006	6

# ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

KEI ATTN: MR. PAUL HARTNETT 5309 WURZBACH SUITE 100 SAN ANTONIO, TEXAS 78238

FAX: 9210-680-3763

Receiving Date: 02/25/97 Sample Type: SOIL Project: 610057.02.08A

Project Location: MONUMENT, NM

Analysis Date: TPH 02/26/97 Analysis Date: BTEX: 02/25/97 Sampling Date: 02/24/97 Sample Condition: Intact/Iced

ELT#	FIELD CODE	BENZENE - mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	o-XYLENE mg/kg	TPH mg/kg
10293	STOCKPILE	<0.100	<0.100	<0.100	<0.100	<0.100	<b>280</b>
10294	HOLE	<0.100	<0.100	<0.100	<0.100	<0.100	190
	% IA	85	83	84	96	85	99
	% EA	100	94	89	100	91	102
	BLANK	<0.001	<0.001	<0.001	<0.001	<0.001	<1

METHODS: SW 846-8020,5030 , EPA 418.1

Michael R. Fowler

Date

MAR 2 2 1997

Environmental Lab of Texas, Inc. 12600 West 1-20 East Odessa, Texas 79763 CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST (915) 563-1800 FAX (915) 563-1713 Project Manager: Phone #: **ANALYSIS REQUEST** Tony Savoil
Company Name & Address:
KET/TNMPL FAX#: 1505 395 3331 TCLP Metals Ag As Ba Cd Cr Pb Hg Se Ba Cd Cr Pb Hg Se Project #: Project Name: 610657 610057.02.08A Project Location: MUNUMENT TCLP Semi Votatiles BIEX 8020/5030 Total Metals Ag As PRESERVATIVE MATRIX SAMPLING # CONTAINERS METHOD Volume/Amount TCLP Volatiles LAB# FIELD CODE SLUDGE OTHER NONE HNO3 SOIL HCL TDS LAB USE \ AIR S 5 ONLY 724/97 1740 STOCKPILL 10293 1/24/97 1750 10294 HOLD Relinguished by: REMARKS Times: Received by: Derula Carilly 8-25-97 P.O. 7186 0600 Received by: Relinguished by: Times: 2-25-97 0800 Relinquished by: Date: Times: Received by Laboratory:



### CERTIFICATE OF ANALYSIS SUMMARY 1-70562

K.E.I. Consultants, Inc.

Project Name: TNMPL Monument

Project ID: 610057-2-8

Project Manager: Ann Baker

Project Location: Site 8

Date Received in Lab: Mar 7, 1997 10:10 by CB

Date Report Faxed: Mar 11, 1997

XENCO contact: Carlos Castro/Edward Yonemoto

Analysis Requested	Lab ID: Field ID: Depth:	170562-001 B8-1 1-2'					
3TEX Analyzed by EPA 8020	Da	te Analyzed	<ul> <li>Analytica</li> </ul>	l Results	ppm (mg	/L - mg/Kg)	
		Mar 10, 1997			T		
Benzene		8.20					
Toluene		3.40			İ	Ì	
Ethylbenzene		1.33			İ	<u> </u>	
m,p-Xylenes		4.32					
o-Xylene		1.20		<u> </u>			
Total BTEX		18.45				1	
TPH Analyzed by EPA 418.1		Dat	e Analyzed	- Analytica	l Results	ppm (mg	/L - mg/Kg)
• • • • • • • • • • • • • • • • • • • •		Mar 11, 1997					
Total Petroleum Hydrocarbons		17500			İ		

This report summary, and the entire report it represents, has been made for the exclusive and confidential use of K.E.I. Consultants, Inc..

The interpretations and results expressed through this analytical report represent the best judgment of XENCO Laboratories. Xenco Laboratories, however, assumes no responsibility and makes no warranty to the end-use-of-the data hereby presented.





## ANALYTICAL CHAIN OF CUSTODY REPORT CHRONOLOGY OF SAMPLES

K.E.I. Consultants, Inc.

Project Name: TNMPL Monument

XENCO COC#: 1-70562

Date Received in Lab: Mar 7, 1997 10:10 by CB

XENCO contact: Carlos Castro/Edward Yonemoto

Project ID: 610057-2-8
Project Manager: Ann Baker

Project Location: Site 8

								Date	e and Time	
	Field ID	Lab. ID	Method	Method	Units	Turn	Sample	Addition		
			Name	ID ID	2 2	Around	Collected	Requested	Extraction	Analysis
1	B8-1 ·	170562-001	BTEX	SW-846	ppm	Standard	Mar 6, 1997 10:35		Mar 10, 1997 by CB	Mar 10, 1997 13:59 by CB
2			TPH	EPA 418.1	ppm	Standard	Mar 6, 1997 10:35		Mar 11, 1997 by HL	Mar 11, 1997 09:37 by HL



11381 Meadowglen Suite L. Houston, Texas 77082 (713) 589-0692 Fax (713) 589-0695

### CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM

Page T of T

Lab. Batch # 170562-8

Contractor	(95	Con	511	10	nt	-		Ph	one	410	·080'	3767	No	Na	cool	ers th	is sh	ipme	nt:		C	Con	trac	tor	co	C# ()	005	
													7	Car	rier:									)vote				
1 DOT WURZUCH SHE IW , SA II 18658 1										of	Airbill No.						Pa No: 7238											
Project Name	mm							Proj	ect D	tractor,		tertnett	CON				7	7	7		7	7		1	1			I.
Project Location	Sit	28								eneger /	in B	arer	T A I		/ 8				/		/				/ /	Turn-	around	A B
Sempler Signature	Brice	w 5.0	4 Co	er/				Proje	oct N	610	x657 -		N E R		8	/ /	/ /	/ /	/ /	' /	' /	' /	' /	' /	/ /	÷ 24		ONLY
	SAMPLE (	CHARACT	TERIZA	TION	N				Pres	servative	Uni Dies	Ker Unknown	R	/	8/									1	8	48	hrs	$\mathbb{D}$
			D	S	w	c c	Cor	tainer			Waste Oil			ذ/ ا	( ) {	<b>#</b> /;								/ 8			nderd	#
Field ID	Date	Time	D E P T H	8 0 1 L	WATER	C G O F M A P E	Size	Type P, G	lca	Other	PIT No: Sample	Tank No: Description	Total	1	TH.		/ ,	/	/ ,	/ ,	/ /	/	/ /	Pease I.		Rema	-3-	
1-21	36/97	1035	1-2	X			Hoz		X		B8-1,			X	X													1
							1				12-14		1		/													2
																												3
								-						-														4
									ļ									-										5
						$\neg$	1	1						-	$\vdash$													6
					$\dashv$	+		+					1	1	<del> -</del>													7
	<del> </del>		ļ	$\vdash \vdash$		$\dashv$	+-	-	$\vdash$				+	╂	$\vdash$	-			_									8
																						Ì						
																												9
																				~								10
Relinquished	by: (Sig	nature)			DA'	TE.	TIA	Œ	R	eceived 1	2y: (	Signature)	D.	ATB	<u> </u>	TIA	Æ	P	lemar	ks				L.,_,_	<b></b>			1
Back	<. L	· /		3.	j, k	77	100	<u>"</u>		/ <u>/</u> /	17 F	Sulle	.3/	7/9	<del></del>	Ī,,	05											
1	31611	Back				97	1	1	(	<u> </u>	<u> </u>		1-21	16/		14	<u>C. D.</u>	-										
-6-00-		) Devel	44.)	-13	1.71	1/	10	رب	Reck	ived For L	aboratopy by		2/	1														
										$(\mathcal{L} \mathcal{Q})$	y Bia	ul M	1917	b	1	10	10											



### **CERTIFICATE OF ANALYSIS SUMMARY 1-70867**

Project Name: TNMPL

Date Received in Lab: Apr 14, 1997 10:50 by CMC

Date Report Faxed: Apr 16, 1997

**XENCO contact:** Carlos Castro/Edward Yonemoto

K.E	:.l. (	Co	nsu	ltan	ts,	Inc.
-----	--------	----	-----	------	-----	------

Project Manager: Ann Baker Project Location: Site 8

Project ID: 610057-2-8

	Lab ID:	170867-001	170867-002	170867-003	170867-004	170867-005	170867-006	170867-007	170867-008	170867-009
Analysis Requested	Field ID:	B8-1	B8-1	B8-2	B8-2	B8-3	B8-3	B8-4	B8-4	B8-5
	Depth:	5'	10'	1'	10'	5'	10'	5'	10'	5'
BTEX by EPA 8020				Date Analy	zed - Anal	ytical Results	s ppn	n (mg/L - mg	/Kg)	
		Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997	Apr 14, 1997
Benzene		< 0.020	< 0.020	< 0.10	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020
Toluene		< 0.020	< 0.020	0.12	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020
Ethylbenzene		< 0.020	< 0.020	0.14	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020
m,p-Xylenes		< 0.040	< 0.040	0.89	< 0.040	< 0.040	< 0.040	< 0.040	< 0.040	< 0.040
o-Xylene		< 0.020	< 0.020	0.43	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020	< 0.020
Total BTEX	•	< 0.120	< 0.120	1.58	< 0.120	< 0.120	< 0.120	< 0.120	< 0.120	< 0.120
Total Petroleum Hydrocarbons by	ΕΡΔ <i>Δ</i> 18 1			Date Analy	/zed - Ana	lytical Result	s ppn	n (mg/L - mg	/Kg)	
Total Tetrologiii Hydrocarbolis by	E. A 710.1	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997	Apr 15, 1997
Total Petroleum Hydrocarbons		< 10.0	15.5	18300	< 10.0	< 10.0	< 10.0	11.0	< 10.0	24.0

This report summary, and the entire report it represents, has been made for the exclusive and confidential use of K.E.I. Consultants, Inc.. The interpretations and results expressed through this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories, however, assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Ponemoto, Ph.D. QA/QC Manager



Project ID: 610057-2-8

Project Manager: Ann Baker

Project Location: Site 8

### **CERTIFICATE OF ANALYSIS SUMMARY 1-70867**

K.E.I. Consultants, Inc.

Project Name: TNMPL

Date Received in Lab: Apr 14, 1997 10:50 by CMC

Date Report Faxed: Apr 16, 1997

XENCO contact: Carlos Castro/Edward Yonemoto

	Lab ID:	170867-010								
Analysis Requested	Field ID:	B8-5								
	Depth:	10'								
BTEX by EPA 8020				Date Analyze	ed - Ana	lytical Results	ppn	i (mg/L - m	g/Kg)	
512X By 21 X 6626		Apr 14, 1997		1				1		
Benzene		< 0.020								
Toluene		< 0.020					•		İ	
Ethylbenzene		< 0.020	********							
m,p-Xylenes	, . <del></del>	< 0.040								
o-Xylene	-	< 0.020								
Total BTEX		< 0.120								
Total Petroleum Hydrocarbons by	EDA 419 1			Date Analyz	ed - Ana	lytical Results	ppr	n (mg/L - m	g/Kg)	
Total Tetroleum Hydrocarbons by	LI A 410.1	Apr 15, 1997								1
Total Petroleum Hydrocarbons		160							1	1

This report summary, and the entire report it represents, has been made for the exclusive and confidential use of K.E.I. Consultants, Inc..

The interpretations and results expressed through this analytical report represent the best judgment of XENCO Laboratories.

XENCO Laboratories, however, assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Edward H. Jonemoto, Ph.D. QA/QC Manager



## ANALYTICAL CHAIN OF CUSTODY REPORT

K.E.I. Consultants, Inc.

Project Name: TNMPL

XENCO COC#: 1-70867

Date Received in Lab: Apr 14, 1997 10:50 by CMC

**XENCO Contact:** Carlos Castro/Edward Yonemoto

Project ID:	610057-2-8
Project Manager:	Ann Baker
Project Location:	Site 8

						V 10.	Dat	e and Time	
Field ID	Lab. ID	Method Name	Method ID	Units	Turn Around	Sample Collected	Addition Requested	Extraction	Analysis
B8-1 (5') Soil	170867-001	BTEX	SW-846	ppm	Standard	Apr 8, 1997 12:30		Apr 14, 1997 by HL	Apr 14, 1997 14:06 by HL
		TPH	EPA 418.1	ppm	Standard	Apr 8, 1997 12:30	i	Apr 15, 1997 by OL	Apr 15, 1997 14:36 by OL
B8-1 (10') Soil	170867-002	BTEX	SW-846	ppm	Standard	Apr 8, 1997 12:58		Apr 14, 1997 by HL	Apr 14, 1997 14:23 by HL
		трн	EPA 418.1	ppm	Standard	Apr 8, 1997 12:58		Apr 15, 1997 by OL	Apr 15, 1997 14:39 by OL
B8-2 (1') Soil	170867-003	ВТЕХ	SW-846	ppm	Standard	Apr 8, 1997 13:27		Apr 14, 1997 by HL	Apr 14, 1997 16:57 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 13:27		Apr 15, 1997 by OL	Apr 15, 1997 14:42 by OL
B8-2 (10') Soil	170867-004	ВТЕХ	SW-846	ppm	Standard	Apr 8, 1997 13:49		Apr 14, 1997 by HL	Apr 14, 1997 14:40 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 13:49		Apr 15, 1997 by OL	Apr 15, 1997 14:45 by OL
B8-3 (5') Soil	170867-005	втех	SW-846	ppm	Standard	Apr 8, 1997 14:02		Apr 14, 1997 by HL	Apr 14, 1997 14:57 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 14:02		Apr 15, 1997 by OL	Apr 15, 1997 14:48 by OL
B8-3 (10') Soil	170867-006	BTEX	SW-846	ppm	Standard	Apr 8, 1997 14:27		Apr 14, 1997 by HL	Apr 14, 1997 15:15 by HL
	1	ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 14:27		Apr 15, 1997 by OL	Apr 15, 1997 14:51 by OL
B8-4 (5') Soil	170867-007	ВТЕХ	SW-846	ppm	Standard	Apr 8, 1997 15:06		Apr 14, 1997 by HL	Apr 14, 1997 15:32 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 15:06		Apr 15, 1997 by OL	Apr 15, 1997 14:54 by OL
B8-4 (10') Soil	170867-008	BTEX	SW-846	ppm	Standard	Apr 8, 1997 15:38		Apr 14, 1997 by HL	Apr 14, 1997 15:49 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 15:38		Apr 15, 1997 by OL	Apr 15, 1997 14:57 by OL
B8-5 (5') Soil	170867-009	втех	SW-846	ppm	Standard	Apr 8, 1997 15:58		Apr 14, 1997 by HL	Apr 14, 1997 16:06 by HL
		ТРН	EPA 418.1	ppm	Standard	Apr 8, 1997 15:58		Apr 15, 1997 by OL	Apr 15, 1997 15:20 by OL
B8-5 (10') Soil	170867-010	BTEX	SW-846	ppm	Standard	Apr 8, 1997 16:09		Apr 14, 1997 by HL	Apr 14, 1997 16:40 by HL
		трн	EPA 418.1	ppm	Standard	Apr 8, 1997 16:09		Apr 15, 1997 by OL	Apr 15, 1997 15:23 by OL



11381 Meadowglen Suite L Houston, Texas 77082 (713) 589-0692 Fax (713) 589-0695

### CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM

Lab. Batch #170867-5A

Contractor	KE							Pho	one	(ZK	, 680-	3767	No	No.	coole	rs thi	a ship	oment	ı	(	Cont	racto	or Co	OC#		
Address 53	309	1.)(,R=	213A	~ 1L		_	A.	78		Suit.	EIOO		of	Carr Airb	ior: áll No	D.						-	xto≠: \No:	;		
Project Neme	THMF			<u></u>				Project	ct Dh	L H	METRIFET		CON				T	7	//		$\mathcal{T}$	7	$\int$			I
Project Location	SIT	57E	<u>.</u>					Projec A	CK-LI	J K	BAKER		T A		/\$	8/	/	/ /	' /		/ /	/ /		/	irn-around	B
Sempler Signature		h_						Projec			7-2-8		N E	1	<b>8</b>	/ /	' /	' /		//	/ /			/	ASAP 24 hrs	ONLY
	SAMPLE	CHARACI	TERIZ/	ATIO	N			l	Prese	rvative	Unl Dies Ken	r Unknown	R		8/_	_		/	/ /	/ /			五	/	48 hrs	ID
Field ID	Date	Time	D E P T H	S O I L	W AT ER	G R A B	Contu		ce	Other	Waste Oil PTT No: Sample Des	Tank No:	S	BIEX	THI KEET OF BOOK OF THE	ਰ   	/ /	/ /	//		//	/	888	_	Standard marks	#
138-1	4/8/97	1230				×	1.d-2		K		501			<b>入</b>	JL							X	PL	EASC 6		1
B&-1	4/8/97		T	П		X	1.4=1	6	اه		501	<u></u>		مر	ک							2	c			2
136-2	1/0/97		1'	X		X	1.42 1.802	6	مر		501	<u></u>		ン	بر								د			3
B6-2	4/8/97	1349	10	ĸ		人	1. Lanz		مر		Sou	=		×	مر								ပ			4
185-3	+/8/51	402	5	X		k	11.0	6	ح		Soli	<u></u>		>	مر								٥			5
B8-3	4/8/57	1427	10	بح		ير	1.60Z	6	بع		501			مر	بح											6
BE-4	1/8/57	1506	5'	بد		یح	1-En	6	لح		501	<u> </u>		k	ع								<			7
138-4	1 1 /	1538	15	يح		×	1184	6	کر		<u></u>	_	_	بح	بح								×			8
138-5	4/8/97	1558	s'	بر		٧	1.60	6	X		Səi		_	≫	۲							i	×			9
BE-5	1/8/57	1659	10'	اند		<u> </u>	1.6-	6	Y		5011			حر	x							;	X		<u>——</u> А	10
Relinquished	byr) (Sie	gnature)			DAY	4	TIM	•	Re	celved i	y: CSign.	eture)	D/	TB		TIM	<b>IE</b>	Re	marks							
J.				4	14/	7	105											-								
								F	Record	ved For L	aboratory by	r in	4/1	4/	97		- 52	)								



ALLSTATE SERVICES MR. RANDY OFFIELD P.O. BOX 11322 MIDLAND, TEXAS 79702 FAX: 915-682-4182

RECEIVING DATE: 05/28/97

SAMPLE TYPE: SOIL

PROJECT #: TNMPL-SITE 8 & 8A

PROJECT LOCATION: MONUMEN, N.M.

ANALYSIS DATE: 05/28/97 SAMPLING DATE: 05/28/97

SAMPLE CONDITION: Intact/Iced

ELT# FIELD CODE (mg/kg)

11263 05-28-97 COMP BACKGROUND

QUALITY CONTROL TRUE VALUE % PRECISION 265 256 104

192

Methods: EPA 418.1

Michael R. Fowler

Envi	ronmental I	Lab of Tex	as,	In	c.	126	7 00 9)	Wes (15)	t 1-2 563	20 E ⊱18	ast 00	Od FA	iess LX	;a, ] (91	[exas 7: 5) 563-:	9763 1713	CI	HAIN	i-of	-CU	STC	DDY	RE	COF	R CIS	UND .	AN.	ıLYS	is r	LEQU	EST	•	
Project Mana;							Pho	ne #:	9	15.	/6	82	-3!	54	7							 Nai	.YS	is ri	EQU	JEST	•		T				
RAND	ly offield	<i>,</i>					FAX	#:	_9 	15.	/6	82.	-4	18:	2		_	, ,				<del></del> -							_	<u>:</u>	_		
Company Nam	e&Address: LSTATE SERV	TODE ENVIDO	NIMEN	1 <b>T</b> N I	•	M T	ni N	ΔИ	ח	TI	FXI	AS																					
				1171	- ,				Name								1		ig Se	3 Se													
reojectu:	NMPL- SI	te 8+8A					110	ices 1	1.00	•									Cr Pb Hg Se	Cr Pb Hg Se													
Project Locati	o <b>a:</b>						Sem	pler	Sign	atur	e:						1		اما									ł	1	Ì			
MON	ument N.	mexico					he	2n	4	0	1	úl	زيا	·					As Ba C	As Ba ¢d		80					-		}				
	·		RS	2		MA.				PR	ESE	RV/	ATIV	Æ	SAMI	LING	/503(		Ag As	Ag As	88	/olalie											
LAB# (LAB USE) ONLY	FIELD C	ODE	# CONTAINERS	Volume/Amount	WATER	SOIL	AIR	SLUDGE	OTHER	HCL	HN03	ICE	NONE	отнек	Date	TIME	BTEX 8020/5030	TPH 418.1	TCLP Metals Ag	Total Metals Ag	TCLP Volatiles	TCLP Semi Volaliles	TDS	RCI									
112103	05-78-976	OMP BACK GE	1	İ	Ī	~				Ť		1			5-28	095	4	V								П		$\top$	$\Box$	T	Γ	П	
					Ī											İ	T	T	Γ												Γ	П	
					T													T												T			
					Τ																												
					Τ																•												
																														$\perp$			
																													$\perp$	$\perp$		Ш	
	48			ŀ													_	L											$\perp$	上			
																			L	_			L							_		Ш	
															<u> </u>	·							_					1	$\perp$	1_			
				<u> </u>					Ŀ								$\perp$						_						$oldsymbol{\perp}$	上			
Relinguished by	r Office	Date: 5-27-97		Time	s: ,	130	20	,		Rec				KJc	w.	REMA	RK	S .															·
Relinguished b	F.	Date:		Time	3:					Rec	elve	d by:														•	•						
Relinguished b	J.	Dates	,	Time	3;					Rec	elve	d by	Lab	oral	ory:												•					•	



TEXAS NEW MEXICO PIPE LINE ATTN: MR. TONY SAVOIE

P.O. BOX 1030

JAL, NEW MEXICO 88252

FAX: 505-395-2636

Receiving Date: 06/13/97 Sample Type: WATER Project #: TNM SITE #8

Project Location: MONUMENT, NEW MEXICO

Analysis Date: 06/13/97 Analysis Date: BTEX 6/17/97 Sampling Date: 06/12/97 Sample Condition: Intact/Iced

ELT#	FIELD CODE	BENZENE (mg/L)	TOLUENE (mg/L)	ETHYLBENZENE (mg/L)	m.p-XYLENE (mg/L)	o-XYLENE (mg/L)	TPH (mg/L)
11487 11488	06-12-97 VOA WATER 06-12-97 1 LITER WATER	<0.001	0.003	<0.001	0,003	<0.001	6
		·					
	% IA % EA	94 109	88 103	86 99	85 99	86 100	100
	BLANK	<0.001	<0.001	<0.001	<0.001	<0.001	<1

METHODS: EPA 418.1, SW 846-8020,5030

Michael R. Fowler



TEXAS NEW MEXICO PIPE LINE

ATTN: MR. TONY SAVOIE

P.O. BOX 1030

JAL, NEW MEXICO 88252

FAX: 505-395-2636

Receiving Date: 06/13/97 Sample Type: SOIL Project #: TNM SITE #8

Project Location: MONUMENT, NEW MEXICO

Analysis Date: 06/13/97 Analysis Date: BTEX 6/16/97 Sampling Date: 06/12/97 Sample Condition: Intact/Iced

ELT#	FIELD CODE	BENZENE (mg/kg)	TOLUENE (mg/kġ)	ETHYLBENZENE (mg/kg)	m,p->:YLENE (mg/kg)	o-XYLENE (mg/kg)	TPH (mg/kg)
11482	06-12-97-BH COMP	<0.100	<0.100	<0.100	<0.100	<0.100	130
11483	06-12-97-E.S. WALL COMP	0.183	0.163	<0.100	0.137	<0.100	130
11484	06-12-97 S. SIDEWALL	<0.100	<0.100	<0.100	<0.100	<0.100	30
11485	06-12-97 N. SIDEWALL	<0.100	0.493	0.127	0.433	0.224	30
11486	06-12-97 W. SIDEWALL	<0.100	<0.100	<0.100	<0.100	<0.100	190
	% IA	99	95	92	92	91	100
	% EA	98	91				
				89	88	88	116
	BLANK	<0.001	<0.001	<0.001	<0.001	<0.001	<10

METHODS: EPA 418.1, SW 846-8020,5030

Michael R. Fowler

Environmental Lab of Tex	as,	In	c.	1260	0 We: (915)	st 1-2 ) 56:	20 E 3-18	East 100	Ode: FAX	ssa, (91	Texas 7 (5) 563-	9763 1713	CH	ain-	-OF-	CUS	TO	DY :	RE	COF	A Œ	, מער	ana	LYS	is p	REQU	iesi	[	
Project Manager:			-	P	one#	9	15.	/68	2-3	354	7			-			AN	AT.	YSI	SRI	EON	EST			T				
RANAY Offizio				F	X#:	9	15.	/68	2-4	418	2														$\bot$	<u>:</u>		<del>-,</del> .	
Company Name & Address:		•	•									•		- [	١	1	١		1		İ		-		ı		1	ı	l
ALLLSTATE SERVICES ENVIRO	NMEN	ITAL	- ,	MIC	LAN	ID,	TI	EXA	S 						Se	S.		1	ļ				-[	1			1		
Project#:				P	rojeci	Name	e :								튀		1	1		- [					1		Î		
TWM 50 te #8															Cr Pb Hg Se	Cr Pb Hg	-			Į					-				
Project Location:				S	amplei	r Sign	etur	e:								g									j				
MONUMENT N. MEXILO				120	-4	Q <sub>a</sub>									8	B				ļ			١						
	RS	ᅙ		MAT	RIX		PR	ESEI MET	TAVS		SAM	PLING	/503(		Ag A	Ag As	<u></u>	/otatile											
LAB # FIELD CODE  (LAB USE) ONLY	# CONTAINERS	Volume/Amount	WATER	SOIL	SLUDGE	OTHER	HCL	EONH	NONE	отнек	DATE	TIME	BIEX 8020/5030	TPH 418.1	TCLP Metals Ag As Ba Cd	Total Metals Ag As Ba	TCLP Volatiles	TCLP Semi Votatiles	TDS	RCI									
11482 06-1297 - BH COMP	1		İ	1					1	Ī	612	1535	1	J			7					$\prod$	T			T	T	T	
11483 06-12-97 - E. S. wall comp	1,		İ	-				Π,	ノ		4-12	1515	17	1				Ì					T	T		$\top$	十	T	
11484 06-12-97 5. SideWALL	1,	İ	T	7		İ		,	1		6-12	1		1	T	7	Ť	$\exists$					Ť	丁	7	十	1	<u> </u>	
11485 06-17-97 N. Sidewall	1,				$\dashv$	İ					2.12	1		コ	一			一	j				$\top$	十	十	1	十	1	
11486 06-12-97 W. Sidewall	-			2	1					1	612	1	1	1		$\dashv$	7	$\dashv$				$\sqcap$	$\top$	$\top$	1	+	十		
11487 66-12-57 NON WATER	2		V	<b>a</b>	1	İ		<del>   </del> ,	オ	╅	1	1540	1			十	7	7					$\top$	$\top$	十	_	十		
11488 06-12-87 16: TER WATER		LTK	1	$\Box$				<u> </u>	才	1		1545	1	1		$\dashv$	1					$\sqcap$	1	十	十	十	十		
· · · · · · · · · · · · · · · · · · ·	1		1			T				1			Τ			7	$\neg$	$\exists$				$\sqcap$	$\top$	$\top$	$\top$	1	T		
	1				1	T			$\neg$	1-						$\dashv$	1					$\sqcap$	$\top$	十	$\top$	$\top$	T		
	1					$\top$				1	<del> </del>		T			7	7					$\sqcap$	寸	十	$\top$	1	十		
				1	_	1			_	╅			$\vdash$			十	寸	7					1	1	十	十	T		_
Relinquished by:  Barry Offices  Date:  L-13-9-	 7	Time		30		<u>.                                    </u>	1	etved Cal	-	CK.	rout	REMA Flor	RKS	اه اه ده ا	Med	t C.	Koi F	ا د ده ار ز		• • • • • • • • • • • • • • • • • • •	. / ·	 92 41	PP	<i>P</i> 1	- <u>-</u> - 5,	- <del> -</del>   - - - - - - - - - - - - - - - -	TRA	) LT	
Relinquished by: Date:		Time	 s:				_	cived		<del></del>		Run	<b>/</b> .	137	ex	•							•						
Relinquished by: Date:	,	Time	s:		·		Rec	elved	by La	borat	ory:										J		•.		, .			•	



KEI
ATTN: THERESA NIX
5309 WURZBACH SUITE 100
SAN ANTONIO, TEXAS 78238
FAX: 210-680-3763
FAX: 505-397-5125

Receiving Date: 06/26/97 Sample Type: SOIL Project #: 610057 Project Location: SITE 8

Analysis Date: 06/26/97 Sampling Date: 06/25/97 Sample Condition: Intact/Iced

		TPH	
ELT#	FIELD CODE	(mg/kg)	
11592	STOCKPILE	3,500	

% IA % EA BLANK

100 98

<10

METHODS: EPA 418.1

Michael R. Fowler

														) 563-	9763 1713								141				KEŲ	VES	
roject Manager							Phen	<b>: #:</b>	? ( io	6,	to C	370	£ 2€							ANA	LYS	15 R1	eQU.	EST					
Thoreso	· Nix						FAX	<b>:</b>	w	69	80 :	3 76.	3															-	
Company Name	& Address:	,																									-	}	
KEI .	5309 W.	urzbach. S	٠ >+٠ <u>c</u>	10	06		<u>S</u>	4	J	У	1	82	3 8	<u>a</u>			}	8											1
roject#:		·				1	Proje	et Na	ne :									되	2				1					1	
2005ک					<u>-</u>								/	1				Cr Pb Hg 8e					-						
roject Location						1	Samp	ler Si	1										3				-	1	1		-		
Site 8	3							_/								٥		8		9									-
			RS.	E		MAT	RIX		1"	M	RV A	D		SAMP	LING	/50.	_	8		la la la la la la la la la la la la la l			- {						
LAB#	FIELD	ODE	# CONTAINERS	Volume/Amount	2			ے او					≥			BTEX 8020/5030	418.	TCLP Melals Ag As Ba Cd	TOTAL Meters Ag As the Co Cr Po Hg Se	TCLP Semi Voluties									
LAS USE			00	II Jo	WATER	SOIL	E I	SLODGE	101	HNO3	OE E	NONE	OTHER	UATE	TIME	этех	E	20			108	2							
ONLY /	<u> </u>		8	1 >  402	1 1	7		1	<u> -</u>	<u> -</u> 		<u> </u>	<del>- i</del>	1		1		+	+	1			-		<del></del>	<u>                                     </u>	$\dashv$	+	╁
157215	tockpile.		<u>                                     </u>	1902	<u> </u>	<del>/                                    </del>	<u></u> i	<u>:</u> i	+	<u> </u> 	7		16	y 25-47	1100		<u>/                                    </u>	$\dashv$	╁	十	$\vdash$		_	-	╬	<del>                                     </del>	+	+	╀
			<u>!</u> Ì	<u> </u>			<u>!</u> 	<u>:</u> 1	+	<del> </del>	<u>                                     </u>	+	+				¦		╬	+	+				╬	+-	+	╁	╁╴
			<u> </u>	<del> </del>	1 1	_	-	_ <u>:</u> _	┼─	<del>! -</del>		+	+	<u> </u>		$\ \cdot\ $		<del>-</del>	+	+	-		┽	+	+	╁╌╽	+	╁	╀
			ļ	<del>                                     </del>	1 1		+		+-	<del> </del>		<del>-</del>	╁					+	╁	+	-	H	$\dashv$	-	╫	+	+	+	╁
				<u> </u>	<u>                                     </u>	-	<del>-  </del>	<u> </u>	┼─	<u>                                       </u>		+	$\dashv$					$\dashv$	+	+	$\vdash$		-		+	┼┤	+	╬	╀
	<u>.</u>					ᆛ	$\frac{1}{1}$	ᆂ	+-	-		+	╬					+	+	+	_		$\dashv$	-	+	$\left  \cdot \right $	+	╁	╀
				1		$\dashv$	+	1	+	<u> </u>	<del>                                     </del>	+	+					+	+	+	<del>                                     </del>		+	-	+	┼┤	+	╁	-
	·					_	$\dashv$	+	+-	<u> </u>	-	+	+					+	+	+	+	H	$\dashv$	+	+	$\vdash$	+	+	╀
				-	<u>                                     </u>		-	+	+	┼		+	+			$\vdash$		$\dashv$	+	+-	1	-	$\dashv$	+	+	H	$\dashv$	+	╀
					-	-	+	+	╀	-			+			$\vdash$	_	-	+	+	-	-	+	+	+	$\vdash$	+	+	-
7-11-27	1 1 1	<u>/</u> 7			<u> </u>				-						DET					<u>J</u> .	1		1		1		_	_l_	1_
inquished by:		Date: 6-25-97		Time	#  Ç	7			, KEC	:CIVE	d by:				REMAI	خدی			•				٠						
inquished by:		Date:		Time		<del></del>				_	درم و																		
	·	6-26-9-	7		//	10				/c	alo	, d	K	kind															
lisquished by:		Date:		Time	s:						d by I		_																

District I - (505) 393-6161 P. O. Box 1980 Hobbs, NM 88241-1980 District II - (505) 748-1283 811 S. First Artesia, NM 88210

New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

2040 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131 CC: BOLSON

Submit Origi Plus 1 Cc to appropri. District Off

Form C-13

Originated 8/8-

District III - (505) 334-6178 1000 Rio Brazos Road Aztec, NM 87410 District IV - (505) 827-7131

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE		
1. RCRA Exempt: Non-Exempt: Non-Exempt:	2 PRIZE	4. Generator TWM PLCO.
_'.	• 🗖	5. Originating Site 8
2. Management Facility Destination 2 C Land Fur 3. Address of Facility Operator 2 Mi South Monday	rm Inc.	6. Transporter Turner
3. Address of Facility Operator 7. 1 occation of Material (Street Address or LII STR) 5:	mon+ ~ m	8. State N. M.
7. Location of Material (Street Address or ULSTR) & minim Monument		
9. <u>Circle One</u> :		
A. All requests for approval to accept oilfield exempt wastes will be accompanied by a certification of waste from the Generator; one certificate per job.  All requests for approval to accept non-exempt wastes must be accompanied by necessary chemical analysis to PROVE the material is not-hazardous and the Generator's certification of origin. No waste classified hazardous by listing or testing will be approved.		
All transporters must certify the wastes delivered are only those consigned for transport.		
Hydrocarbon Affected Soil Non Hazardous / Knowledge OF FROCOS  THAIL MONUMENT ACTICT (MET) UNITABLES  SITES (-21  PICTURE  PICTURE		
Estimated Volume cy Known Volume (to be entered by the operator at the end of the haul) cy		
SIGNATURE: Waste Management Facility Charthonized Agent	ITTLE President	DATE: 6-18-97
TYPE OR PRINT NAME: J. m T. Copper TELEPHONE NO.		
(This space for State Use)		.1 /
APPROVED BY: // /// Com	TITLE: FARL BO	DATE: 6/14/97
APPROVED BY:	TTTLE:	DATE: