

From: [Yu, Olivia, EMNRD](#)
To: ["Boyer, Katharine"](#)
Subject: approved plan for 1RP-4926
Date: Friday, January 26, 2018 3:09:00 PM
Attachments: OSE_WT_UTM1700.pdf
approved_1RP4926_HFT Hobbs TSS # 529 Sample Points 2018 Jan 19.pdf

Ms. Boyer:

NMOCD approves of the proposed delineation and remediation plan for 1RP-4926 with these clarifications.

- Since the average depth to groundwater is less than 50 ft. bgs and that there are 5 identified NMOSE water wells within 1000 ft. (see attachment), the permissible levels of contaminants are as follows: Benzene (10 mg/kg), total BTEX (50 mg/kg); TPH extended (100 mg/kg); and chloride (600 mg/kg).
- Use EPA Method 8260 or 8021 for BTEX; EPA Method 8015 for TPH extended (GRO, MRO, and DRO); EPA Method 300 for chlorides.
- Each floor sample location must have two depths demonstrating permissible levels of BTEX, TPH extended, and chlorides in laboratory analyses: bottom of excavation and 1 ft. further in depth. For sidewalls, laterally extend until permissible levels are obtained.
- Soil samples at depth sent for laboratory analyses should have accompanying field data.
- Dated photo documentation of corrective actions.

Please be advised that if soil samples demonstrate chloride impacts, then a revised workplan is required to be submitted to NMOCD before additional excavation occurs. Please confirm or inform for clarification.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Boyer, Katharine [mailto:Katharine.Boyer@HollyFrontier.com]
Sent: Friday, January 19, 2018 9:55 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Boyer, Katharine <Katharine.Boyer@HollyFrontier.com>

Subject:

Olivia,

Please review the Work plan from Hungry Horse for Hobbs 571, LACT unit 529.

Please review the work plan and let us know if you approve so I can give you the 48 hours' notice to dig.

If you have any questions, please give me a call. Please note that the cell phone is the better means to contact me.

Thanks in advance,

Kathy Boyer

EHS Manager

Logistics / Asphalt / Heavy Oils

2828 N. Harwood Street, Suite 1300

Dallas, Tx 75201-1507

Office: 214.954.6515

Cell: 918.510.6326

CONFIDENTIALITY NOTICE: This e-mail, and any attachments, may contain information that is privileged and confidential. If you received this message in error, please advise the sender immediately by reply e-mail and do not retain any paper or electronic copies of this message or any attachments. Unless expressly stated, nothing contained in this message should be construed as a digital or electronic signature or a commitment to a binding agreement.