

APPROVED By Olivia Yu at 11:00 am, Aug 29, 2018

NMOCD approves 1RP-4971 for closure.

August 7, 2018

Olivia Yu New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division, District 1 1625 French Drive Hobbs, NM 88240

Re:

Remediation Summary and Closure Report Pan Head Fee #011H API No. 30-025-42817 GPS: 32.85579, -103.74374 UL "D", Sec. 11, T17S, R32E Lea Co, NM NMOCD Ref. No. 1RP-4971

TRC Environmental Corporation (TRC), on behalf of COG Operating, LLC (COG), has prepared this *Remediation Summary and Closure Report* for the Release Site known as the Pan Head Fee #011H. Details of the release are summarized below:

RELEASE DETAILS								
	Crude Oil and Produced Water	Volume of Release: 4 bbls Oil, 4 bbls Produced Water						
Type of Release:	Crude On and Produced Water	Volume Recovered:	3 bbls Oil,	3 bbls Produc	ed Wate	r		
Source of Release:	One quarter (1/4) inch valve	Date of Release:	02/17/18	Date of Disc	overy:	02/17/18		
Was Immediate Notice Given? Not Required		If YES, to Whom?	Not Applic	able				
Was a Watercourse	Reached? No	Volume Impacted t	he Waterco	urse: Not	: Applica	ble		
Cause of Problem a	nd Remedial Action Taken:							
	Cause of Problem and Remedial Action Taken: The release was attributed to the failure of a 1/4 inch valve. During initial response activities, saturated soil was scrapped up from the surface of the well pad and transported to an NMOCD-approved disposal facility.							

A Site Location Map is provided as Attachment #1. A copy of the initial Release Notification and Corrective Action (NMOCD Form C-141) is provided as Attachment #6.

REGULATORY FRAMEWORK

Crude oil facilities in New Mexico are generally regulated by the New Mexico Oil Conservation Division (NMOCD). Impact of soil due to a surface release is addressed in the NMOCD guidance document titled *Guidelines for Remediation of Leaks, Spills and Releases*, dated August 13, 1993.

The guidance document provides direction for initial response actions, site assessment, sampling procedures and provides a total ranking score based on the depth to groundwater, distance to private and domestic water sources, and the distance to the nearest surface water body as follows:

RANKING SCORE	CRITERIA						
General Site Characteristics		Score					
	< 50 Feet						
Depth to Groundwater	50-99 Feet	10					
	> 100 Feet	0					
Well Head Protection Area, <1,000 Feet from water source, or	Yes	20					
<200 Feet from private domestic water source	No	0					
	< 200 Feet	20					
Distance to Surface Water Body	200 - 1,000 Feet	10					
	> 1,000 Feet	0					

A search of a groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) was conducted to determine the average depth to groundwater within the Section and identify any registered water wells within 1,000 ft. of the Release Site. If none were identified, the approximate depth to groundwater was extrapolated from a Depth to Groundwater Map utilized by the NMOCD. The results of the groundwater database search are provided as Attachment #3.

TOTAL RANKING SCORE FOR SITE							
Ranking Score Criteria	Ranking Score Criteria						
Depth to Groundwater	125 Feet	0					
Well Head Protection Area, <1,000 Feet from water source, or <200 Feet from private domestic water source	No	0					
Distance to Surface Water Body	> 1,000 Feet	0					
TOTAL RANKING SCORE FOR S	ITE	0					

The NMOCD guidelines indicated the Site has an initial ranking score of 0 points. The NMOCD Recommended Remediation Action Levels (RRAL) for a Site with a ranking score of 0 points are as follows:

RECOMMENDED REMEDIATION ACTION LEVELS							
Benzene	10 mg/kg						
Benzene, Toluene, Ethylbenzene and Total Xylenes (BTEX)	50 mg/kg						
Total Petroleum Hydrocarbons (TPH)	5,000 mg/kg						
Chloride	600 mg/kg						

INITIAL INVESTIGATION

On **February 23, 2018**, TRC conducted an initial soil investigation at the Site. Fourteen (14) representative soil samples were collected from a grid established in the inferred affected area in an effort to determine if impacted soil affected above the NMOCD Recommended Remediation Action Levels (RRAL) remaining in-situ after initial response activities were conducted. The collected soil samples were submitted to an NMOCD approved laboratory for analysis of benzene, BTEX, and/or TPH and chloride concentrations. A table summarizing laboratory analytical results from soil samples collected during the initial assessment is provided below:

			SW 84	46-8021b			SW-846 8015	5M		E300
Sample ID	Depth	Soil Status	Benzene	Total BTEX	TPH GRO C ₆ -C ₁₀	TPH DRO C ₁₀ -C ₂₈	TPH ORO C ₂₈ -C ₃₅	TOTAL TPH C ₆ -C ₂₈	TOTAL TPH C ₆ -C ₃₅	CHLORIDE
SP-1	6"	In-Situ	<0.00202	<0.00202	<15.0	406	18.9	-	424.9	113
SP-1	1'	In-Situ	-	-	<15.0	<15.0	<15.0	-	<15	<5.00
SP-2	6"	In-Situ	<0.00199	<0.00199	<14.9	45.7	<14.9	-	45.7	<4.95
SP-2	1'	In-Situ	-			<15.0	<15.0	-	<15	<5.00
SP-3	6"	In-Situ	<0.00200	<0.002	<14.9	<14.9	<14.9	-	<14.9	12.1
SP-3	1'	In-Situ	-	-	<15.0	<15.0	<15.0	-	<15	<4.99
SP-4	6"	In-Situ	<0.00201	0.02571	<15.0	1,310.0	55.2	-	1,365.2	75.8
SP-4	1'	In-Situ	-	-	<15.0	30.3 <15.0		-	30.3	<5.00
SP-5	6"	In-Situ	<0.00201	<0.00201	<15.0	187.0	36.4		223.4	747
SP-5	1'	In-Situ	-	-	<15.0	<15.0	<15.0	-	<15	385
SP-6	6"	In-Situ	<0.00202	<0.00202	<15.0	<15.0	<15.0	-	<15	<5.00
SP-6	1'	In-Situ	-	-	<15.0	<15.0	<15.0	-	<15	<4.99
SP-7	6"	In-Situ	<0.00199	<0.00199	<15.0	<15.0	<15.0	-	<15	220
SP-7	1'	In-Situ	-	-	<15.0	<15.0	<15.0	-	<15	142
NMOCD RRAL		10	50	-	-	-	-	5,000	600	

Laboratory analytical reports are provided as Attachment #4. A "Site & Sample Location Map" is provided as Attachment #2.

PROPOSED REMEDIATION ACTIVITIES AND REMEDIATION WORKPLAN

Based on laboratory analytical results, site conditions and field observations made during the initial soil investigation, COG proposed the following remediation activities designed to advance the Release Site toward an approved closure:

• Utilizing a backhoe, excavate the Release Site to a depth of approximately one (1) foot bgs in the area represented by sample point SP-5. The excavated soil will be stockpiled on-site, atop a 6 mil poly liner, pending transportation under manifest to a NMOCD approved disposal facility.

• The areas represented by the remaining sample points (SP-1, SP-2, SP-3, SP-4, SP-6, and SP-7) will be aesthically addressed and contoured to meet the needs of the well pad.

• Upon excavating impacted soil from within the release margins, confirmation soil samples will be collected from the base and sidewalls of the excavated area and submitted to the laboratory for determination of BTEX, TPH and chloride concentrations.

• On receipt of favorable analytical results (below NMOCD regulatory guidelines), the excavation will be backfilled with locally sourced, non-impacted "like" material.

• Prepare and submit a "Remediation Summary and Site Closure Request" to the NMOCD and NMSLO.

The Workplan was subsequently approved.

SUMMARY OF FIELD ACTIVITIES

Impacted soil around the area represented by SP-5 was excavated and temporarily stockpiled on-site, atop an impermeable liner, pending final disposition. The floor of the excavation was excavated to a depth of approximately one (1) foot and sidewalls of the excavated area were advanced until the laboratory analytical results from confirmation soil samples indicated Benzene, BTEX, TPH and chloride concentrations were below the NMOCD RRAL. Upon excavating impacted soil from within the release margins, one (1) confirmation soil sample was collected from the floor and four (4) confirmation soil samples were collected from the sidewalls of the excavated area on June 28, 2018. The collected soil samples were submitted to the laboratory for analysis of benzene, BTEX, TPH and chloride. Upon receiving confirmation analytical results indicating that levels for benzene, BTEX, TPH, and chlorides were below NMOCD RRAL, the stockpiled material was transported to a NMOCD-approved disposal facility. A table summarizing laboratory analytical results from confirmation soil samples is provided below:

			SW 84	46-8021b	SW-846 80		E300		
Sample ID	Depth	Soil Status	Benzene	Total BTEX	TPH GRO C ₆ -C ₁₀	TPH DRO C ₁₀ -C ₂₈	TPH ORO C ₂₈ -C ₃₅	TOTAL TPH C ₆ -C ₃₅	CHLORIDE
FL @ 1'	1'	Excavated	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	31.8
NSW @ 6"	6"	Excavated	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	44.6
SSW @ 6"	6"	Excavated	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	20.2
ESW @ 6"	6"	Excavated	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	189
WSW @ 6"	6"	Excavated	<0.00202	<0.00202	<15.0	135	<15.0	135	183
NMOCD RRAL		10	50	-	-	-	5,000	600	

Upon receiving laboratory analytical results from confirmation soil samples, the excavated area was backfilled with locally sourced, non-impacted "like" material. A Photographic Log is provided as Attachment #5.

EXCAVATION/REMEDIATION DETAIL SUMMARY											
Type of Remediation:		Dig and Haul									
Date Remediation Activities Began:	June 27, 2018										
Excavation Dimensions:	.ength: 35 Ft.	Width: 12 Ft.	Depth: 1 Ft.								
Soil Transportation Start Date:	June 29, 2018	Backfill Date:	June 28, 2018								
Total Yards Transported to Disposal	: 20	Disposal Facility:	R360 Halfway Facility								

LIMITATIONS

TRC has prepared this Remediation Summary and Soil Closure Request to the best of its ability. No other warranty, expressed or implied, is made or intended.

TRC has examined and relied upon documents referenced in the report and has relied on oral statements made by certain individuals. TRC has not conducted an independent examination of the facts contained in referenced materials and statements. We have presumed the genuineness of the documents and that the information provided in documents or statements is true and accurate. TRC has prepared this report, in a professional manner, using the degree of skill and care exercised by similar environmental consultants. TRC also notes that the facts and conditions referenced in this report may change over time and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of COG Operating, LLC. The information contained in this report, including all exhibits and attachments, may not be used by any other party without the express consent of TRC and/or COG Operating, LLC.

SITE CLOSURE REQUEST

Remediation activities were conducted in accordance with the NMOCD- *Workplan*. Excavated impacted material was transported to an NMOCD-approved disposal facility and the site was backfilled with locally sourced, non-impacted "like" material. TRC on behalf of COG Operating, LLC respectfully requests the NMOCD grant closure approval for the Pan Head Fee #011H release which occurred on February 17, 2018.

If you have any questions, or if additional is required, please feel free to contact Becky Haskell or either of the undersigned by phone or email.

Respectfully,


-)all found


Joel Lowry Senior Project Manager TRC Environmental Corp.

ot O Danley

Curt Stanley Senior Project Manager TRC Environmental Corp.

Attachments:	Attachment #1-	Figure 1 - Site Location Map
	Attachment #2-	Figure 2 - Site & Sample Location Map
	Attachment #3-	Groundwater Database Search
	Attachment #4-	Laboratory Analytical Reports
	Attachment #5-	Photographic Log
	Attachment #6-	Release Notification and Corrective Action (FORM C-141)







New Mexico Office of the State Engineer Water Column/Average Depth to Water

POD Number Cod L 04021 S L 04020 L 04021 POD3 RA 11684 POD4 L 04019 RA 11684 POD3	POD Sub- de basin L L L	County LE LE LE LE LE	2 3 1	4 3	5 4 4 4	Sec 03 02	Tws 17S 17S	Rng 32E	X 617262	Y 3636354* 🦲	DistanceDep 456	othWellDepth 260		ater umn
L 04020 L 04021 POD3 RA 11684 POD4 L 04019 RA 11684 POD3	L L	LE LE LE	3	3 3	4 4	02		52L	01/202	3030334				
L_ 04021 POD3 RA 11684 POD4 L_ 04019 RA 11684 POD3	L	LE LE	1	3	4		1/5	32E	618268	3636166*	738	200		
<u>RA 11684 POD4</u> <u>L_04019</u> <u>RA 11684 POD3</u>		LE				05	17S	32E	616761	3636252*	827	200		
<u>L 04019</u> <u>Ra 11684 POD3</u>	L			5	2	11	17S	32E	618334	3635521	919	275		
<u>RA 11684 POD3</u>	Ľ	LL		3		02	17S	32E	618468	3636166*	934	182		
		LE				11	17S	32E	618262	3635371	950	275		
L 13047 POD1	L	LE	5	5		11	175	32E	618187	3635254*	981	140		
<u>RA 11734 POD1</u>	L	LE	2	2	1	10	175	32E	616556	3635929	995	165		
RA 11684 POD2		LE				11	175	32E	618313	3635248	1071	275		
L 13050 POD1	L	LE		2			175	32E	616463	3635945*	1087	156	132	24
RA 09505 S	_	LE				10	17S	32E	616463	3635945*	1087	144		
RA 09505		LE				10	17S	32E	616462	3635944	1088	147		
RA 11684 POD1		LE				11	17S	32E	618216	3635124	1100	275		
L 04021 R	L	LE		4			17S	32E	618670	3636170*	1133	190		
RA 11684 POD5		LE	3	1	4	11	17S	32E	618353	3635047 🦲	1246	275		
L 03980 S	L	LE	4	4	4	02	17S	32E	618870	3636170*	1331	255	179	76
RA 08855		LE	4	1	1	10	17S	32E	616061	3635742*	1510	158		
										Avera	ge Depth to Wa	ter:	155 feet	
											Minimum De		132 feet	
											Maximum De	pth:	179 feet	
Record Count: 17														
UTMNAD83 Radius Search	(in meters)	<u>::</u>												
Easting (X): 617549		North	hinş	g (\):	3635	999.2			Radius: 1610				
*UTM location was derived from PL	SS - see Help	,												

7/20/18 8:10 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER

Analytical Report 577774

for TRC Solutions, Inc

Project Manager: Joel Lowry

Pan Head Fee #011H

07-MAR-18

Collected By: Client





1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12) Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16) Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-18-14) Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757) Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757) Xenco-Atlanta (LELAP Lab ID #04176)



07-MAR-18



Project Manager: **Joel Lowry TRC Solutions, Inc** 2057 Commerce Midland, TX 79703

Reference: XENCO Report No(s): 577774 Pan Head Fee #011H Project Address: Lea Co, NM

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 577774. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 577774 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Huns hoah

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Id SP-1 @ 6" SP-2 @ 6" SP-2 @ 1' SP-3 @ 1' SP-3 @ 1' SP-4 @ 1' SP-5 @ 6" SP-5 @ 1' SP-6 @ 1' SP-6 @ 1'

Sample Cross Reference 577774



TRC Solutions, Inc, Midland, TX

Pan Head Fee #011H

Matr	ix Date Collecte	d Sample Dep	th Lab Sample Id
S	02-23-18 13:0	00 6 In	577774-001
S	02-23-18 13:0	05 1 ft	577774-002
S	02-23-18 13:1	10 6 In	577774-003
S	02-23-18 13:1	15 1 ft	577774-004
S	02-23-18 13:2	20 6 In	577774-005
S	02-23-18 13:2	25 1 ft	577774-006
S	02-23-18 13:3	30 6 In	577774-007
S	02-23-18 13:3	35 1 ft	577774-008
S	02-23-18 13:4	40 6 In	577774-009
S	02-23-18 13:4	45 1 ft	577774-010
S	02-23-18 13:5	50 6 In	577774-011
S	02-23-18 13:5	55 1 ft	577774-012
S	02-23-18 14:0	00 6 In	577774-013
S	02-23-18 14:0	05 1 ft	577774-014

Page	3	of	23
------	---	----	----



CASE NARRATIVE

Client Name: TRC Solutions, Inc Project Name: Pan Head Fee #011H

Project ID: Work Order Number(s): 577774 Report Date:07-MAR-18Date Received:02/28/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments: Batch: LBA-3042716 BTEX by EPA 8021B Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Project Id:Contact:Joel LowryProject Location:Lea Co, NM

Certificate of Analysis Summary 577774

TRC Solutions, Inc, Midland, TX Project Name: Pan Head Fee #011H



Date Received in Lab:Wed Feb-28-18 02:30 pmReport Date:07-MAR-18Project Manager:Kelsey Brooks

	Lab Id:	577774-0	001	577774-0	02	577774-0	003	577774-0	04	577774-0	005	577774-00	06
Analysis Requested	Field Id:	SP-1 @	6"	SP-1 @	1'	SP-2 @	6"	SP-2 @	1'	SP-3 @ 6"		SP-3 @ 1	1'
Anulysis Kequesteu	Depth:	6- In		1- ft		6- In		1- ft		6- In		1- ft	
	Matrix:	SOIL	SOIL			SOIL		SOIL		SOIL	SOIL		
	Sampled:	Feb-23-18	13:00	Feb-23-18 1	3:05	Feb-23-18	13:10	Feb-23-18 1	3:15	Feb-23-18	13:20	Feb-23-18 1	3:25
BTEX by EPA 8021B	Extracted:	Mar-03-18	08:30			Mar-03-18	08:30			Mar-03-18 (08:30		
	Analyzed:	Mar-05-18	10:11			Mar-05-18	10:12			Mar-05-18	10:12		
	Units/RL:	mg/kg	RL			mg/kg	RL			mg/kg	RL		
Benzene		< 0.00202	0.00202			< 0.00199	0.00199			< 0.00200	0.00200		
Toluene		< 0.00202	0.00202			< 0.00199	0.00199			< 0.00200	0.00200		
Ethylbenzene		< 0.00202	0.00202			< 0.00199	0.00199			< 0.00200	0.00200		
m,p-Xylenes		< 0.00403	0.00403			< 0.00398	0.00398			< 0.00399	0.00399		
o-Xylene		< 0.00202	0.00202			< 0.00199	0.00199			< 0.00200	0.00200		
Total Xylenes		< 0.00202	0.00202			< 0.00199	0.00199			< 0.002	0.002		
Total BTEX		< 0.00202	0.00202			< 0.00199	0.00199			< 0.002	0.002		
Chloride by EPA 300	Extracted:	Mar-05-18	17:00	Mar-05-18 17:00		Mar-05-18 17:00		Mar-05-18 17:00		Mar-05-18 17:00		Mar-05-18 17:00	
	Analyzed:	Mar-06-18	03:06	Mar-06-18 0	03:48	Mar-06-18	03:53	Mar-06-18 (3:59	Mar-06-18 (04:04	Mar-06-18 04:09	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		113	4.99	< 5.00	5.00	<4.95	4.95	<5.00	5.00	12.1	5.00	<4.99	4.99
TPH by SW8015 Mod	Extracted:	Mar-03-18	10:00	Mar-03-18 1	0:00	Mar-03-18	10:00	Mar-03-18 1	0:00	Mar-03-18	10:00	Mar-03-18 1	0:00
	Analyzed:	Mar-03-18	22:13	Mar-03-18 2	22:40	Mar-03-18	23:05	Mar-04-18 (0:25	Mar-04-18 (00:50	Mar-04-18 0	1:16
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<14.9	14.9	<15.0	15.0
Diesel Range Organics (DRO)		406	15.0	<15.0	15.0	45.7	14.9	<15.0	15.0	<14.9	14.9	<15.0	15.0
Oil Range Hydrocarbons (ORO)		18.9	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<14.9	14.9	<15.0	15.0
Total TPH		424.9	15	<15	15	45.7	14.9	<15	15	<14.9	14.9	<15	15

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Boah

Kelsey Brooks Project Manager



Project Id:Contact:Joel LowryProject Location:Lea Co, NM

Certificate of Analysis Summary 577774

TRC Solutions, Inc, Midland, TX Project Name: Pan Head Fee #011H



Date Received in Lab:Wed Feb-28-18 02:30 pmReport Date:07-MAR-18Project Manager:Kelsey Brooks

	1												
	Lab Id:	577774-0	007	577774-0	08	577774-0)09	577774-0	10	577774-0	011	577774-0	12
Analysis Requested	Field Id:	SP-4 @	6"	SP-4 @	1'	SP-5 @	6"	SP-5 @	1'	SP-6 @ (6"	SP-6 @ 1	1'
Analysis Kequestea	Depth:	6- In		1- ft		6- In		1- ft		6- In		1- ft	
	Matrix:	SOIL	,	SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Feb-23-18	13:30	Feb-23-18 1	3:35	Feb-23-18	13:40	Feb-23-18 1	3:45	Feb-23-18 1	13:50	Feb-23-18 1	3:55
BTEX by EPA 8021B	Extracted:	Mar-03-18	08:30			Mar-03-18	08:30			Mar-03-18 (08:30		
	Analyzed:	Mar-05-18	10:12			Mar-05-18	10:12			Mar-05-18 1	10:12		
	Units/RL:	mg/kg	RL			mg/kg	RL			mg/kg	RL		
Benzene		< 0.00201	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
Toluene		< 0.00201	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
Ethylbenzene		0.00845	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
n,p-Xylenes		0.0108	0.00402			< 0.00402	0.00402			< 0.00404	0.00404		
o-Xylene		0.00646	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
Total Xylenes		0.01726	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
Total BTEX		0.02571	0.00201			< 0.00201	0.00201			< 0.00202	0.00202		
Chloride by EPA 300	Extracted:	Mar-05-18	17:00	Mar-06-18 1	0:00	Mar-06-18	10:00	Mar-06-18 1	0:00	Mar-06-18 1	10:00	Mar-06-18 1	0:00
	Analyzed:	Mar-06-18	04:15	Mar-06-18 1	2:49	Mar-06-18	13:05	Mar-06-18 1	3:10	Mar-06-18 1	13:16	Mar-06-18 1	3:21
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		75.8	4.98	< 5.00	5.00	747	5.00	385	4.97	<5.00	5.00	<4.99	4.99
TPH by SW8015 Mod	Extracted:	Mar-03-18	10:00	Mar-03-18 1	0:00	Mar-03-18	10:00	Mar-03-18 1	0:00	Mar-03-18 1	10:00	Mar-03-18 1	0:00
	Analyzed:	Mar-04-18	17:42	Mar-04-18 0	02:07	Mar-04-18	02:33	Mar-04-18 (02:57	Mar-04-18 03:24		Mar-04-18 0	3:50
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Diesel Range Organics (DRO)		1310	15.0	30.3	15.0	187	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Oil Range Hydrocarbons (ORO)		55.2	15.0	<15.0	15.0	36.4	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Total TPH		1365.2	15	30.3	15	223.4	15	<15	15	<15	15	<15	15

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Boah

Kelsey Brooks Project Manager



Project Id:Contact:Joel LowryProject Location:Lea Co, NM

Certificate of Analysis Summary 577774

TRC Solutions, Inc, Midland, TX Project Name: Pan Head Fee #011H



Date Received in Lab:Wed Feb-28-18 02:30 pmReport Date:07-MAR-18Project Manager:Kelsey Brooks

	I I		1		1		
	Lab Id:	577774-013	5777	74-014			
Analysis Requested	Field Id:	SP-7 @ 6"	SP-7	7@1'			
Analysis Kequesieu	Depth:	6- In	1-	ft			
	Matrix:	SOIL	S	JIL			
	Sampled:	Feb-23-18 14:00	Feb-23-	18 14:05			
BTEX by EPA 8021B	Extracted:	Mar-03-18 08:30					
	Analyzed:	Mar-05-18 10:12					
	Units/RL:	mg/kg RI					
Benzene		<0.00199 0.0019	9				
Toluene		<0.00199 0.0019	9				
Ethylbenzene		<0.00199 0.0019	9				
m,p-Xylenes		<0.00398 0.0039	8				
o-Xylene		<0.00199 0.0019					
Total Xylenes		<0.00199 0.0019	9				
Total BTEX		<0.00199 0.0019	9				
Chloride by EPA 300	Extracted:	Mar-06-18 10:00	Mar-06-	18 10:00			
	Analyzed:	Mar-06-18 13:37	Mar-06-	18 13:42			
	Units/RL:	mg/kg RI	. mg/kg	RL			
Chloride		220 4.9	7 14	2 5.00			
TPH by SW8015 Mod	Extracted:	Mar-03-18 10:00	Mar-05-	18 07:00			
	Analyzed:	Mar-04-18 04:18	Mar-05-	18 11:39			
	Units/RL:	mg/kg RI	. mg/kg	RL			
Gasoline Range Hydrocarbons (GRO)	·	<15.0 15.	0 <15	.0 15.0			
Diesel Range Organics (DRO)		<15.0 15.	0 <15	.0 15.0			
Oil Range Hydrocarbons (ORO)		<15.0 15.	0 <15	.0 15.0			
Total TPH		<15 1	5 <	15 15			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Boah

Kelsey Brooks Project Manager



Flagging Criteria



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- **E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- **F** RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- ** Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit
- MDL Method Detection LimitSDLSample Detection LimitLOD Limit of Detection
- PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation
- DL Method Detection Limit
- NC Non-Calculable

SMP Clie	ent Sample	BLK	Method Blank	
BKS/LCS	Blank Spike/Laboratory Control Sample	BKSD/LCSD	Blank Spike Duplicate/Labor	ratory Control Sample Duplicate
MD/SD	Method Duplicate/Sample Duplicate	MS	Matrix Spike	MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Project Name: Pan Head Fee #011H

Lab Batch #:		Sample: 577774-001 / SMP	Batc	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/03/18 22:13	SU	RROGATE R	ECOVERY S	STUDY	
	TPH	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
		Analytes			[D]		
1-Chlorooctane	e		97.2	99.8	97	70-135	
o-Terphenyl			53.3	49.9	107	70-135	
Lab Batch #:	3042786	Sample: 577774-002 / SMP	Batc	h: 1 Matrix	: Soil	·	
Units:	mg/kg	Date Analyzed: 03/03/18 22:40	SU	RROGATE R	ECOVERY S	STUDY	
		oy SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane		Anarytes	94.1	99.7	94	70-135	
o-Terphenyl			48.0	49.9	94	70-135	
Lab Batch #:	3042786	Sample: 577774-003 / SMP	Batc			70-135	
Units:	mg/kg	Date Analyzed: 03/03/18 23:05					
Cints.	mg/ Kg	Date Analyzed: 05/05/10 25:05	SL	RROGATE R	LECOVERYS	STUDY	
	TPH b	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooctane	e		94.8	99.6	95	70-135	
o-Terphenyl			49.4	49.8	99	70-135	
Lab Batch #:	3042786	Sample: 577774-004 / SMP	Batc	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/04/18 00:25	SU	RROGATE R	ECOVERY S	STUDY	
		by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1 Chlanssatan		Analytes	07.1	00.0		70.125	
1-Chlorooctane	e		97.1	99.8	97	70-135	
Lab Batch #:	30/12796	Sample: 577774-005 / SMP	49.7 Bate	49.9 h: 1 Matrix	100	70-135	
Lab batch #: Units:	5042780 mg/kg	Date Analyzed: 03/04/18 00:50					
UIIIIS:	шу ку	Date Analyzeu: 03/04/18 00.50	SU	RROGATE R	ECOVERY S	STUDY	
		oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooctane	e		94.3	99.6	95	70-135	
o-Terphenyl			48.2	49.8	97	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

Work Ord Lab Batch #:		4, Sample: 577774-006 / SMP	Batc	Project ID: h: 1 Matrix			
Units:	mg/kg	Date Analyzed: 03/04/18 01:16	SU	RROGATE R	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R 70-135 70-135 TUDY Control Limits %R 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135	Flags
		Analytes			[D]		
1-Chlorooctan	e		96.6	99.7	97	70-135	
o-Terphenyl			49.8	49.9	100	70-135	
Lab Batch #:	3042786	Sample: 577774-008 / SMP	Batc	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/04/18 02:07	su	RROGATE R	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1 (11)		Analytes	100			70.107	
1-Chlorooctan	e		108	99.7	108		
o-Terphenyl	2012707	G	55.9	49.9	112	70-135	
Lab Batch #:		Sample: 577774-009 / SMP	Batc				
Units:	mg/kg	Date Analyzed: 03/04/18 02:33	SU	RROGATE R	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1-Chlorooctan	e		96.8	99.9	97	70-135	
o-Terphenyl			48.3	50.0	97	70-135	
Lab Batch #:	3042786	Sample: 577774-010 / SMP	Batc	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/04/18 02:57	SU	RROGATE R	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1-Chlorooctan	e		104	99.8	104	70-135	
o-Terphenyl			52.5	49.9	105	70-135	
Lab Batch #:		Sample: 577774-011 / SMP	Batc	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/04/18 03:24	SU	RROGATE R	ECOVERY S	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1.011		Analytes	0.5.5	0.7.7			
1-Chlorooctan	9		97.2	99.9	97		
o-Terphenyl			49.3	50.0	99	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

	rders : 577774 #: 3042786	4, Sample: 577774-012 / SMP	Batch	Project ID : 1 Matrix				
Units:	mg/kg	Date Analyzed: 03/04/18 03:50	SUI	RROGATE R	ECOVERY S	STUDY		
	TPH I	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R 70-135 70-135 TUDY Control Limits %R 70-135 TUDY Control Limits %R 70-135 70-135 70-135 TUDY Control Limits %R 70-135 70-135	Flags	
		Analytes			[D]			
1-Chlorooc	tane		107	100	107	70-135		
o-Terpheny	1		54.3	50.0	109	70-135		
Lab Batch	#: 3042786	Sample: 577774-013 / SMP	Batch	: 1 Matrix	: Soil			
Units:	mg/kg	Date Analyzed: 03/04/18 04:18	SUI	RROGATE R	ECOVERY S	STUDY		
		by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags	
r		Analytes			[10]			
1-Chlorooc			105	99.7	105			
o-Terpheny			52.4	49.9		70-135		
Lab Batch	#: 3042786	Sample: 577774-007 / SMP	Batch	: 1 Matrix	: Soil			
Units:	mg/kg	Date Analyzed: 03/04/18 17:42	SUI	RROGATE R	ECOVERY S	STUDY		
	TPH b	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	105 70-135 Soil COVERY STUDY Recovery %R [D] Control Limits %R 109 70-135 129 70-135		
		Analytes	[]	[2]		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1-Chlorooc	tane		109	99.7	109	70-135		
o-Terpheny	1		64.4	49.9	129	70-135		
Lab Batch	#: 3042716	Sample: 577774-001 / SMP	Batch	: 1 Matrix	: Soil			
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SUI	RROGATE R	ECOVERY S	STUDY		
		X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags	
140.0		Analytes	0.0220	0.0000		50.100		
1,4-Difluor			0.0328	0.0300	109			
4-Bromoflu	#: 3042716	Sample: 577774-003 / SMP	0.0360 Batch	0.0300 : 1 Matrix	120 	/0-130		
		-						
Units:	mg/kg	Date Analyzed: 03/05/18 10:12	SUI	RROGATE R	ECOVERY S	STUDY		
		X by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags	
1,4-Difluor	.4-Difluorobenzene			0.0300	81	70-130		
,			0.0244	0.0000	01	/0150		

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

	r ders : 577774 #: 3042716	4, Sample: 577774-005 / SMP	Batch	Project ID 1 Matrix			
Units:	mg/kg	Date Analyzed: 03/05/18 10:12	SUF	RROGATE R	ECOVERY S	Control Limits %R 70-130 70-130 STUDY Control Limits %R 70-130 70-130 70-130 70-130 70-130 70-130 70-130 70-130 70-130 70-130	
		by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1,4-Difluor	obenzene		0.0235	0.0300	78	70-130	
4-Bromoflu	orobenzene		0.0334	0.0300	111	70-130	
Lab Batch	#: 3042716	Sample: 577774-007 / SMP	Batch	: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/05/18 10:12	SUF	RROGATE R	ECOVERY S	STUDY	
		Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1 4 Diffuor		Anarytes	0.0212	0.0200		70.120	
1,4-Difluor			0.0213	0.0300	71		
	lorobenzene	G 1 577774 000 / SMD	0.0347	0.0300	116	70-130	
	#: 3042716	Sample: 577774-009 / SMP	Batch				
Units:	mg/kg	Date Analyzed: 03/05/18 10:12	SUF	RROGATE R	ECOVERY S	STUDY	
	BTEX	by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1,4-Difluor	obenzene		0.0234	0.0300	78	70-130	
4-Bromoflu	orobenzene		0.0330	0.0300	110	70-130	
Lab Batch	#: 3042716	Sample: 577774-011 / SMP	Batch	: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/05/18 10:12	SUF	RROGATE R	ECOVERY S	STUDY	
		A by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1,4-Difluor			0.0225	0.0300	75	70.130	
4-Bromoflu			0.0322	0.0300	107		
	#: 3042716	Sample: 577774-013 / SMP	Batch			/0-150	
Units:	mg/kg	Date Analyzed: 03/05/18 10:12		ROGATE R		STUDY	
		L by EPA 8021B	Amount Found	True Amount	Recovery	Control	Flags
		Analytes	[A]	[B]	%R [D]		1 11120
1,4-Difluor	obenzene		0.0214	0.0300	71	70-130	
4-Bromoflu	orobenzene		0.0356	0.0300	119	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

Work Ord Lab Batch #:		4, Sample: 577774-014 / SMP	Batch	Project ID : 1 Matrix			
Units:	mg/kg	Date Analyzed: 03/05/18 11:39	SU	RROGATE R	ECOVERY S	Control Limits %R 70-135 70-135 70-135 TUDY Control Limits %R 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-135 70-130 70-130	
	TPH I	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1-Chlorooctan	e		92.3	99.7	93	70-135	
o-Terphenyl			47.3	49.9	95	70-135	
Lab Batch #:	3042786	Sample: 7640133-1-BLK / B	LK Batch	: 1 Matrix	: Solid		
Units:	mg/kg	Date Analyzed: 03/03/18 17:06	SUI	RROGATE R	ECOVERY	STUDY	
	TPH	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1-Chlorooctan		Anarytes	104	100		70.125	
	e		54.9		104		
o-Terphenyl Lab Batch #:	2042002	Sample: 7640248-1-BLK / B	54.8 LK Batch	50.0 : 1 Matrix	110	/0-135	
		-					
Units:	mg/kg	Date Analyzed: 03/05/18 08:40	SUI	RROGATE R	ECOVERY S	STUDY	
	TPH I	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes	נאן	נטן	[D]	701	
1-Chlorooctan	e		98.7	100	99	70-135	
o-Terphenyl			50.2	50.0	100	70-135	
Lab Batch #:	3042716	Sample: 7640103-1-BLK / B	LK Batch	: 1 Matrix	: Solid	11	
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SUI	RROGATE R	ECOVERY	STUDY	
	BTEX	X by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1,4-Difluorobe	enzene		0.0240	0.0300	80	70-130	
4-Bromofluoro			0.0316	0.0300	105		
Lab Batch #:		Sample: 7640133-1-BKS / B					
Units:	mg/kg	Date Analyzed: 03/03/18 17:30	SUI	RROGATE R	ECOVERY	STUDY	
	TPH	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes			[D]		
1-Chlorooctan	e		108	100	108	70-135	
o-Terphenyl			54.2	50.0	108	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

	rders : 577774 #: 3042902	4, Sample: 7640248-1-BKS / 1	BKS Batc	Project ID h: 1 Matrix						
Units:	mg/kg	Date Analyzed: 03/05/18 09:05	SU	RROGATE R	ECOVERY S	STUDY				
		oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R 70-135 70-135 STUDY Control Limits %R 70-130 70-130 70-130 70-130 70-130 70-130 70-130 STUDY Control Limits %R 70-135 STUDY Control Limits %R 70-135 STUDY Control Limits %R 70-135	Flags			
		Analytes			[D]					
1-Chlorooct	ane		121	100	121	70-135				
o-Terpheny			61.0	50.0	122	70-135				
Lab Batch	#: 3042716	Sample: 7640103-1-BKS / 1	BKS Batc	h: 1 Matrix	: Solid					
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SU	RROGATE R	ECOVERY S	STUDY				
		L by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags			
1,4-Difluor		Anaryus	0.0231	0.0300	77	70.120				
4-Bromoflu			0.0231	0.0300	123					
	#: 3042786	Sample: 7640133-1-BSD / 2			_	/0-130				
Lab Batch Units:		Date Analyzed: 03/03/18 17:57								
Units:	mg/kg	Date Analyzed: 05/05/18 17.57	SU	SURROGATE RECOVERY STUDY						
	TPH b	y SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags			
		Analytes			[D]					
1-Chlorooct	ane		110	100	110	70-135				
o-Terpheny	1		54.5	50.0	109	70-135				
Lab Batch	#: 3042902	Sample: 7640248-1-BSD / 1	BSD Bate	h: 1 Matrix	: Solid					
Units:	mg/kg	Date Analyzed: 03/05/18 09:32	SU	RROGATE R	ECOVERY S	STUDY				
		oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags			
r		Analytes			[D]					
1-Chlorooct			115	100	115					
o-Terpheny			56.7	50.0	113	70-135				
	#: 3042716	Sample: 7640103-1-BSD /								
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SU	RROGATE R	ECOVERY S	STUDY				
		L by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags			
		r mary wo								
1,4-Difluoro			0.0274	0.0300	91	70-130				

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

Work Orde Lab Batch #:		4, Sample: 577665-001 S / MS	S Bate	Project ID h: 1 Matrix			
Units:	mg/kg	Date Analyzed: 03/03/18 18:48	SU	RROGATE R	ECOVERY	STUDY	
	TPH I	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R 70-135 70-135 STUDY Control Limits %R 70-130 70-130 70-130 70-130 70-130 70-130 70-130 70-135 STUDY Control Limits %R 70-135 70-135 STUDY Control Limits %R 70-135 70-135	Flags
		Analytes			[D]		
1-Chlorooctane			99.8	99.7	100	70-135	
o-Terphenyl			48.1	49.9	96	70-135	
Lab Batch #:	3042716	Sample: 577773-002 S / MS	S Bate	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SU	RROGATE R	ECOVERY	STUDY	
		K by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1,4-Difluorober		Anarytes	0.0262	0.0300	87	70.120	
4-Bromofluorol			0.0282	0.0300			
Lab Batch #:		Sample: 577773-011 S / MS			116	70-150	
	mg/kg	Date Analyzed: 03/05/18 10:22					
	mg/kg	mg/kg Date Analyzed: 03/05/18 10:22 SURROGATE RECOVER					
	TPH I	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
		Analytes	[**]	[2]	[D]	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1-Chlorooctane			115	99.9	115	70-135	
o-Terphenyl			53.3	50.0	107	70-135	
Lab Batch #:	3042786	Sample: 577665-001 SD / M	ASD Bate	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 03/03/18 19:13	SU	RROGATE R	ECOVERY	STUDY	
	TPH I	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Limits	Flags
(Analytes			[D]		
1-Chlorooctane			103	99.9	103		
o-Terphenyl			48.3	50.0	97	70-135	
Lab Batch #:		Sample: 577773-002 SD / M					
Units:	mg/kg	Date Analyzed: 03/05/18 10:11	SU	RROGATE R	ECOVERY S	STUDY	
		K by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Limits	Flags
1 4 Diffuenct	4-Difluorobenzene			0.0200		70.120	
-			0.0277	0.0300	92		
4-Bromofluorol	benzene		0.0378	0.0300	126	/0-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Pan Head Fee #011H

Lab Batch	rders : 57777 #: 3042902	Sample: 577773-011 SD / N	Project ID: / MSD Batch: 1 Matrix: Soil							
Units:	mg/kg	Date Analyzed: 03/05/18 10:47	SURROGATE RECOVERY STUDY							
	TPH	by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1 Chloroco		Anarytes	118	00.0	110	70.125]			
	1-Chlorooctane			99.8	118	70-135				
o-Terpheny	y1		55.2	49.9	111	70-135				

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



BS / BSD Recoveries



Project Name: Pan Head Fee #011H

Work Order	#: 577774							Pro	ject ID:			
Analyst:	ALJ	D	ate Prepar	red: 03/03/20	18			Date A	nalyzed: (03/05/2018		
Lab Batch ID:	Sample: 7640103	1-BKS	Batch #: 1 Matrix: Solid									
Units:	mg/kg		BLAN	K /BLANK	SPIKE / I	/ BLANK SPIKE DUPLICATE RECOVERY STUDY						
	BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analy	tes											ļ
Benzene		< 0.00199	0.0996	0.0869	87	0.100	0.0836	84	4	70-130	35	
Toluene		< 0.00199	0.0996	0.0837	84	0.100	0.0825	83	1	70-130	35	
Ethylbenze	ene	< 0.00199	0.0996	0.0877	88	0.100	0.0865	87	1	70-130	35	
m,p-Xylen	es	< 0.00398	0.199	0.171	86	0.200	0.168	84	2	70-130	35	
o-Xylene		< 0.00199	0.0996	0.0870	87	0.100	0.0856	86	2	70-130	35	
Analyst:	OJS	D	ate Prepar	red: 03/05/20	18	•		Date A	nalyzed: ()3/06/2018		
Lab Batch ID:	Sample: 7640211	1-BKS	Batc	h #: 1					Matrix: S	Solid		
Units:	mg/kg		BLAN	K /BLANK	SPIKE / 1	BLANK S	SPIKE DUP	LICATE	RECOV	ERY STUI	DY	
Analy	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag	
Chloride		<5.00	250	236	94	250	233	93	1	90-110	20	

Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100^{*}(C)/[B]$ Blank Spike Duplicate Recovery [G] = $100^{*}(F)/[E]$ All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: Pan Head Fee #011H

Work Order	•#: 577774							Proj	ject ID:				
Analyst:	OJS	D	ate Prepar	red: 03/06/202	18			Date A	nalyzed: (03/06/2018			
Lab Batch ID	: 3043009 Sample: 7640276-1	-BKS	Batcl	h #: 1					Matrix: S	Solid			
Units:	mg/kg		BLAN	K /BLANK	SPIKE /]	BLANK S	SPIKE DUPLICATE RECOVERY STUDY						
Analy	Chloride by EPA 300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag	
Chloride		<5.00	250	246	98	250	245	98	0	90-110	20		
Analyst:	ARM	D	ate Prepar	ed: 03/03/20	18	1	1	Date A	nalyzed: (03/03/2018	+	1	
Lab Batch ID	: 3042786 Sample: 7640133-1	-BKS	Batcl	h #: 1					Matrix:	Solid			
Units:	mg/kg		BLAN	K /BLANK	SPIKE /]	BLANK S	SPIKE DUP	LICATE	RECOV	ERY STUI	DY		
	TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag	
Analy	vtes		[B]	[C]	[D]	[E]	Result [F]	[G]					
Gasoline I	Range Hydrocarbons (GRO)	<15.0	1000	936	94	1000	950	95	1	70-135	35		
Diesel Ra	nge Organics (DRO)	<15.0	1000	958	96	1000	980	98	2	70-135	35		
Analyst:	ARM	D	ate Prepar	red: 03/05/202	18			Date A	nalyzed: (03/05/2018			
Lab Batch ID	: 3042902 Sample: 7640248-1	-BKS	Batcl	h #: 1					Matrix:	Solid			
Units:	mg/kg	BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY											
Analy	TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag	
	Range Hydrocarbons (GRO)	<15.0	1000	1030	103	1000	1030	103	0	70-135	35		
Diesel Rai	nge Organics (DRO)	<15.0	1000	1060	106	1000	1050	105	1	70-135	35		

Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100^{*}(C)/[B]$ Blank Spike Duplicate Recovery [G] = $100^{*}(F)/[E]$ All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: Pan Head Fee #011H



Work Order # : 577774					Project II):				
Lab Batch ID: 3042716	QC- Sample ID:	577773-002 S	Ba	atch #:	1 Matrix	x: Soil				
Date Analyzed: 03/05/2018	Date Prepared:	03/03/2018	An	nalyst: A	ALJ					
Reporting Units: mg/kg		MATRIX SPIK	E / MAT	'RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
BTEX by EPA 8021B	Parent Sample Result	Spiked Sample Spike Result Added [C]	e Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[D]	[E]		[G]				
Benzene	<0.00199	0.0994 0.115	116	0.0998	0.0861	86	29	70-130	35	
Toluene	<0.00199	0.0994 0.0759	76	0.0998	0.0840	84	10	70-130	35	
Ethylbenzene	<0.00199	0.0994 0.0843	85	0.0998	0.0877	88	4	70-130	35	
m,p-Xylenes	<0.00398	0.199 0.171	86	0.200	0.171	86	0	70-130	35	
o-Xylene	<0.00199	0.0994 0.0852	86	0.0998	0.0868	87	2	70-130	35	
Lab Batch ID: 3042878	QC- Sample ID:	577677-006 S	Ba	atch #:	1 Matrix	k: Soil				
Date Analyzed: 03/06/2018	Date Prepared:	03/05/2018	An	nalyst: (OJS					
Reporting Units: mg/kg		MATRIX SPIK	E / MAT	'RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
Chloride by EPA 300	Parent Sample Result	Spiked Sample Spike Result	Sample		Duplicate Spiked Sample	Spiked Dup. %R	RPD	Control Limits	Control Limits %RPD	Flag
Analytes	[A]	Added [C] [B]	%R [D]	Added [E]	Result [F]	%K [G]	%	%R	%KPD	
Chloride	5.88	250 244	95	250	250	98	2	90-110	20	
Lab Batch ID: 3042878	QC- Sample ID:	577774-001 S	Ba	atch #:	1 Matrix	x: Soil			-	<u> </u>
Date Analyzed: 03/06/2018	Date Prepared:	03/05/2018	An	nalyst: (OJS					
Reporting Units: mg/kg	MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY									
Chloride by EPA 300	Parent Sample Result	Spiked Sample Spike Result Added [C]	e Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[D]	[E]	Acourt [1]	[G]				
Chloride	113	250 360	99	250	354	96	2	90-110	20	+

Matrix Spike Percent Recovery $[D] = 100^{\circ}(C-A)/B$ Relative Percent Difference RPD = $200^{\circ}|(C-F)/(C+F)|$ Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries

Project Name: Pan Head Fee #011H



Work Order # : 577774						Project II):				
Lab Batch ID: 3043009	QC- Sample ID:	577774-0	008 S	Ba	tch #:	1 Matrix	: Soil				
Date Analyzed: 03/06/2018	Date Prepared: (03/06/20	18	An	alyst: (OJS					
Reporting Units: mg/kg		MA	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
Chloride by EPA 300		Spike Added	Spiked Sample Result [C]	Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[C]	⁷⁶ K [D]	E]	Kesult [F]	56K [G]	70	70K	70KPD	
Chloride	<5.00	250	237	95	250	247	99	4	90-110	20	
Lab Batch ID: 3043009	QC- Sample ID:	577777-(004 S	Ba	tch #:	1 Matrix	: Soil				
Date Analyzed: 03/06/2018	Date Prepared: (03/06/20	18	An	alyst: (OJS					
Reporting Units: mg/kg		MA	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
Chloride by EPA 300		Spike Added	Spiked Sample Result	Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]	[C]	⁷⁶ K [D]	E]	Kesult [F]	56K [G]	70	70K	70KPD	
Chloride	<4.99	250	241	96	250	275	110	13	90-110	20	
Lab Batch ID: 3042786	QC- Sample ID:	577665-0	001 S	Ba	tch #:	1 Matrix	: Soil				
Date Analyzed: 03/03/2018	Date Prepared: (03/03/20	18	An	alyst: A	ARM					
Reporting Units: mg/kg		MA	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
TPH by SW8015 Mod		Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
Analytes	[A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Gasoline Range Hydrocarbons (GRO)	<15.0	997	905	91	999	909	91	0	70-135	35	
Diesel Range Organics (DRO)	<15.0	997	983	99	999	974	97	1	70-135	35	

Matrix Spike Percent Recovery [D] = 100*(C-A)/BRelative Percent Difference RPD = 200*|(C-F)/(C+F)| Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries

Project Name: Pan Head Fee #011H



Work Order # :	577774	Project ID:										
Lab Batch ID:	3042902	C- Sample ID:	577773	-011 S	Ba	tch #:	1 Matrix	k: Soil				
Date Analyzed:	03/05/2018	Date Prepared:	03/05/2	018	An	alyst: A	ARM					
Reporting Units:	mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
ſ	FPH by SW8015 Mod	Parent Sample	Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample	-	RPD	Control Limits	Control Limits	Flag
	Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Gasoline Range	Hydrocarbons (GRO)	<15.0	999	1010	101	998	1040	104	3	70-135	35	
Diesel Range Or	ganics (DRO)	<15.0	999	1060	106	998	1100	110	4	70-135	35	

Matrix Spike Percent Recovery $[D] = 100^{*}(C-A)/B$ Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Matrix Spike Duplicate Percent Recovery $[G] = 100^{*}(F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

	Sotting	U
XENCO LABORATORIES	tha	
	Cland	'X'
	2	μ
	nen t	24
ů	000	
		űU

Stafford, Texas (281-240-4200)

CHAIN OF CUSTODY

Page 1 Of 1

San Antonio, Texas (210-509-3334)

Phoenix, Arizona (480-355-0900)

+	-
Analytic	Analytic
Analytical Information	al Inform
lation	ation
-	
Mat	Mat
Matrix Codes	trix Cod
Se	Se

Ĩ



XENCO Laboratories



Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc	Acceptable Temperature Range: 0 - 6 degC							
Date/ Time Received: 02/28/2018 02:30:00 PM	Air and Metal samples Acceptable Range: Ambient							
Work Order #: 577774	Temperature Measuring device used : R8							
Sample Recei	ot Checklist Comments							
#1 *Temperature of cooler(s)?	4.2							
#2 *Shipping container in good condition?	Yes							
#3 *Samples received on ice?	Yes							
#4 *Custody Seals intact on shipping container/ cooler?	N/A							
#5 Custody Seals intact on sample bottles?	N/A							
#6*Custody Seals Signed and dated?	N/A							
#7 *Chain of Custody present?	Yes							
#8 Any missing/extra samples?	Νο							
#9 Chain of Custody signed when relinquished/ received?	Yes							
#10 Chain of Custody agrees with sample labels/matrix?	Yes							
#11 Container label(s) legible and intact?	Yes							
#12 Samples in proper container/ bottle?	No TPH received in bulk jars							
#13 Samples properly preserved?	Yes							
#14 Sample container(s) intact?	Yes							
#15 Sufficient sample amount for indicated test(s)?	Yes							
#16 All samples received within hold time?	Yes							
#17 Subcontract of sample(s)?	No							
#18 Water VOC samples have zero headspace?	N/A							

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Date: 02/28/2018

Checklist completed by: Connie Hernandez Checklist reviewed by: Kelsey Brooks

Date: 03/02/2018

Analytical Report 591011

for TRC Solutions, Inc

Project Manager: Joel Lowry

Panhead Fee 11-H

299912

09-JUL-18

Collected By: Client





1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122): Texas (T104704215-18-26), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab Code: TX01468): Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12) Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16) Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-15) Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3) Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757) Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757) Xenco-Atlanta (LELAP Lab ID #04176) Xenco-Tampa: Florida (E87429) Xenco-Lakeland: Florida (E84098)



09-JUL-18



Project Manager: **Joel Lowry TRC Solutions, Inc** 2057 Commerce Midland, TX 79703

Reference: XENCO Report No(s): **591011 Panhead Fee 11-H** Project Address: Lea County, NM

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 591011. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 591011 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Knisk

Kelsey Brooks Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies. A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 591011



TRC Solutions, Inc, Midland, TX

Panhead Fee 11-H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FL @1'	S	06-28-18 10:00	1 ft	591011-001
NSW @6"	S	06-28-18 10:10	6 In	591011-002
SSW @6"	S	06-28-18 10:20	6 In	591011-003
ESW @6"	S	06-28-18 10:30	6 In	591011-004
WSW @6"	S	06-28-18 10:40	6 In	591011-005



CASE NARRATIVE

Client Name: TRC Solutions, Inc Project Name: Panhead Fee 11-H

Project ID:299912Work Order Number(s):591011

Report Date:09-JUL-18Date Received:06/30/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments: Batch: LBA-3055755 BTEX by EPA 8021B Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Project Id:299912Contact:Joel LowryProject Location:Lea County, NM

Certificate of Analysis Summary 591011

TRC Solutions, Inc, Midland, TX Project Name: Panhead Fee 11-H



Date Received in Lab:Sat Jun-30-18 09:00 amReport Date:09-JUL-18Project Manager:Kelsey Brooks

			1		1							
	Lab Id:	591011-0	001	591011-0	002	591011-0	003	591011-0	004	591011-0	05	
Analysis Requested	Field Id:	FL @1	'	NSW @	6"	SSW @	6"	ESW @	6"	WSW @	6"	
Analysis Requesieu	Depth:	1- ft		6- In		6- In		6- In		6- In		
	Matrix:	SOIL		SOIL		SOIL	,	SOIL		SOIL		
	Sampled:	Jun-28-18 1	10:00	Jun-28-18	10:10	Jun-28-18	10:20	Jun-28-18	10:30	Jun-28-18 1	0:40	
BTEX by EPA 8021B	Extracted:	Jul-06-18 1	16:30	Jul-06-18 1	.6:30	Jul-06-18	16:30	Jul-06-18	6:30	Jul-06-18 1	6:30	
	Analyzed:	Jul-07-18 0	06:40	Jul-07-18 (08:54	Jul-07-18 (06:58	Jul-07-18 (06:22	Jul-07-18 0	9:12	
	Units/RL:	mg/kg	RL									
Benzene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
Toluene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
Ethylbenzene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
m,p-Xylenes		< 0.00398	0.00398	< 0.00399	0.00399	< 0.00398	0.00398	< 0.00402	0.00402	< 0.00404	0.00404	
o-Xylene		< 0.00199	0.00199	< 0.00200	0.00200	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
Total Xylenes		< 0.00199	0.00199	< 0.002	0.002	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
Total BTEX		< 0.00199	0.00199	< 0.002	0.002	< 0.00199	0.00199	< 0.00201	0.00201	< 0.00202	0.00202	
Chloride by EPA 300	Extracted:	Jul-05-18 1	15:00	Jul-05-18 1	5:00	Jul-05-18	15:00	Jul-05-18	5:00	Jul-05-18 1	5:00	
	Analyzed:	Jul-05-18 2	21:38	Jul-05-18 2	21:43	Jul-05-18 2	21:48	Jul-05-18 2	21:54	Jul-05-18 2	1:59	
	Units/RL:	mg/kg	RL									
Chloride		31.8	4.90	44.6	5.00	20.2	4.95	189	4.92	183	4.97	
TPH by SW8015 Mod	Extracted:	Jul-06-18 1	4:00	Jul-06-18 1	4:00	Jul-06-18	14:00	Jul-06-18	4:00	Jul-06-18 1	4:00	
	Analyzed:	Jul-06-18 2	23:14	Jul-06-18 2	23:33	Jul-06-18	23:53	Jul-07-18 (00:12	Jul-07-18 0	0:32	
	Units/RL:	mg/kg	RL									
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	135	15.0	
Oil Range Hydrocarbons (ORO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	
Total TPH		<15	15	<15	15	<15	15	<15	15	135	15	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Huns Arah

Kelsey Brooks Project Manager



Flagging Criteria



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- ** Surrogate recovered outside laboratory control limit.
- **BRL** Below Reporting Limit.
- RL Reporting Limit
- MDL Method Detection LimitSDLSample Detection LimitLOD Limit of Detection
- PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation
- DL Method Detection Limit
- NC Non-Calculable

SMP Clie	ent Sample	BLK	Method Blank	
BKS/LCS	S Blank Spike/Laboratory Control Sample	BKSD/LCSD	Blank Spike Duplicate/Labor	ratory Control Sample Duplicate
MD/SD	Method Duplicate/Sample Duplicate	MS	Matrix Spike	MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Project Name: Panhead Fee 11-H

Lab Batch #: 3	055782	Sample: 591011-001 / SMP	Bato	ch: 1 Matrix	: Soil		
U nits: n	ng/kg	Date Analyzed: 07/06/18 23:14	SU	JRROGATE R	ECOVERY S	STUDY	
	TPH b	y SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
		Analytes			[D]		
1-Chlorooctane			91.4	99.8	92	70-135	
o-Terphenyl			47.8	49.9	96	70-135	
Lab Batch #: 3	055782	Sample: 591011-002 / SMP	Bato	ch: 1 Matrix	: Soil		
Units: n	ng/kg	Date Analyzed: 07/06/18 23:33	SU	URROGATE R	ECOVERY S	STUDY	
		oy SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane			90.2	99.8	90	70-135	
o-Terphenyl			45.1	49.9	90	70-135	
Lab Batch #: 3	055782	Sample: 591011-003 / SMP	Bato	h: 1 Matrix	: Soil		
Units: n	ng/kg	Date Analyzed: 07/06/18 23:53	SU	JRROGATE R	ECOVERY S	STUDY	
		y SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
r		Analytes			[D]		
1-Chlorooctane			93.1	100	93	70-135	
o-Terphenyl	055702		48.7	50.0	97	70-135	
Lab Batch #: 3		Sample: 591011-004 / SMP	Bato				
Units: n	ng/kg	Date Analyzed: 07/07/18 00:12	SU	JRROGATE R	ECOVERY S	STUDY	
		y SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flage
1-Chlorooctane			90.0	99.7	90	70-135	
o-Terphenyl			44.5	49.9	89	70-135	
Lab Batch #: 3	055782	Sample: 591011-005 / SMP	Bato	ch: 1 Matrix	: Soil		
Units: m	ng/kg	Date Analyzed: 07/07/18 00:32	SU	URROGATE R	ECOVERY S	STUDY	
		by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flag
1 Chlorin (Analytes	00.0			70.105	
1-Chlorooctane			98.9	99.9	99	70-135	
o-Terphenyl			52.1	50.0	104	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Panhead Fee 11-H

	#: 3055755	Sample: 591011-004 / SMP	Bate	h: 1 Matrix	: Soll		
U nits:	mg/kg	Date Analyzed: 07/07/18 06:22	SU	JRROGATE R	ECOVERY S	STUDY	
	BTEX	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
		Analytes			[D]		
1,4-Difluor	obenzene		0.0289	0.0300	96	70-130	
4-Bromoflu	orobenzene		0.0302	0.0300	101	70-130	
Lab Batch	#: 3055755	Sample: 591011-001 / SMP	Bate	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 07/07/18 06:40	SU	JRROGATE R	ECOVERY S	STUDY	
		X by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluor			0.0301	0.0300	100	70-130	
4-Bromoflu	orobenzene		0.0293	0.0300	98	70-130	
Lab Batch	#: 3055755	Sample: 591011-003 / SMP	Bate	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 07/07/18 06:58	SU	JRROGATE R	ECOVERY S	STUDY	
		X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
		Analytes			[D]		
1,4-Difluor	obenzene		0.0297	0.0300	99	70-130	
4-Bromoflu			0.0271	0.0300	90	70-130	
Lab Batch	#: 3055755	Sample: 591011-002 / SMP	Bate	h: 1 Matrix	: Soil		
Units:	mg/kg	Date Analyzed: 07/07/18 08:54	SU	JRROGATE R	ECOVERY S	STUDY	
	ВТЕХ	X by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flage
1,4-Difluor	obenzene		0.0287	0.0300	96	70-130	
4-Bromoflu	orobenzene		0.0381	0.0300	127	70-130	
Lab Batch	#: 3055755	Sample: 591011-005 / SMP	Bate		: Soil	1	<u> </u>
Units:	mg/kg	Date Analyzed: 07/07/18 09:12	SU	JRROGATE R	ECOVERY S	STUDY	
		X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flag
		Analytes			[D]		
1,4-Difluor			0.0340	0.0300	113	70-130	
4-Bromoflu	orobenzene		0.0334	0.0300	111	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Panhead Fee 11-H

Lab Batch	#: 3055782	Sample: 7657984-1-BLK /]	BLK Bate	h: 1 Matrix	: Solid		
Units:	mg/kg	Date Analyzed: 07/06/18 20:18	SU	JRROGATE R	ECOVERY	STUDY	
	TPH I	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage
		Analytes			[D]		
1-Chlorooct	ane		101	100	101	70-135	
o-Terpheny	l		53.8	50.0	108	70-135	
Lab Batch	#: 3055755	Sample: 7657966-1-BLK / 1	BLK Bate	h: 1 Matrix	: Solid		
Units:	mg/kg	Date Analyzed: 07/07/18 08:00	SU	JRROGATE R	ECOVERY	STUDY	
		K by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluoro		Anaryus	0.0305	0.0300	102	70-130	
4-Bromoflu	orobenzene		0.0266	0.0300	89	70-130	
Lab Batch	#: 3055782	Sample: 7657984-1-BKS / 1	BKS Bate		: Solid		
Units:	mg/kg	Date Analyzed: 07/06/18 20:38	SU	JRROGATE R	ECOVERY	STUDY	
	TPH I	oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooct	ane		116	100	116	70-135	
o-Terpheny	l		51.9	50.0	104	70-135	
Lab Batch	#: 3055755	Sample: 7657966-1-BKS / 1	BKS Bate	h: 1 Matrix	: Solid		
Units:	mg/kg	Date Analyzed: 07/07/18 04:36	SU	JRROGATE R	ECOVERY	STUDY	
		X by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluoro			0.0266	0.0300	89	70-130	
4-Bromoflu	orobenzene		0.0386	0.0300	129	70-130	
	#: 3055782	Sample: 7657984-1-BSD / 1					
Units:	mg/kg	Date Analyzed: 07/06/18 20:57	SU	JRROGATE R	ECOVERY	STUDY	
		oy SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooct			114	100	114	70-135	
o-Terphenyl	l		55.1	50.0	110	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



Project Name: Panhead Fee 11-H

Units:	mg/kg	Date Analyzed: 07/07/18 04:54	SURROGATE RECOVERY STUDY							
Units.	iiig/ĸg	Date Analyzeu. 07/07/18 04.54	SU	JRROGATE R	ECOVERY 3	STUDY				
	BTEX	K by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
		Analytes			[D]					
1,4-Difluorob	enzene		0.0294	0.0300	98	70-130				
4-Bromofluor	obenzene		0.0318	0.0300	106	70-130				
Lab Batch #	: 3055782	Sample: 591010-002 S / MS	Bate	h: 1 Matrix	: Soil	·				
Units:	mg/kg	Date Analyzed: 07/06/18 21:56	SU	JRROGATE R	ECOVERY S	STUDY				
	TPH b	by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooctar	ne	Analytes	111	99.7	111	70-135				
o-Terphenyl			51.6	49.9	103	70-135				
Lab Batch #	: 3055755	Sample: 591011-004 S / MS				10 100				
Units:	mg/kg	Date Analyzed: 07/07/18 05:12		JRROGATE R	ECOVERYS	STUDY				
	BTEX	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flage			
		Analytes	[]	[[]	[D]	,				
1,4-Difluorob	enzene		0.0304	0.0300	101	70-130				
4-Bromofluor	obenzene		0.0282	0.0300	94	70-130				
Lab Batch #	: 3055782	Sample: 591010-002 SD / N	ISD Bate	h: 1 Matrix	: Soil					
Units:	mg/kg	Date Analyzed: 07/06/18 22:15	SU	JRROGATE R	ECOVERY S	STUDY				
	TPH	oy SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooctar	ne		118	99.7	118	70-135				
o-Terphenyl			52.6	49.9	105	70-135				
Lab Batch #	: 3055755	Sample: 591011-004 SD / N								
U nits:	mg/kg	Date Analyzed: 07/07/18 05:30	SU	JRROGATE R	ECOVERY	STUDY				
	BTEX	K by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
		Analytes			[D]					
1,4-Difluorob	enzene		0.0297	0.0300	99	70-130				
4 15 (1	obenzene		0.0255	0.0300	85	70-130	-			

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B



BS / BSD Recoveries



Project Name: Panhead Fee 11-H

Work Order #: 591011				Project ID: 299912							
Analyst: ALJ	D	ate Prepar	ed: 07/06/201	18			Date A	nalyzed: (07/07/2018		
Lab Batch ID: 3055755 Sample: 7657966-1-	BKS	Batch	h #: 1					Matrix: S	Solid		
Units: mg/kg		BLAN	K/BLANK	SPIKE / 1	BLANK S	SPIKE DUP	LICATE	RECOVI	ERY STUI	ЭY	
BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Benzene	< 0.00200	0.100	0.0944	94	0.101	0.0973	96	3	70-130	35	
Toluene	< 0.00200	0.100	0.0954	95	0.101	0.0986	98	3	70-130	35	
Ethylbenzene	< 0.00200	0.100	0.0919	92	0.101	0.0959	95	4	70-130	35	
m,p-Xylenes	< 0.00401	0.200	0.190	95	0.202	0.199	99	5	70-130	35	
o-Xylene	< 0.00200	0.100	0.0895	90	0.101	0.0947	94	6	70-130	35	
Analyst: SCM	D	ate Prepar	ed: 07/05/201	18			Date A	nalyzed: (07/05/2018	•	
Lab Batch ID: 3055723 Sample: 7657872-1-	BKS	Batch	h #: 1					Matrix: S	Solid		
Units: mg/kg		BLAN	K/BLANK S	SPIKE / 1	BLANK S	SPIKE DUP	LICATE	RECOVI	ERY STUL	ЭY	
Chloride by EPA 300 Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<5.00	250	232	93	250	235	94	1	90-110	20	

Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100^{*}(C)/[B]$ Blank Spike Duplicate Recovery [G] = $100^{*}(F)/[E]$ All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: Panhead Fee 11-H

Work Order	·#: 591011							Proj	ect ID:	299912		
Analyst:	ARM	D	ate Prepar	red: 07/06/201	8			Date A	nalyzed: (07/06/2018		
Lab Batch ID	: 3055782 Sample: 7657984-1-	BKS	Bate	h #: 1					Matrix: S	Solid		
Units:	mg/kg		BLAN	K /BLANK S	SPIKE / I	BLANK S	SPIKE DUPI	LICATE	RECOVI	ERY STUI	ЭY	
	TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analy	vtes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Gasoline I	Range Hydrocarbons (GRO)	<15.0	1000	976	98	1000	992	99	2	70-135	20	
Diesel Rat	nge Organics (DRO)	<15.0	1000	1010	101	1000	1040	104	3	70-135	20	

Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100^{*}(C)/[B]$ Blank Spike Duplicate Recovery [G] = $100^{*}(F)/[E]$ All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: Panhead Fee 11-H



Work Order # :	591011						Project II): 299912	2			
Lab Batch ID:	3055755	QC- Sample ID:	591011	-004 S	Ba	tch #:	1 Matrix	k: Soil				
Date Analyzed:	07/07/2018	Date Prepared:	07/06/2	018	An	alyst: A	ALJ					
Reporting Units:	mg/kg		Μ	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
I	BTEX by EPA 8021B	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
	Analytes	[A]	[B]		[D]	[E]		[G]				
Benzene		<0.00200	0.0998	0.0818	82	0.100	0.0798	80	2	70-130	35	
Toluene		< 0.00200	0.0998	0.0798	80	0.100	0.0783	78	2	70-130	35	
Ethylbenzene		< 0.00200	0.0998	0.0759	76	0.100	0.0752	75	1	70-130	35	
m,p-Xylenes		< 0.00399	0.200	0.156	78	0.200	0.154	77	1	70-130	35	
o-Xylene		< 0.00200	0.0998	0.0718	72	0.100	0.0717	72	0	70-130	35	
Lab Batch ID:	3055723	QC- Sample ID:	590920	-004 S	Ba	tch #:	1 Matrix	k: Soil				
Date Analyzed:	07/05/2018	Date Prepared:	07/05/2	018	An	alyst: S	SCM					
Reporting Units:	mg/kg		Μ	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
	Chloride by EPA 300	Parent Sample	Spike	Spiked Sample Result	Spiked Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
	Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Chloride		<4.98	249	246	99	249	242	97	2	90-110	20	
Lab Batch ID:	3055723	QC- Sample ID:	591006	-007 S	Ba	tch #:	1 Matrix	k: Soil				
Date Analyzed:	07/05/2018	Date Prepared:	07/05/2	018	An	alyst: S	SCM					
Reporting Units:	mg/kg		Μ	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
	Chloride by EPA 300	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Spiked Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	Spiked Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
	Analytes	[A]	[B]		[D]	[E]		[G]				
Chloride		29.1	245	266	97	245	265	96	0	90-110	20	

Matrix Spike Percent Recovery $[D] = 100^{\circ}(C-A)/B$ Relative Percent Difference RPD = $200^{\circ}|(C-F)/(C+F)|$ Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries

Project Name: Panhead Fee 11-H



	Work Order # :	591011						Project II): 299912	2			
]	Lab Batch ID:	3055782	QC- Sample ID:	591010	-002 S	Ba	tch #:	1 Matrix	k: Soil				
]	Date Analyzed:	07/06/2018	Date Prepared:	07/06/2	018	Ar	alyst: A	ARM					
]	Reporting Units:	mg/kg		Μ	ATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA	TE REC	OVERY	STUDY		
	ן	FPH by SW8015 Mod	Parent Sample	Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
		Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
	Gasoline Range	Hydrocarbons (GRO)	<15.0	997	977	98	997	1030	103	5	70-135	20	
	Diesel Range Or	ganics (DRO)	<15.0	997	1010	101	997	1060	106	5	70-135	20	

Matrix Spike Percent Recovery $[D] = 100^{*}(C-A)/B$ Relative Percent Difference RPD = $200^{*}|(C-F)/(C+F)|$ Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

12 8 J.C	voxex. Signature of this document and reinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any bases or opportess incurred to the Centre of the Cen	sponsibility for any losses or	assume any re	and shall not a	ost of sampler	only for the c	loo will be liabl	of service. Xer	nd conditions	andard terms a	tractors. It assigns s	affiliates and subco	pany to Xenco, its	om client com	tes a valid purchase order fr	of samples constitut	ument and relinquishment	CSignature of this doc	Notice: Notice:
Corr. Factor	Cooler Temp, Thermo. C	ble On Ice	here applica	Preserved where applicable		èai#	Custody Seal #				By:	Received By:		Date Time:	Dat			younduraned by	5
		Received By:		Date Time:		hed By:	Relinquished By: 4				By:	3				ľ	0		3
	Cul ogra	MUL	30-18	~		hed By:	Relinquished By: 2	Ň	nowzalez	Gen	Recover By:	19 Received By	18 3:19	4-29-1		1	+ A	Relinquished by:	
- -	MUL O LONK	\$	-			R DELIVERY	DING COURIE	SION, INCLU	GE POSSES	MPLES CHAN	SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURER DELIVERY	OCUMENTED BEL	ODY MUST BE D	MPLE CUSTO	84		Sampler: Ar V	Relinguished by Sampler	,
	INIOCILO POTI 22 AU	FED-EX / UPS: Tracking #	FED-EX											P m	TAT Starts Day received by Lab, if received by 5:00 pm	ved by Lab, if	⁻ Starts Day recei	TA	
1		bcooper@trcsolutions.com	bcoope							4	TRRP Checklist						3 Day EMERGENCY		
		zconder@trcsolution.com	zconde			3-411	UST / RG -411			Forms)	Level 3 (CLP Forms)				x Contract TAT		2 Day EMERGENCY	26	Γ
L		rhaskell@concho.com	rhaske			evel IV	TRRP Level IV			2C+ Forms	Level III Std QC+ Forms				7 Day TAT		Next Day EMERGENCY		
		ilowry@trcsolutions.com	ilowny@	ta)	³ kg /raw da	Level IV (Full Data Pkg /raw data)	Level N			6	Level II Stat QC				5 Day TAT		Same Day TAT	San San	
		Notes:	NO					normation	Data Deliverable Information	Data				_		iess days)	Tumaround Time (Business days)]	
LĹ																		10	
<u>I.</u> I						+				_					-			00	
				+ +									-	_				7	
				×× ××	××					s c		10:40	6/28/2018	\square			SW @ 6"		
				+	< <					» 0		10:20	6/28/2018	6 .			W @ 6"		
. 1				×	×				•	s		10:10	6/28/2018				SSW @ 6"	з SS	
			_		_	•				s		10:00	128/2018	_			NSW @ 6"		
	Field Comments					NaH MEC	H2S	HCI NaC HNC	# of bottles			Time	Date	-			@ 1'		
				loride E 3 EX 8021E	•E PH 8015 №	ISO4 DH	604	OH/Zn Acetate						Sample		Field ID / Point of Collection	Field ID	N ₀	
WW¥≖ Waste Water A = Air	Ww≖ Wa A = Air				l Ext	ved bottles	er of preser	Numb	7000000			action	G						<u></u>
	0 = 0																	s Name Becky Griffi	Samplers's
pe	WI = Wipe								-				Involce:	1			Lowry	Joel Lowry	
OW =Ocean/Sea Wate	00= WO																	ntaot:	Project Contact:
SW = Surface water	SW = Surface									-	Becky Haskell	, LLC C/0	COG Operating, LLC	0	432-488-4460	Ξ	lowry@trcsolutions.com	에	
P = Product	P = Product												nvoice To:	-	Phone No:				Email:
GW =Ground Water	GW =Gr												Lea County, NM	5				merce Drive (79703	2057 Commerce Drive Midland. TX 79703
S = Soil/Sed/Solid	S = Soil												Project Location:	2				Address:	Company Address:
ter	W = Water									299912	Number:	i ber	Project Name/Number: Panhead Fee 11-H	ספ			poration	Company Name / Branch: TRC Environmental Corporation	Company I TRC Env
11	Matrix Codes		Analytical Information	Ana						nation	Project Information						Client / Reporting Information	Client / Rep	
_]		Xenco Job #			7				,-	www.xenco.com									
		5-0900)	na (480-35)	Phoenix, Arizona (480-355-0900)	Pho						-3334) 1)	San Antonio, Texas (210-509-3334) Midland, Texas (432-704-5251)	san Antonio, T Aidland, Texas	2 4			Dallas Texas (214-902-0300)	Dallas Texas	
							د ـ	Q.	Page					,			Setting the Standard since 1990	Setting the S	
										Gr		~							
						4		2	2)	< ^у П 2	Z	

Page 15 of 16

Final 1.000



XENCO Laboratories



ATORIES Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc	Acceptable Temperature Range: 0 - 6 degC					
Date/ Time Received: 06/30/2018 09:00:00 AM	Air and Metal samples Acceptable Range: Ambient					
Work Order #: 591011	Temperature Measuring device used : R8					
Sample Recei	pt Checklist Comments					
#1 *Temperature of cooler(s)?	.1					
#2 *Shipping container in good condition?	Yes					
#3 *Samples received on ice?	Yes					
#4 *Custody Seals intact on shipping container/ cooler?	N/A					
#5 Custody Seals intact on sample bottles?	N/A					
#6*Custody Seals Signed and dated?	N/A					
#7 *Chain of Custody present?	Yes					
#8 Any missing/extra samples?	Νο					
#9 Chain of Custody signed when relinquished/ received?	Yes					
#10 Chain of Custody agrees with sample labels/matrix?	Yes					
#11 Container label(s) legible and intact?	Yes					
#12 Samples in proper container/ bottle?	Yes					
#13 Samples properly preserved?	Yes					
#14 Sample container(s) intact?	Yes					
#15 Sufficient sample amount for indicated test(s)?	Yes					
#16 All samples received within hold time?	Yes					
#17 Subcontract of sample(s)?	Νο					
#18 Water VOC samples have zero headspace?	N/A					

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Date: 07/02/2018

 Checklist completed by:
 July

 Katie Lowe

 Checklist reviewed by:

 Many Moah

 Kelsey Brooks

Date: 07/03/2018



Photo 1 - View of affected area after excavation activities, facing North



Photo 2 - View of affected area after excavation activities, facing West



Photo 3 - View of affected area after remediation activities, facing Northwest



Photo 4 - View of affected area after remediation activites, facing West

Form C-141 Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

	OPERATOR Initial Report I Final R
Name of Company: COG Operating, LLC (OGRID# 22913	
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No.: 432-683-7443
Facility Name: Pan Head Fee #011H	Facility Type: Oil Well
Surface Original Drivets	ADI N. 20.025.42917
Surface Owner: Private Mineral Ov	vner: Private API No.: 30-025-42817
LOCAT	ΓΙΟΝ OF RELEASE
Unit LetterSectionTownshipRangeFeet from theD1117S32E195	North/South LineFeet from the 600East/West Line WestCounty Lea
Latitude: 32.855799	86 Longitude: -103.7437411 NAD83
Type of Release: Oil & Produced Water	JRE OF RELEASE Volume of Release: Volume Recovered:
Type of Release. On & Froduced water	Volume of Release:Volume Recovered:4bbls Oil & 4bbls PW3bbls Oil & 3bbls PW
Source of Release: 1/4" valve	Date and Hour of Occurrence:Date and Hour of Discovery:2/17/20182/17/2018 8:00am
Was Immediate Notice Given?	uired If YES, To Whom?
By Whom?	Date and Hour:
Was a Watercourse Reached?	If YES, Volume Impacting the Watercourse.
🗌 Yes 🖾 No	
If a Watercourse was Impacted, Describe Fully.*	RECEIVED By Olivia Yu at 7:51 am. Feb 21, 2018
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve b	By Olivia Yu at 7:51 am, Feb 21, 2018
	By Olivia Yu at 7:51 am, Feb 21, 2018
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve b Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized t possible impact from the release and we will present a remediation v I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem or the environment. In addition, NMOCD acceptance of a C-141 re	By Olivia Yu at 7:51 am, Feb 21, 2018 busted overnight resulting in the release. The valve was replaced.
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve b Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized t possible impact from the release and we will present a remediation v I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem	By Olivia Yu at 7:51 am, Feb 21, 2018 busted overnight resulting in the release. The valve was replaced. to recover all freestanding fluids. Concho will have the spill area evaluated for any work plan to the NMOCD for approval prior to any significant remediation activities te to the best of my knowledge and understand that pursuant to NMOCD rules and ease notifications and perform corrective actions for releases which may endanger t by the NMOCD marked as "Final Report" does not relieve the operator of liability nediate contamination that pose a threat to ground water, surface water, human healt
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve b Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized t possible impact from the release and we will present a remediation v I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 re- federal, state, or local laws and/or regulations.	busted overnight resulting in the release. The valve was replaced. to recover all freestanding fluids. Concho will have the spill area evaluated for any work plan to the NMOCD for approval prior to any significant remediation activities te to the best of my knowledge and understand that pursuant to NMOCD rules and ease notifications and perform corrective actions for releases which may endanger to by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water, surface water, human head port does not relieve the operator of responsibility for compliance with any other <u>OIL CONSERVATION DIVISION</u> MAM
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve b Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized t possible impact from the release and we will present a remediation v I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem or the environment. In addition, NMOCD acceptance of a C-141 re	By Olivia Yu at 7:51 am, Feb 21, 2018 ousted overnight resulting in the release. The valve was replaced. to recover all freestanding fluids. Concho will have the spill area evaluated for any work plan to the NMOCD for approval prior to any significant remediation activities. te to the best of my knowledge and understand that pursuant to NMOCD rules and ease notifications and perform corrective actions for releases which may endanger to by the NMOCD marked as "Final Report" does not relieve the operator of liability nediate contamination that pose a threat to ground water, surface water, human head port does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION Approved by Environmental Specialist:
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve be Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized to possible impact from the release and we will present a remediation of I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 re- federal, state, or local laws and/or regulations. Signature: Stellon L. Hitchcock	busted overnight resulting in the release. The valve was replaced. to recover all freestanding fluids. Concho will have the spill area evaluated for any work plan to the NMOCD for approval prior to any significant remediation activities te to the best of my knowledge and understand that pursuant to NMOCD rules and ease notifications and perform corrective actions for releases which may endanger to by the NMOCD marked as "Final Report" does not relieve the operator of liability mediate contamination that pose a threat to ground water, surface water, human head port does not relieve the operator of responsibility for compliance with any other <u>OIL CONSERVATION DIVISION</u> MAM
Describe Cause of Problem and Remedial Action Taken.* The ¼" valve leading to the tubing gauge was left open. The valve be Describe Area Affected and Cleanup Action Taken.* All of the fluid remained on location. A vacuum truck was utilized to possible impact from the release and we will present a remediation of I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain rel- public health or the environment. The acceptance of a C-141 report should their operations have failed to adequately investigate and rem- or the environment. In addition, NMOCD acceptance of a C-141 re- federal, state, or local laws and/or regulations. Signature: Subscience Water Statement Statemen	By Olivia Yu at 7:51 am, Feb 21, 2018 ousted overnight resulting in the release. The valve was replaced. to recover all freestanding fluids. Concho will have the spill area evaluated for any work plan to the NMOCD for approval prior to any significant remediation activities. te to the best of my knowledge and understand that pursuant to NMOCD rules and ease notifications and perform corrective actions for releases which may endanger to by the NMOCD marked as "Final Report" does not relieve the operator of liability nediate contamination that pose a threat to ground water, surface water, human head port does not relieve the operator of responsibility for compliance with any other OIL CONSERVATION DIVISION Approved by Environmental Specialist: 2/21/2018

pOY1805229062

Operator/Responsible Party,

The OCD has received the form C-141 you provided on _2/19/2018_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number _1RP-4971_ has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District _1_ office in __Hobbs____ on or before _3/21/2018_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

• Nominal detection limits for field and laboratory analyses must be provided.

• Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us