

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br><b>30-025-36493</b>                                                                 |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.                                                                        |
| 7. Lease Name or Unit Agreement Name<br><b>AFT</b>                                                  |
| 8. Well Number<br><b>1-4</b>                                                                        |
| 9. OGRID Number<br><b>021355</b>                                                                    |
| 10. Pool name or Wildcat<br><b>CAPROCK, EAST</b>                                                    |

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
**SOUTHWEST ROYALTIES, INC.**

3. Address of Operator  
**P.O. Box 11390 Midland, TX 79702**

4. Well Location  
Unit Letter **C** : **760** feet from the **NORTH** line and **1935** feet from the **WEST** line  
Section **26** Township **12-S** Range **32-E** NMPM **LEA** County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
**4327' GL**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE ☐  
OTHER: ☐ PLUGGING OPERATIONS FOR THE C-103 ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**\* Notify NMOC Prior to Commencement of P&A Activities**

- (1) Move in & RU PU. NU B.O.P.
- (2) RU WL & RIU w/ AN 8 5/8" CIBP... Set CIBP @ 2980' : CAPW 25 SXS. cmt
- (3) Circ hole w/ MLF (190 gals.)
- (4) Pull TGA to 2150' & spot 30 SXS. cmt (2150' 2050')
- (5) Pull TGA to 450' & spot 30 SXS. cmt (450' 350') \* WOC : TAG
- (6) Spot 20 SXS cmt from 60' to 3'
- (7) RDMO - Install dry Hole marker, cover cellar & pick up location of all trash



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nelson Patton TITLE Area Supervisor DATE 4/12/04

Type or print name NELSON PATTON E-mail address: Telephone No. 432/686-9927  
(This space for State use)

APPROVED BY Harry W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE APR 19 2004

Conditions of approval, if any

AFT #1-Y

760' FNL : 1935' FNL

Sec. 26, T12-S, R32E

LEAG. NM

APE # 30589

E/EV : 4327' GL

KB : 18.5'

Spud: 12/1/03

Dlg Rig Released: 1/28/04

API # 30-025-36493

OGRID # 02/355

1/9/04

<PBD> @ 3631'

Tagged  
TDC

35 SXS. + 35 SXS. CMT  
3673' - 3684'

25 SXS CMT  
5681' - 5581'

25 SXS. CMT  
7793' - 7693'

Tag TDC  
11,203'  
TDC 11,350'

14 3/4" hole

40' of 20" Conductor

12 3/4" - 40 # C54 @ 400'  
CMT w/ 205 SXS. "C"  
<Circ'd 25 SXS>

11" Hole

3030' - 39' (10) ; 3049' - 54' (6)  
3065' - 69' (5) 2000 gals. 15% HCL

CIBP SET @ 3110' CAPPED w/  
35' of CMT <2/18/04>  
3140' - 3150' <1> JSPF  
- 1250 gals. 15% NaFe HCL Acid

8 5/8" - 32 # C54 @ 3684'  
CMT w/ 550 SXS 50:50 Por  
& TAIL w/ 150 SXS "C"  
<Circ'd 5 SXS>


7 7/8" Hole

25 SXS. CMT 10,125' - 10,025'

30 SXS of CLASS "H" Cement  
11,340' - 11,224'

Current Condition

AFT #1-Y  
 760' FNL & 1935' FWL  
 Sec. 26, T12-S, R32E  
 LCA Co. NM



< Proposed P&A >