N.M. Oil Cons. Division 1625 N. French Dr.

Form 3160-5 (September 2001)	UNITED STATES Hobbs, NM 88240 DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0135 Expires January 31, 2004 5. Lease Serial No.
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.		6. If Indian, Allottee or Tribe Name
SUBMIT IN T	RIPLICATE - Other instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well	T. '	
2. Name of Operator		8. Well Name and No. 4 EAVES A 12
Southwest Royalties, Inc.		9. API Well No.
3a. Address Bax 11390 Midland, Tx 79702 3b. Phone No. (include area code) 432) 686-9927		30 - 025 - 120 79 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660' FNL 1980' FWL		SCAR Borough 11. County or Parish, State
	S, R37E Unit letter C	Lea Co., NM
	PPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report	Acidize Deepen Production (St. Alter Casing Fracture Treat Casing Repair New Construction Recomplete Plug and Abandon Temporarily	Well Integrity Other
Final Abandonment Notice	☐ Convert to Injection ☐ Plug Back ☐ Water Disposa	1
If the proposal is to deepen did Attach the Bond under which following completion of the istesting has been completed. determined that the site is read to the last the site is read to the last the site is read to the last the last the site is read to the last the	BLM office 24 hrs. Prior to comme 1. Nh BOP. PBTD @ ± 2962' (CIBP SET @ 30 Plate my Mud LADE Fluid. 1640' ± 5p.+ 35 5xs. C/ASS"C" as Sq @ ± 1000' (TOC@ ± 1150' CA(c'D) Class"C" cement (1050' - 950') woc "C" cement (311' - 211') woc! @ 60' : pump 40 5xs circ cement ing is true and correct	true vertical depths of all pertinent markers and zones. wired subsequent reports shall be filed within 30 days in a new interval. a form 3160,4 shall be filed once clamation, have used completed, and the operator has some control of the control
Signature N	D 11	
大师	Date 5/10/	7
India 6	GD.) DAVID	
Approved by Conditions of approval, if any are certify that the applicant holds less	2.0 2004 Title OF F A T	TACHED FOR
certify that the applicant holds let which would entitle the applicant to	cattached. Approval of this notice does not warrant or gal or equitable title to those rights in the subject lease occurred operations thereon.	IS OF APPROVAL

Title 18 U.S.C. Section 100 and Fittle 43-U.S.C. Sections 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitions or traddilent statements or representations as to any matter within its jurisdiction.

(3)

(4) (5) (6)

EAVES A #12 660' FNL : 1980' FWL Unit LETTER C Sec. 30, T265, R37E LEA CO., NM

== 171/4" ho/E 13" Con e 261' (50 # Con) CMT'd -/ 100 5x5. 212" HolE 95/8" 36 # CSq C 15881 CMT'D -/ 425 5x5. < TOC @ 223'> = 83/4" Hole 11/7/02 WL SET A 7" CIBP e 3003' CAP W/ 8 SXS CMT PBTO C 2962' 7"-24 # Csy @ 3065' CMT'D W/ 425 5x5. TOC @ /150' (CALC'D) 2 61/8" Hole (18#) 5" Linea (TOLE 3028' BOLE 3219') 7 Rivers > OH - 3219' CMT'D W/ 25 5x5. 3245

{ Current Condition >

EAVES A #/2 660' FNC : 1980' FWL 2lnit LEELER C Sec. 30, T265, R37E LEA CO., NM

Perf 95/8" @ 60' -2 171/4" holE & pump 40 sxs (cire) 40 sxs. 311-211 13" Con c 261' (50 = Cg) (woc + TAg) CMT'd ~/ 100 5x5. =212" Hole Curoff 7" Cige + 10001 woc ' Pump 40 5x5. 1050- 950' 35 sxs "C" 95/8" 36# CSq C 15881 CMT'D -/ 425 5x5. 1640 - 15301 <TOC € 223'> (WOC & TAg) LAden = 83/4" Hole 11/7/02 WL SET A. 7" CIBP e 3003' CAP W/ 85xs CMT PBTD C 2962' 7"-24 # Csy @ 3065' CMT'D W/ 425 5x5. TOC @ /150' (CALC'D) 2 61/8" Hole (18#) 5" Liner (TOLE 3028' BOLE 3219') 7 Rivers > OH - 3219' CMT'D "/ 25 5x5. 3245'

(Proposed Pa A)