Submit 3 Copies To Appropriate District State of New Mexico	Form C-103
Office Energy, Minerals and Natural Res	
1625 N. French Dr., Hobbs, NM TOBBS OCD District II	WELL API NO. 30-025-06296
1301 W Grand Ave Artesia NM 88210 OIL CONSERVATION DIV	ISION 5 Indicate Terms of Lease
District III 1000 Rio Brezos Rd Aztec NMS\$1410 9. 5 2011 1220 South St. Francis D	''·
1000 Rio Brazos Rd., Aztec, NM 3140 2 5 2011 Santa Fe, NM 87505	
1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUC DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.)	G BACK TO A Funice Monument South Unit
1. Type of Well: Oil Well	8. Well Number / 171
2. Name of Operator	9. OGRID Number
XTO Energy, Inc.	005380
3. Address of Operator 200 N. Ioraine, Ste. 800 Midland, TX 79701	10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
4. Well Location	
Unit Letter N : 660 feet from the South line and 1980 feet from the West line	
Section 31 Township 20s Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REME	DIAL WORK ALTERING CASING
TEMPORARILY ABANDON	MENCE DRILLING OPNS. P AND A
PULL OR ALTER CASING MULTIPLE COMPL CASIN	NG/CEMENT JOB
DOWNHOLE COMMINGLE	
OTHER: OTHE	R: Reactivate; acidize & RWTP
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
6/17/11 - 6/20/11 MIRU PU. ND WH. NU BOP. Test tbg. RIH w/notched collar to Tag fill @ 3842'.PBTD @ 3900'. RIH & perf Grayburg perfs fr 3675' - 3749' (28 total holes.	
6/21/11 - 6/22/11 RIH w/Sonic hammer c/o fill to 3900'. Sonic Hammer wash OH 3664'-3900' w/200 bbls 9#	
BW. Sonic Hammer acid wash 3664'-3900' w/3000 G 20% 90/10. RU swab and swab back acid load, determine	
flow rate and oil cut.	
6/23/11 RIH w/prod equip. EOT 3834'. RDMO PU. RWTP.	
Spud Date: Rig Release Date	::
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE TITLE Regulatory Analyst DATE 7/21/11	
Sherry pack@xtoenergy.com Type or print name Sherry Pack E-mail address: PHONE 432-620-6709	
For State Use Only	
APPROVED BY	
Conditions of Approval (if any):	

EUNICE MONUMENT SO. UNIT #171 WELLBORE DIAGRAM

