

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87411
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

JAN 09 2012

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-04785
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Exxon Mobil Corporation		6. State Oil & Gas Lease No. B 935
3. Address of Operator P O Box 4358: CORP-MI-205; Houston, TX. 77210-4358		7. Lease Name or Unit Agreement Name New Mexico "G" State
4. Well Location Unit Letter L : 1980 feet from the South line and 660 feet from the West line Section 26 Township 21S Range 36E NMPM Lea County		8. Well Number 10
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR = 3,545' DF		9. OGRID Number 007673
		10. Pool name or Wildcat Eumont Yates Seven Rivers

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached for actual plugging work on the New Mexico "G" State 10.

Approved for plugging of well bore only.
Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms, www.emnrd.state.nm.us/oed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Lynn Neely TITLE Sr. Regulatory Specialist DATE 01/06/2012

Type or print name Lynn Neely E-mail address: lynn.r.neely@exxonmobil.com PHONE: 281-654-1949
For State Use Only

APPROVED BY: [Signature] TITLE STAT MGR DATE 1-10-2012
Conditions of Approval (if any):

JAN 10 2012

Nm G State 10

Daily Operations

Rpt Start Dt/Tm	Mgmt Summary
12/5/2011	Rig up lines to half moon tank, Bleed off pressure, Hand dig wellhead cellar, Spot WSU
12/6/2011	RU WSU, Circulate brine, ND WH, NU BOP, Test BOP, Secure well, SDFN. Kill well, Unset pkr, Start out laying dn production tbg, Pkr got stuck @ 2964', Got off pkr, POOH lay dn tbg, Tally work string, Pick up & RIH w/ kill string, Secure well, SDFN.
12/7/2011	POOH w/ kill string, Pick up & RIH w/ overshot, accelerator, bumper sub & 2 drill collars, Latch on to pkr, Start POOH, Pkr was dragging, Pkr got stuck @ 2000',
12/8/2011	Couldn't pull past, Pushed back dn to 3023', Secure well, SDFN. POOH w/ pkr, Was dragging all the way out, RIH w/ 3 7/8" bit to 3041', POOH w/ 1
12/9/2011	stand, Secure well, SDFN. POOH lay dn bit, RIH w/ CIBP, Set @ 3000', Test plug, Held good @ 500 psi, Circulate
12/12/2011	20 sks salt gel w/ 40 bbls brine, Secure well SDFN. Spot 50 sks class c neat cement @ 3000', POOH lay dn stinger, RIH w/ perforated
12/13/2011	sub & kill string, Secure well, Service equipment, SDFN. Tag TOC @ 2203', POOH lay dn tbg, Monitor for gas migration, Had a few bubbles initially but died completely after 4 hrs, Spot 35 sks cmt @ 1588', POOH lay dn tbg,
12/14/2011	Secure well, SDFN. RIH w/ tbg, Tag TOC @ 1056', POOH lay dn jts, Spot 35 sks cmt @ 430' to 30', POOH
12/15/2011	lay dn tbg, Wash up equipment, ND BOP, SDFN. Pick up mechanical cutter & drill collar, Cut 4.5" csg 4' below ground level, POOH w/
<u>12/16/2011</u>	csg stub, Top off cmt to surface, RD P&A equipment

Well Information					
Regulatory Well Name New Mexico G State 10	Well Identifier 3002504785	License #	Lease New Mexico G State	Field Name Eumont	Country United States
Well Utility Producer	Product Class Gas	Well Status Shut-in	Original KB Elevation (ft) 3,545.00	Well Spud Date/Time 12/28/1957	High H2S?

