

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

WELL API NO. 30-025-20238	
5 Indicate Type of Lease STATE ☒ FEE ☐	
6 State Oil & Gas Lease No	
7 Lease Name or Unit Agreement Name MESA QUEEN	
8 Well Number #13	
9 OGRID Number 25482	
10 Pool name or Wildcat MESA QUEEN	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DE-PLAN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1 Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2 Name of Operator STATE OF NM formerly XERIC OIL & GAS	
3 Address of Operator 1625 N. FRENCH DRIVE HOBBS NM 88240	
4 Well Location Unit Letter I 1980 feet from the FSL line and 660 feet from the FEL line Section 17 Township 16S Range 32E NMPM County LEA	
11 Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER ☐

13 Describe proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 19-15-7-14 NMAC For Multiple Completions Attach wellbore diagram of proposed completion or recompletion

SEE ATTACHED PLUGGING PROCEDURE

Spud Date.

Rig Release Date.

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE Maxey G. Brown TITLE COMPLIANCE OFFICER DATE 2-22-2012

Type or print name MAXEY G. BROWN E-mail address: PHONE

For State Use Only

APPROVED BY. [Signature] TITLE STATE MAR DATE 2-23-2012

Conditions of Approval (if any):

FEB 23 2012

State of New Mexico formerly XERIC OIL & GAS

LEASE NAME MESA QUEEN #13 API 30-0 25-20238

Section 17 -T 16 S-R 32 E FROM 1980 ~~N~~/S L, 660 E/~~W~~ L.

SPECIAL NOTE—Mud Laden Fluid will consist of 9.5# brine with 12.5# Salt Gel per BBL (25 sacks of gel/ per 100 BBLS Brine). All cement plugs will be 25 sacks of cement or 100', whichever is greater. **Unless otherwise specified in the approved procedure**, cement plugs shall consist of class "C" for depths to 7500'. Class "H" will be used for plugs deeper than 7500'.

1. MIRU plugging unit. Lay down production equipment.
2. Set CIBP @ 3350 '. Circulate MLF. Spot 25 sxs cmt on CIBP.
3. Spot 25 sxs cmt @ 2534 '.
4. Perf @ 1260 '. Sqz w/25 sxs cmt. WOC and TAG.
5. Perf @ 421 '. Sqz w/ sufficient volume to circ cmt to surface inside/outside of csg strings.
6. Cutoff wellhead and anchors, install marker.

-----SPECIAL NOTES-----

