


Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 811 S First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
4 Reason for filing <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)		1. WELL API NO. 30-025-28576		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN		3 State Oil & Gas Lease No.				
		5 Lease Name or Unit Agreement Name Post		6. Well Number 3						
		7 Type of Completion. <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input checked="" type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER								
8 Name of Operator NMR Energy LLC				9 OGRID 280401						
10 Address of Operator 800 Bering, STE 250, Houston Texas, 77057				11. Pool name or Wildcat King (Wolfcamp)						
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	12	14S	37E		330	N	330	W	Lea
BH:										
13 Date Spudded 2/7/84		14 Date T.D. Reached 4/12/84		15. Date Rig Released 4/26/84		16. Date Completed (Ready to Produce) 12/29/2011		17. Elevations (DF and RKB, RT, GR, etc) KB - 3854'		
18. Total Measured Depth of Well 14,000				19 Plug Back Measured Depth 12,650'		20. Was Directional Survey Made? No		21. Type Electric and Other Logs Run DLL, GR/Son		
22 Producing Interval(s), of this completion - Top, Bottom, Name Wolfcamp - 9442' to 9468'										
23 CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB /FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8		48		420		17-1/2		500 sx 1C		None
8-5/8		32		4671		12-1/4		2000 sx 1 C		None
5-1/2		17		14,000		7-7/8		2900 sx 1 H		None
24. LINER RECORD						25 TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2.375	9542	PLC HL			
26 Perforation record (interval, size, and number) 9442'-48", 9451'-58", 9465'-68" - 2 spf Total 35 holes						27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
9442-9468						2750 Gals 15% NEFE				
9442-9468						74,958 gals of fluid and 61996# of 20/40 SLC				
28 PRODUCTION										
Date First Production 12-May 2012		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping				Well Status (Prod. or Shut-in) Prod				
Date of Test 6/6/2012	Hours Tested 24 hrs	Choke Size	Prod'n For Test Period	Oil - Bbl 17	Gas - MCF Trace	Water - Bbl. 16	Gas - Oil Ratio			
Flow Tubing Press. 100	Casing Pressure 0	Calculated 24- Hour Rate	Oil - Bbl. 17	Gas - MCF Trace	Water - Bbl. 16	Oil Gravity - API - (Corr)				
29. Disposition of Gas (Sold, used for fuel, vented, etc) Vented								30. Test Witnessed By Ken Roger		
31 List Attachments										
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33 If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Hollie Lamb		Title Consulting Engineer			Date June 14, 2012			
E-mail Address hlamb@helmsoil.com										

PA King Devonian South

JUN 21 2012

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy	2207	T. Canyon	10,882	T. Ojo Alamo		T. Penn A"	
T. Salt		T. Strawn	11,154	T. Kirtland		T. Penn. "B"	
B. Salt		T. Atoka	11,394	T. Fruitland		T. Penn. "C"	
T. Yates	3182	T. Miss	11,806	T. Pictured Cliffs		T. Penn. "D"	
T. 7 Rivers		T. Devonian	12, 656	T. Cliff House		T. Leadville	
T. Queen	3958	T. Silurian		T. Menefee		T. Madison	
T. Grayburg		T. Montoya	13,610	T. Point Lookout		T. Elbert	
T. San Andres	4610	T. Simpson	13,884	T. Mancos		T. McCracken	
T. Glorieta	6114	T. McKee	TD - 13,994	T. Gallup		T. Ignacio Otzte	
T. Paddock		T. Ellenburger		Base Greenhorn		T. Granite	
T. Blinebry	6769	T. Gr. Wash		T. Dakota			
T. Tubb	7357	T. Delaware Sand		T. Morrison			
T. Drinkard		T. Bone Springs		T. Todilto			
T. Abo	8038	T.		T. Entrada			
T. Wolfcamp	9394	T.		T. Wingate			
T. Penn	10,590	T.		T. Chinle			
T. Cisco (Bough C)		T.		T. Permian			

OIL OR GAS SANDS OR ZONES

No. 1, from 9,430' to 9,490' No. 3, from.....to.....
 No. 2, from 12,750' to 12,810' No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	2207	2207	Surface bed, sand, shale				
2207	3182	975	Anhydrite, shael salt				
3182	3958	776	Sand, Sahel, Anhy.				
3958	4610	652	Dolo, shale, slat				
4610	6114	1504	Dolo, Anhydrite				
6114	6769	655	Dolo, sand				
6769	7357	588	Dolo, Anhyraite				
7357	8038	681	Dolo, Sand				
8038	9394	1356	Shale, Dolomite				
9394	10590	1196	Limestone, Shale				
10590	10882	292	Limestone, Shale				
10882	11154	272	Limestone, Shale				
11154	11394	240	Limestone, Shale				
11394	11806	412	Shale, Sand, Limestone				
11806	12656	850	Limestone, chert				
12656	13610	1045	Dolomite, Limestone				
13610	13884	274	Dolomite, Limestone				
13884	13994	110	Sand, Lime, Shale				