

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St Francis Dr., Santa Fe, NM 87505

HOBBS OGD
JUL 05 2012

CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05852
1. Type of Well: Oil Well ☐ Gas Well ☐ Other <u>Injection</u>		5. Indicate Type of Lease STATE ☒ / FEE ☐
2. Name of Operator OXY USA WTP Limited Partnership		6. State Oil & Gas Lease No. B935
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Eumont Unit
4. Well Location Unit Letter <u>C</u> : <u>990</u> feet from the <u>north</u> line and <u>1650</u> feet from the <u>west</u> line Section <u>1</u> Township <u>20S</u> Range <u>37E</u> NMPM County <u>lea</u>		8. Well Number <u>109</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3594'</u>		9. OGRID Number <u>192463</u>
10. Pool name or Wildcat Eumont Yates TRQN		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: CIBP-MIT-TH Status ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/27/12 MIRU, NDWH, NU BOP, Rel pkr.
6/28/12 POOH w/ tbq & LD pkr. RIH w/ 4-1/4" bit, 4-1/4" string mill & tbq to 3780'. POOH & LD bit and mill. RIH & set CIBP 3772'. Load hole & test test to 500 psi. Held.
6/29/12 Displaced well w/ pkr fluid. POOH laying down tubing and setting tool. RIH w/10 jts and 2' sub. ND BOP, NU wellhead. Ran 580 psi chart for OCD. RDPU and cleaned location.

This Approval of Temporary
Abandonment Expires 6-29-2013

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE David Stewart TITLE Regulatory Advisor DATE 7/3/12

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 7-9-2012

Conditions of Approval (if any):

JUL 09 2012




OXY USA WTP LP
East Eumont Unit #109
API No. 30-025-05852

11" hole @ 310'
8-5/8" csg @ 310'
w/ 200sx-TOC-Surf-Circ

CIBP @ 3772'

PB-3915'



7-3/8" hole @ 3950'
5" csg @ 3950'
w/ 1450sx-TOC-Surf-Circ

Perfs @ 3822-3892'

TD-3950'