

Copies 6/5/2012 To Appropriate District

Geology
Wade Bennett 5) 393-6161
Ray Stall 1 Dr., Hobbs, NM 88240
Jennifer Palma 75) 748-1283
Tina 75) Artesia, NM 88210
505) 334-6178

1000 N. 1st St., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-36479
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Yates Petroleum Corporation		6. State Oil & Gas Lease No VA-1894
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210		7. Lease Name or Unit Agreement Name Cash-BND-State.Com
4. Well Location Unit Letter <u>J</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>31</u> Township <u>40S</u> Range <u>34E</u> NMPM Lea County		8. Well Number 1122
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,234' GR		9. OGRID Number 025575
10. Pool name or Wildcat Wildcat, Permo Penn		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. MIRU, NU BOP, load hole, TOO H w/tubing and packer.
2. Set CIBP @ 10,000'. Dump 35' of cement on plug. *→ circ w/MLF*
3. Spot a 25 SX cement plug from 7,200' to 7,100'. Pull up and spot a 25 SX cement plug from 4,202' to 4,102'. WOC and tag. Pull up and spot a 25 SX cement plug from 2,100' to 2,000'. Pull up and spot a 25 SX cement plug from 477' to 377'. WOC and tag. Place a 10 SX cement plug at surface.
4. Cut of wellhead and install dry hole marker. Clean location as per regulations.

**Class "H" cement in the deeper part, possibly Class "C" cement in the intermediate and shallower.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sharon Coll TITLE Regulatory Reporting Technician DATE June 4, 2012

Type or print name Sharon Coll E-mail address: scoll@yatespetroleum.com PHONE: 575-748-4507
For State Use Only


APPROVED BY [Signature] TITLE DIST. MGR DATE 7-17-2012
Conditions of Approval (if any)

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

JUL 17 2012

Well Name: 'Cash BND State Com #1		Field:	
Location: 1980' FSL & 1980' FEL Sec. 31-10S-34E Lea Co, NM			
GL: 4234'	Zero:	AGL:	KB: 4252'
Spud Date:		Completion Date:	
Comments:			

Casing Program	
Size/Wt/Grade/Conn	Depth
13 3/8" 48#	427'
9 5/8" 36 & 40# J55	4152'
4 1/2" 11.6# P110	12924'



13 3/8" csg @ 427'. Cmt'd w/ 450 sx.
Cmt circ.

CURRENT CONFIGURATION

9 5/8" csg @ 4152'. Cmt'd w/ 1475 sx. Cmt circ.

Bough perms 10028-34'

Atoka perms 11730-34', 11795-97', 11801-06'

Morrow perms 12118-22', 12134-46', 12254-65'

Austin Cycle perms 12400-10', 44-55'

Chester perms 12569-84'

Lower Miss perms 12753-63', 70-78', 83-89', 97-12808', 30-40'
4 1/2" csg @ 12924' Cmt'd w/ 4500 sack. Cement circulated


TD 12929'
PBD 11665'

Date: 3/26/12

Cash#1

Well Name: ' Cash BND State Com #1		Field:	
Location: 1980' FSL & 1980' FEL Sec. 31-10S-34E Lea Co, NM			
GL: 4234'	Zero:	AGL:	KB: 4252'
Spud Date:		Completion Date:	
Comments:			

Casing Program	
Size/Wt/Grade/Conn	Depth
13 3/8" 48#	427'
9 5/8" 36 & 40# J55	4152'
4 1/2" 11.6# P110	12924'



PROPOSED CONFIGURATION

Date: 3/26/12

Cash#1a