

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OCO
NOV 28 2012

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24906
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection Well		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator ConocoPhillips Company		6. State Oil & Gas Lease No. B-1505
3. Address of Operator P. O. Box 51810 Midland, TX 79710		7. Lease Name or Unit Agreement Name East Vacuum GB-SA Unit Tract 0524
4. Well Location Unit Letter E : 998' feet from the South line and 990' feet from the West line Section 5 Township 18S Range 35E NMPM County Lea		8. Well Number 129W
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3965' GR		9. OGRID Number 217817
		10. Pool name or Wildcat Vacuum; Grayburg-San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Scrub liner instillation/MIT ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/16/12 ND WH & NUBOP. RU Tag RBP @ 2752' release & LD. TIH & tag RBP @ 4326', release & LD.
10//12 RIH w/CBP & set @ 4345' & pkr test RBP to 550#/20 mins - held. Release pkr & TOOH. TIH w/RBP & set @ 320' & pkr @ 290', test to 500# - held. Release & LD pkr. NDBOP & change out WH. NUBOP. Retrieve RBP & LD.
10/24/12 RIH w/4", 10.5# liner from surf to 4328'. 10/25/12 Pump 175 sx class C cmt. Wiper plug w/51 bbls FW- good returns.
10/26/12 Tagged cmt @ 3716' DO to 4336'. Circ clean.
11/2/12 Tagged CBP @ 4345' & DO.
11/7/12 RIH w/132 jts 2 3/8", 4.7#, J-55 tbg & set @ 4290' & 4" pkr & set @ 4279'.
11/8/12 MIT charted to 540#/30mins - tesxt good. Attached is the chart. NDBOP NUWH. RDMO

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rhonda Rogers TITLE Staff Regulatory Technician DATE 11/13/2012


Type or print name Rhonda Rogers E-mail address: rogerrs@conocophillips.com PHONE: (432)688-9174

For State Use Only

APPROVED BY: [Signature] TITLE Dist. Mgr DATE 11-29-2012

Conditions of Approval (if any):

DEC 03 2012



Printed in USA

McNabb

SERIAL No. 265-50113

CALIBRATED 9-5-12

RAN

11-8-12

EV95AD 0524-129 W

TOP PERF @ 4385

EOT at 4296

API
300752490600