

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

HOBBS OGD  
 RECEIVED  
 MAR 26 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03900 ✓
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>INJECTION</u>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CHEVRON MIDCONTINENT, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705		7. Lease Name or Unit Agreement Name WEST LOVINGTON UNIT ✓
4. Well Location Unit Letter: A 660 feet from the NORTH line and 660 feet from the EAST line Section 7 Township 17S Range 36-E NMPM County LEA ✓		8. Well Number 42 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 241333 ✓
10. Pool name or Wildcat LOVINGTON UPPER S/A, WEST		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON  CHANGE PLANS   
 PULL OR ALTER CASING  MULTIPLE COMPL   
 DOWNHOLE COMMINGLE

SUBSEQUENT REPORT OF:

- REMEDIAL WORK  ALTERING CASING   
 COMMENCE DRILLING OPNS.  P AND A   
 CASING/CEMENT JOB

OTHER REQUEST FOR TA EXTENSION

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CHEVRON MIDCONTINENT, L.P. IS REQUESTING A 1 YR TA EXTENSION FOR THE SUBJECT WELL.

VERBAL APPROVAL FOR THE 1 YR EXTENSION WAS GIVEN BY MR. E.L. GONZALES, NMOCD, ON 03-18-2013.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Pinkerton TITLE REGULATORY SPECIALIST DATE 03-22-2013

Type or print name DENISE PINKERTON E-mail address: leakejd@chevron.com PHONE: 432-687-7375

For State Use Only

APPROVED BY E.L. Gonzales TITLE DIST MGR DATE 3-28-2013

CONDITION OF APPROVAL FOR TA: Notify OCD Hobbs office 24 hours prior to running MIT Test & Chart.

MAR 28 2013

**WIW WLU 42 WELLBORE DIAGRAM**

Created: 02/14/13 By: TPQJ  
 Updated: \_\_\_\_\_ By: \_\_\_\_\_  
 Lease: West Lovington Unit  
 Field: West Lovington  
 Surf. Loc.: 660' FNL 660' FEL  
 Bot. Loc.: \_\_\_\_\_  
 County: Lea St.: NM  
 Status: TA'd Injection Well

Well #: 42 St. Lse: \_\_\_\_\_  
 API: 30025039000000  
 Unit Ltr.: A Section: 7  
 TSHR/Rng: 17S / 36E  
 Unit Ltr.: \_\_\_\_\_ Section: \_\_\_\_\_  
 TSHR/Rng: \_\_\_\_\_  
 Directions: Lovington, NM  
 Chevno: FA5047

*Surface Casing*

Size: 13-3/8  
 Wt., Grd.: 48#  
 Depth: 204'  
 Sxs Cmt: 250  
 Circulate: Calc. Circ  
 TOC: Surface Calc.  
 Hole Size: 16"

*Intermediate Casing*


Size: 8-5/8"  
 Wt., Grd.: 28#  
 Depth: 2008'  
 Sxs Cmt: 150  
 Circulate: N  
 TOC: 1622' Calc.  
 Hole Size: 11-1/2"

*Production Casing*

Size: 5-1/2"  
 Wt., Grd.: 14#  
 Depth: 4727'  
 Sxs Cmt: 200  
 Circulate: N  
 TOC: 3207' Calc.  
 Hole Size: 7"

*Perforations*

4732-56  
 4768-85  
 4794-4806  
 4894-4912  
 4978-93



KB: \_\_\_\_\_  
 DF: 3912'  
 GL: \_\_\_\_\_  
 Ini. Spud: 11/24/44  
 Ini. Comp.: 11/23/44

*History*

**6-6-08 TA well**  
**4-19-91 Converted to WIW**  
**4-25-73 Perf** 4732-56, 4768-85, 4794-4806, 4894-4912 & 4978-93  
 11-11-44 Initial Completion.  
 Perf'd @ 4,730'-60', 4,780'-4,810', 4,870'-4,880', 4,910'-15', 4,980'-5,040', 5,050'-55', & 5,085'-95' with 3 SPF.  
 Acidized with 2,000 gals HCL.  
 IP F 506 BOPD & 0 BW. GOR 300. Gravity -36.

CIBP @ 2459'

4-3/8" OH from 4730-5160'

PBTD: \_\_\_\_\_  
 TD: 5,160