Submit 1 Copy To Appropriate District Office District I - (575) 393-6161 HOBBS (Energy), Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240 District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460  State of New Mexico OCT 03 ONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-103
		Revised July 18, 2013 WELL API NO.
		30-025-41036
		5. Indicate Type of Lease
		STATE FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM <b>RECEIVED</b>		B0 -1589-0002
87505 SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		NMGSAU (302708)
1. Type of Well: Oil Well Gas Well Other		8. Well Number 384
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705		Eunice Monument; Grayburg-SA (23000)
4. Well Location Unit Letter F: 2630' feet from the North line and 1330' feet from the West line		
Section 20 Township 19S Range 37E NMPM County Lea		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
3658	' GR	
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING   COMMENCE DRILLING OPNS   P AND A    PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB    DOWNHOLE COMMINGLE   OTHER: Completion   OTHER: Completion   OTHER: Completion   OTHER: Attach wellbore diagram of proposed completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completed this well as follows: 6/25/13 Run CBL log. Logger depth @ 4053'. Estimated TOC @ 20'. 6/26/13 Spot 126 gals 15% Grayburg blend acid. Perf Grayburg @ 3926'-3936' & 3947'-3960', 2- JSPF, 46 holes. Acidize w/ 2500 gals 15% Grayburg blend acid. 6/27/13 Perf Grayburg @ 3723'-3895', 2-JSPF, 86 holes. 6/28/13 Spot 210 gals 15% Grayburg blend acid. Acidize w/ 3500 gals 15% Grayburg blend acid. 6/27/13 Perf Grayburg @ 3723'-3895', 2-JSPF, 86 holes. 6/28/13 Spot 210 gals 15% Grayburg blend acid. Acidize w/ 3500 gals 15% Grayburg blend acid. 7/01/13 Make 3 swab runs to SN. RIH w/ 2-7/8" J-55 6.5# tbg, SN @ 4003'. ND BOP. NU-WH. 7/02/13 RIH w/ pump & rods. 7/03/13 Set 456 Pumping Unit. Install electric. 7/04/13 POP.		
	105/28/2013	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE 15 TITLE	Reg Tech I	DATE 09/26/2013
Type or print name Michael O'Connor E-mail address: michael.oconnor@apachecorp.com PHONE: 432-818-1953		apachecorp.com PHONE: 432-818-1953
For State Use Only  Petroleum Engineer  OCT 2 4 7013		
APPROVED BY TITLE Petroleum Engineer DATE OCT 2 4 2013.  Conditions of Approval (If any):		