

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

HOBBS OCD
 APR 02 2014

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35990
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO		6. State Oil & Gas Lease No.
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name COOPER 5
4. Well Location Unit Letter: B : 924 feet from the NORTH line and 1936 feet from the EAST line Section 05 Township 20S Range 37E NMPM LEA County		8. Well Number 009
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,557' - GR		9. OGRID Number 162683
10. Pool name or Wildcat Monument; TUBB		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER:	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 4-1/2" CIBP @ 6,450'; CIRC. WELL W/ PXA FLUID; PUMP 25 SXS. CMT. @ 6,450'-6,290' (T/TUBB).
- 2) PUMP 25 SXS. CMT. @ 5,303'-5,153' (T/GLOR).
- 3) PUMP 50 SXS. CMT. @ 3,850'-3,490' (DV TOOL, T/GRBG.); WOC X TAG CMT. PLUG.
- 4) PUMP 25 SXS. CMT. @ 2,542'-2,422' (T/YATES, B/SALT); WOC X TAG CMT. PLUG.
- 5) PUMP 25 SXS. CMT. @ 1,295'-1,095' (8-5/8" CSG.SHOE, T/SALT); WOC X TAG CMT. PLUG.
- 6) MIX X CIRC. TO SURF. 25 SXS. CMT. @ 200'-3'.
- 7) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

~~The Oil Conservation Division~~

MUST BE NOTIFIED 24 Hours

Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David A. Eyer

TITLE: AGENT

DATE: 03/31/14

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:

Mary Brown

TITLE

Compliance Officer

DATE

4/2/2014

Conditions of Approval (if any)

APR 03 2014



KB: 17' above GL

Cimarex Energy Co. of Colorado

Cooper 5-9 (Monument Field)

924' FNL & 1936' FEL

Sec. 5, T-20S, R-37E, Lea Co., NM

H. Eads 30-025-35990 6/7/2012

V/A B

12-1/4" Hole

8-5/8" 24# J-55 csg @ 1245' - 29 jts
cmtd w/ 580 sx, 111 sx cmt circ

DV Tool @ 3830'

Rods : 172 - 3/4" D rods
85 - 7/8" D rods

Pump: 2" X 1-1/4" X 20' RHBC

204 jts 2-3/8" 4.7# 8rd J-55 Tbg

Tubb perfs: (6485' - 6491')

7-7/8" Hole

4-1/2", 11.6# P-110 csg @ 6800' - 185 jts
cmt w/ 1510 sx (Stg 1: 560, circ 80 & Stg 2: 950, circ 20)

PBTD @ 6745'

TD @ 6800'



KB: 17' above GL

Cimarex Energy Co. of Colorado

Cooper 5-9 (Monument Field)

924' FNL & 1936' FEL

Sec. 5, T-20S, R-37E, Lea Co., NM

H. Eads

6/7/2012

12-1/4" Hole

8-5/8" 24# J-55 csg @ 1245' - 29 jts
cmtd w/ 580 sx, 111 sx cmt circ

CIRC. 25 SXS. CMT. @ 200' - 3'

PXA
MUD

Pump 25 SXS. CMT. @ 1295' - 1095' TAG

PXA
MUD

Pump 25 SXS. CMT. @ 2542' - 2422' TAG

PXA
MUD

DV Tool @ 3830'

Pump 50 SXS. CMT. @ 3850' - 3490' TAG

PXA
MUD

Pump. 25 SXS. CMT. @ 5303' - 5153'

PXA
MUD

Pump 25 SXS. CMT. @ 6450' - 6290'

SET 4 1/2" CD3 PC @ 6450'

Tubb perms: (6485' - 6491')

7-7/8" Hole

4-1/2", 11.6# P-110 csg @ 6800' - 185 jts
cmt w/ 1510 sx (Stg 1: 560, circ 80 & Stg 2: 950, circ 20)

PBTD @ 6745'

TD @ 6800'

DAE 03/31/14