

Results of Directional Survey

API number:	30-025-41535		
OGRID:		Operator:	COG PRODUCTION, LLC
		Property:	AZORES FEDERAL # 4H

surface	ULSTR:	M	29	T 24S	R 32E
				190 FSL	660 FWL

BH Loc	ULSTR:	D	29	T 24S	R 32E
15030	MD	10551.5	TVD	350 FNL	594 FWL
				4930 FSL	

Top Perf/OH	ULSTR:	M	29	T 24S	R 32E
10717	MD	10527.3	TVD	620 FSL	670 FWL

Bot Perf/OH	ULSTR:	D	29	T 24S	R 32E
14940	MD	10550.5	TVD	439 FSL	595 FWL
				4841 FSL	

	MD	N/S	E/W	VD
	10685	400.14	6.96	10517.56
TOP PERFS/OH	10717	430.49	9.77	10527.29
	10717	430.49	9.77	10527.29
	14908	4618.68	-64.39	10550.02
BOT PERFS/OH	14940	4650.68	-64.75	10550.47
	14981	4691.67	-65.22	10551.04

NEXT TO LAST	14981	4691.35	-65.22	10551.04
LAST READING	15030	4740.34	-65.82	10551.46
TD	15030	4740.34	-65.82	10551.46

Surface Location	190	FS	660	FW
Projected BHL	4930	FS	594	FW
Location of				
Top Perfs/OH	620	FS	670	FW
Bottom Perfs/OH	4841	FS	595	FW

SUMMARY of Subsurface Locations


Surface Location	M-29-24S-32E	190	FS	660	FW	Vert. Depth
Top Perfs/OH	M-29-24S-32E	620	FS	670	FW	10527.29
Bottom Perfs/OH	D-29-24S-32E	4841	FS	595	FW	10550.47
Projected TD	D-29-24S-32E	4930	FS	594	FW	10551.46

AUG 05 2014

OPERATOR COG Operating
WELL/LEASE Azores Federal #4H
COUNTY Lea, NM

STATE OF NEW MEXICO
DEVIATION REPORT



318	0.38
623	0.22
750	0.43
1265	0.20
1536	0.60
1817	0.60
2100	2.20
2384	2.80
2668	1.30
2951	1.10
3234	1.80
3518	2.00
4085	2.60
4887	0.60
5135	0.70
5388	0.50
5171	0.90
5893	0.80
6430	0.50
6811	0.30
7006	0.10
7284	1.90
7321	1.80
7369	1.40
7594	0.60
7813	0.60
8069	1.10
8285	0.80
8535	1.40
8701	1.90
8987	1.40
9196	2.10
9710	2.00
9867	1.70
10024	2.60

SIGNED BY: 

RON SCANDOLARI, VP-CONTRACT DRILLING

STATE OF TEXAS
COUNTY OF MIDLAND

ON THIS 1 DAY OF May, 2014, BEFORE ME, R SOWELL, A NOTARY
PUBLIC, PERSONALLY APPEARED RON SCANDOLARI, WHO ACKNOWLEDGED AND EXECUTED
THIS DOCUMENT. WITNESS MY HAND AND OFFICIAL SEAL.



Reda Denise Sowell
NOTARY PUBLIC



A GYRO TECHNOLOGIES INC. COMPANY

P.O. Box 261021
Corpus Christi, Texas 78426
(361) 767-0602 • (800) 606-GYRO • Fax (361) 767-0612

April 14, 2014

Concho Resources, Inc.
One Concho Center
600 W. Illinois Avenue
Midland, Texas 79701

Attn: Kanicia Castillo

RE: **Azores Federal No. 004H**


Please find enclosed a copy of the survey from 0.00' to 9469.00' ran on the above referenced well.


Sincerely,

Keith Havelka
Operations

STATE OF TEXAS §
 §
COUNTY OF NUECES §

This instrument was acknowledged before me on the 14th day of April, A.D., 2014, by Keith Havelka.


Meredith Darden
Notary Public, State of Texas



Company: COG Operating, LLC (Concho)

Lease/Well: Azores Federal/No. 004H



Rig Name: Basic 46

State/County: New Mexico/Lea

Latitude: 32.18, Longitude: -103.70

GRID North is 0.34 Degrees East of True North

VS-Azi: 0.00 Degrees



Depth Reference : RKB: 22'

DRILLOG HA GYRO SURVEY CALCULATIONS

Filename: gyro survey.ut

Minimum Curvature Method

Report Date/Time: 4/14/2014 / 15:03

Vaughn Energy Services

Midland, TX

(432)-563-5444

Surveyor: Tim Dillon

Azores Federal No. 004H / API 30-025-41535


Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	****
100.00	0.20	236.79	100.00	-0.09	-0.14	0.17	236.79	0.20
200.00	0.25	271.06	200.00	-0.18	-0.50	0.53	249.94	0.14
300.00	0.20	195.23	300.00	-0.35	-0.76	0.84	245.39	0.28
400.00	0.09	28.24	400.00	-0.45	-0.77	0.90	239.64	0.29
500.00	0.16	348.64	500.00	-0.25	-0.76	0.80	252.01	0.11
600.00	0.22	307.15	600.00	0.01	-0.95	0.95	270.38	0.15
700.00	0.15	300.50	700.00	0.19	-1.22	1.23	278.93	0.07
800.00	0.07	320.20	800.00	0.31	-1.37	1.40	282.62	0.09
900.00	0.25	306.04	900.00	0.48	-1.59	1.66	286.92	0.18
1000.00	0.30	279.54	1000.00	0.65	-2.02	2.12	287.93	0.13
1100.00	0.40	286.91	1099.99	0.80	-2.60	2.72	287.01	0.11
1200.00	0.24	296.39	1199.99	0.99	-3.12	3.28	287.59	0.17
1300.00	0.13	247.94	1299.99	1.04	-3.41	3.57	286.97	0.18
1400.00	0.32	271.34	1399.99	1.01	-3.80	3.93	284.85	0.21
1500.00	0.37	280.97	1499.99	1.07	-4.40	4.53	283.73	0.08
1600.00	0.44	266.12	1599.99	1.11	-5.10	5.22	282.27	0.13
1700.00	0.27	291.65	1699.98	1.17	-5.71	5.83	281.60	0.23
1800.00	0.70	351.10	1799.98	1.86	-6.03	6.31	287.15	0.60

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
1900.00	0.84	347.77	1899.97	3.18	-6.28	7.04	296.87	0.16
2000.00	1.57	356.64	1999.95	5.27	-6.52	8.38	308.98	0.75
2100.00	1.97	1.89	2099.90	8.36	-6.54	10.61	321.96	0.43
2200.00	2.28	356.55	2199.83	12.06	-6.60	13.75	331.30	0.37
2300.00	2.39	351.06	2299.75	16.11	-7.05	17.58	336.37	0.25
2400.00	2.48	353.26	2399.66	20.31	-7.63	21.70	339.43	0.13
2500.00	1.54	349.88	2499.60	23.79	-8.12	25.13	341.16	0.95
2600.00	1.38	342.96	2599.56	26.26	-8.70	27.66	341.66	0.24
2700.00	1.42	333.10	2699.53	28.52	-9.62	30.10	341.36	0.24
2800.00	1.31	357.61	2799.51	30.77	-10.23	32.43	341.61	0.59
2900.00	1.08	349.10	2899.49	32.84	-10.46	34.46	342.34	0.29
3000.00	1.11	337.20	2999.47	34.66	-11.01	36.37	342.38	0.23
3100.00	1.72	337.53	3099.44	36.94	-11.96	38.83	342.06	0.61
3200.00	1.81	336.20	3199.39	39.77	-13.17	41.89	341.68	0.10
3300.00	1.79	336.56	3299.34	42.65	-14.43	45.02	341.31	0.02
3400.00	1.59	339.87	3399.30	45.39	-15.53	47.97	341.11	0.22
3500.00	1.90	323.51	3499.25	48.02	-16.99	50.94	340.52	0.58
3600.00	2.14	332.02	3599.19	51.00	-18.85	54.37	339.72	0.38
3700.00	2.96	330.12	3699.09	54.88	-21.01	58.76	339.05	0.83
3800.00	2.66	346.32	3798.97	59.38	-22.84	63.62	338.96	0.85
3900.00	1.98	335.81	3898.89	63.21	-24.10	67.64	339.13	0.80
4000.00	2.19	354.54	3998.82	66.68	-24.99	71.21	339.46	0.71
4100.00	2.46	27.98	4098.74	70.47	-24.16	74.50	341.07	1.36
4200.00	1.40	17.39	4198.69	73.53	-22.79	76.98	342.78	1.11
4300.00	0.61	56.77	4298.67	74.99	-21.98	78.15	343.66	1.01
4400.00	0.55	92.13	4398.67	75.27	-21.06	78.16	344.37	0.36
4500.00	0.58	92.77	4498.66	75.23	-20.07	77.86	345.06	0.04
4600.00	0.40	105.65	4598.66	75.11	-19.23	77.53	345.64	0.22
4700.00	0.07	49.20	4698.66	75.06	-18.85	77.39	345.90	0.36
4800.00	0.49	97.45	4798.66	75.04	-18.37	77.26	346.24	0.44
4900.00	0.35	105.85	4898.65	74.90	-17.66	76.96	346.74	0.15
5000.00	0.62	111.20	4998.65	74.62	-16.86	76.50	347.27	0.28
5100.00	0.53	92.99	5098.64	74.40	-15.89	76.08	347.95	0.20
5200.00	0.46	89.24	5198.64	74.38	-15.03	75.89	348.58	0.08
5300.00	0.09	45.30	5298.64	74.44	-14.57	75.86	348.92	0.40
5400.00	0.41	41.01	5398.64	74.76	-14.29	76.12	349.18	0.32
5500.00	0.13	21.16	5498.64	75.14	-14.01	76.44	349.44	0.29
5600.00	0.50	34.00	5598.64	75.61	-13.73	76.85	349.71	0.37
5700.00	0.52	340.68	5698.63	76.40	-13.63	77.60	349.88	0.46

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
5800.00	0.63	23.59	5798.63	77.33	-13.56	78.51	350.05	0.43
5900.00	0.56	39.11	5898.62	78.21	-13.03	79.29	350.54	0.17
6000.00	0.50	9.63	5998.62	79.02	-12.65	80.02	350.91	0.28
6100.00	0.69	19.35	6098.61	80.01	-12.38	80.96	351.21	0.22
6200.00	0.68	5.86	6198.61	81.17	-12.12	82.07	351.51	0.16
6300.00	0.39	3.56	6298.60	82.11	-12.04	82.98	351.66	0.30
6400.00	0.19	339.87	6398.60	82.60	-12.07	83.48	351.69	0.23
6500.00	0.31	289.18	6498.60	82.84	-12.38	83.76	351.50	0.24
6600.00	0.24	185.12	6598.60	82.72	-12.65	83.68	351.30	0.43
6700.00	0.07	167.79	6698.60	82.45	-12.66	83.41	351.27	0.18
6800.00	0.10	348.36	6798.60	82.48	-12.66	83.44	351.27	0.17
6900.00	0.32	228.88	6898.60	82.38	-12.89	83.38	351.11	0.38
7000.00	0.31	225.76	6998.60	82.01	-13.29	83.08	350.79	0.02
7100.00	1.66	223.98	7098.58	80.78	-14.49	82.07	349.83	1.35
7200.00	1.77	231.96	7198.53	78.79	-16.71	80.54	348.03	0.26
7300.00	1.88	223.49	7298.48	76.64	-19.06	78.98	346.04	0.29
7400.00	1.87	227.48	7398.43	74.35	-21.39	77.36	343.95	0.13
7500.00	1.61	227.84	7498.38	72.30	-23.63	76.07	341.90	0.26
7600.00	0.84	210.34	7598.36	70.73	-25.04	75.03	340.50	0.85
7700.00	0.90	212.96	7698.35	69.44	-25.84	74.09	339.59	0.07
7800.00	0.76	197.96	7798.34	68.15	-26.47	73.11	338.77	0.26
7900.00	0.84	154.33	7898.33	66.85	-26.36	71.86	338.48	0.60
8000.00	0.91	176.41	7998.32	65.40	-25.99	70.38	338.32	0.34
8100.00	0.86	169.28	8098.31	63.88	-25.81	68.89	338.00	0.12
8200.00	0.96	157.82	8198.29	62.37	-25.35	67.32	337.88	0.21
8300.00	1.40	142.16	8298.27	60.63	-24.29	65.31	338.17	0.55
8400.00	1.31	112.44	8398.25	59.23	-22.48	63.35	339.22	0.70
8500.00	1.50	113.19	8498.22	58.28	-20.22	61.69	340.86	0.19
8600.00	1.01	121.72	8598.19	57.30	-18.27	60.14	342.31	0.52
8700.00	0.91	131.64	8698.18	56.31	-16.93	58.80	343.27	0.20
8800.00	1.17	132.37	8798.16	55.09	-15.58	57.25	344.21	0.27
8900.00	2.06	137.33	8898.12	53.08	-13.60	54.79	345.63	0.90
9000.00	2.18	154.58	8998.05	50.03	-11.56	51.35	346.99	0.65
9100.00	2.11	150.58	9097.98	46.71	-9.84	47.73	348.10	0.17
9200.00	2.57	159.91	9197.90	43.00	-8.16	43.77	349.25	0.59
9300.00	2.88	164.46	9297.79	38.47	-6.72	39.05	350.09	0.38
9400.00	2.77	177.97	9397.67	33.63	-5.96	34.15	349.95	0.67
9469.00	3.51	173.04	9466.56	29.86	-5.65	30.39	349.29	1.14



Vaughn Energy Services
Midland, TX
(432)-563-5444
Surveyor: Tim Dillon
Azores Federal No. 004H / API 30-025-41535



V.E.S Survey Date: 04/05/2014




State of New Mexico
County of Lea

I, Michael K. Baber, certify that: I am employed by Terra Directional Services LLC; that I did on the day(s) of 03/28/14 through 04/17/14 conduct or supervise the taking of a MWD survey from a depth of 9584 feet to a depth 15030 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Terra Directional Services LLC; that I am authorized and qualified to make this report; that this survey was conducted at the request of Concho Oil & Gas for the Azores Federal #4H Well API 30-025-41535 in Lea County, New Mexico, and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Terra Directional Services LLC.

Michael K. Baber
MWD Operations Coordinator

State of Texas
County of Brewer

Before me, a notary public, on this day personally appeared Michael K. Baber, known to me to be the person whose name is subscribed to the foregoing document and, being by me first duly sworn, declared that the statements therein contained are true and correct.


Notary Public's Signature




Customer Name: COG Operating, LLC
 Well Name: Azores Federal # 4H
 API Number: 30-025-41535
 County / Parish: 40Miles NW of Jal/Lea

M.W.D. Operator: Stacy Ogle
 Directional Driller: Chad Moore
 Total Magnetic Correction: 7.04
 Job #: NM-423

Vertical Section: 359.63

Tie In Survey(s) Provided By:

	Meas. Depth	Inc.	Azm.	T.V.D.	Ver. Sect.	+N / -S	+E / -W	Dist.	Angle	DLS
Tie - In										
0	9469.00	3.51	173.04	9466.60	29.94	29.90	-5.70	0.00	0.00	0.00
1	9584.00	1.80	226.20	9581.49	25.20	25.15	-6.58	26.00	345.35	2.46
2	9678.00	2.00	236.80	9675.44	23.29	23.23	-9.02	24.92	338.79	0.43
3	9773.00	1.80	246.30	9770.38	21.80	21.73	-11.77	24.71	331.56	0.39
4	9867.00	1.70	247.20	9864.34	20.69	20.59	-14.41	25.13	325.03	0.11
5	9962.00	1.60	243.30	9959.30	19.56	19.45	-16.89	25.76	319.03	0.16
6	9993.00	1.00	267.70	9990.29	19.36	19.25	-17.55	26.04	317.64	2.59
7	10024.00	2.60	324.90	10021.28	19.93	19.81	-18.22	26.92	317.39	7.17
8	10056.00	6.00	344.10	10053.18	22.14	22.01	-19.10	29.14	319.06	11.39
9	10087.00	9.50	354.10	10083.90	26.25	26.12	-19.80	32.78	322.83	12.06
10	10119.00	14.20	0.00	10115.21	32.80	32.67	-20.08	38.35	328.43	15.15
11	10150.00	18.40	3.30	10144.96	41.49	41.36	-19.79	45.86	334.43	13.87
12	10182.00	22.40	4.50	10174.94	52.61	52.49	-19.02	55.83	340.08	12.57
13	10213.00	25.10	4.50	10203.32	65.05	64.93	-18.05	67.40	344.47	8.71
14	10245.00	28.20	4.20	10231.91	79.35	79.25	-16.96	81.04	347.92	9.70
15	10276.00	31.60	4.00	10258.78	94.76	94.66	-15.86	95.98	350.49	10.97
16	10308.00	34.30	3.40	10285.63	112.12	112.02	-14.74	112.99	352.51	8.50
17	10339.00	36.40	2.50	10310.92	130.02	129.93	-13.82	130.67	353.93	6.98
18	10371.00	38.50	1.70	10336.32	149.46	149.38	-13.11	149.95	354.99	6.74
19	10402.00	41.40	1.60	10360.08	169.35	169.27	-12.53	169.74	355.77	9.36
20	10428.00	44.60	2.40	10379.09	187.06	186.99	-11.91	187.37	356.36	12.49
21	10460.00	47.60	3.00	10401.28	210.09	210.02	-10.82	210.30	357.05	9.47
22	10491.00	50.70	4.10	10421.55	233.48	233.42	-9.37	233.61	357.70	10.35
23	10523.00	53.70	4.80	10441.17	258.67	258.63	-7.40	258.73	358.36	9.53
24	10554.00	56.80	5.50	10458.83	284.02	283.99	-5.11	284.04	358.97	10.17
25	10586.00	60.00	5.50	10475.60	311.13	311.12	-2.50	311.13	359.54	10.00
26	10617.00	62.90	6.00	10490.41	338.20	338.21	0.23	338.21	0.04	9.46
27	10649.00	66.20	6.30	10504.16	366.90	366.93	3.33	366.95	0.52	10.35
28	10685.00	70.10	6.20	10517.56	400.09	400.14	6.96	400.20	1.00	10.84
29	10717.00	74.50	4.40	10527.29	430.42	430.49	9.77	430.60	1.30	14.76
30	10748.00	79.20	2.60	10534.34	460.52	460.61	11.61	460.75	1.44	16.18
31	10784.00	85.20	0.10	10539.22	496.16	496.25	12.44	496.40	1.44	18.03
32	10815.00	87.60	359.40	10541.17	527.09	527.18	12.31	527.33	1.34	8.06
33	10847.00	88.80	359.50	10542.17	559.08	559.16	12.00	559.29	1.23	3.76
34	10878.00	89.80	359.60	10542.55	590.07	590.16	11.76	590.28	1.14	3.24
35	10910.00	90.90	359.70	10542.36	622.07	622.16	11.56	622.27	1.06	3.45
36	10941.00	91.60	359.50	10541.68	653.06	653.15	11.35	653.25	1.00	2.35
37	11036.00	91.30	359.80	10539.28	748.03	748.12	10.77	748.20	0.82	0.45
38	11130.00	90.60	359.40	10537.72	842.02	842.10	10.11	842.16	0.69	0.86
39	11224.00	91.60	359.40	10535.91	936.00	936.08	9.13	936.12	0.56	1.06
40	11319.00	90.80	359.50	10533.92	1030.98	1031.05	8.21	1031.09	0.46	0.85
41	11413.00	92.10	0.20	10531.54	1124.94	1125.02	7.97	1125.05	0.41	1.57
42	11507.00	89.90	0.10	10529.90	1218.92	1219.00	8.21	1219.03	0.39	2.34
43	11602.00	89.30	359.70	10530.57	1313.92	1314.00	8.05	1314.02	0.35	0.76
44	11696.00	88.70	359.40	10532.21	1407.90	1407.98	7.31	1408.00	0.30	0.71
45	11791.00	89.10	359.70	10534.03	1502.88	1502.96	6.56	1502.97	0.25	0.53



46	11885.00	89.60	359.80	10535.10	1596.88	1596.95	6.15	1596.96	0.22	0.54
47	11980.00	90.50	359.80	10535.02	1691.88	1691.95	5.82	1691.96	0.20	0.95
48	12074.00	89.90	0.30	10534.69	1785.87	1785.95	5.90	1785.96	0.19	0.83
49	12169.00	89.20	0.10	10535.43	1880.86	1880.94	6.24	1880.95	0.19	0.77
50	12263.00	88.20	359.20	10537.57	1974.84	1974.92	5.66	1974.92	0.16	1.43
51	12358.00	88.70	359.00	10540.14	2069.80	2069.87	4.17	2069.87	0.12	0.57
52	12452.00	89.10	359.00	10541.94	2163.78	2163.84	2.53	2163.84	0.07	0.43
53	12547.00	89.10	359.10	10543.43	2258.76	2258.81	0.96	2258.81	0.02	0.11
54	12641.00	89.40	359.20	10544.66	2352.75	2352.79	-0.44	2352.79	359.99	0.34
55	12735.00	89.80	359.30	10545.32	2446.74	2446.78	-1.67	2446.78	359.96	0.44
56	12829.00	89.80	359.70	10545.65	2540.74	2540.78	-2.49	2540.78	359.94	0.43
57	12924.00	90.10	359.70	10545.73	2635.74	2635.78	-2.99	2635.78	359.94	0.32
58	13018.00	91.60	359.60	10544.34	2729.73	2729.76	-3.56	2729.76	359.93	1.60
59	13113.00	90.40	359.00	10542.68	2824.71	2824.74	-4.72	2824.74	359.90	1.41
60	13207.00	90.30	358.50	10542.10	2918.70	2918.71	-6.77	2918.72	359.87	0.54
61	13302.00	90.50	358.30	10541.44	3013.67	3013.67	-9.42	3013.69	359.82	0.30
62	13396.00	90.80	358.30	10540.37	3107.64	3107.63	-12.21	3107.65	359.77	0.32
63	13491.00	90.40	358.00	10539.38	3202.60	3202.57	-15.28	3202.61	359.73	0.53
64	13585.00	89.60	358.10	10539.38	3296.57	3296.52	-18.48	3296.57	359.68	0.86
65	13680.00	89.00	357.50	10540.54	3391.51	3391.44	-22.13	3391.51	359.63	0.89
66	13774.00	88.70	356.60	10542.43	3485.40	3485.29	-26.96	3485.40	359.56	1.01
67	13869.00	89.50	356.10	10543.92	3580.23	3580.09	-33.01	3580.24	359.47	0.99
68	13963.00	91.80	357.20	10542.85	3674.09	3673.91	-38.50	3674.12	359.40	2.71
69	14058.00	91.20	357.50	10540.37	3768.98	3768.78	-42.89	3769.02	359.35	0.71
70	14152.00	89.40	357.50	10539.87	3862.91	3862.69	-46.99	3862.97	359.30	1.91
71	14247.00	88.80	357.70	10541.37	3957.84	3957.59	-50.97	3957.92	359.26	0.67
72	14341.00	89.20	358.50	10543.01	4051.79	4051.52	-54.09	4051.88	359.24	0.95
73	14436.00	89.50	358.30	10544.08	4146.76	4146.48	-56.74	4146.87	359.22	0.38
74	14530.00	89.30	358.70	10545.07	4240.74	4240.44	-59.20	4240.86	359.20	0.48
75	14624.00	89.90	358.90	10545.72	4334.72	4334.42	-61.17	4334.85	359.19	0.67
76	14719.00	89.40	359.20	10546.30	4429.72	4429.40	-62.74	4429.85	359.19	0.61
77	14813.00	88.60	359.70	10547.94	4523.70	4523.38	-63.64	4523.83	359.19	1.00
78	14908.00	88.90	359.40	10550.02	4618.68	4618.36	-64.39	4618.81	359.20	0.45
79	14981.00	89.50	359.30	10551.04	4691.67	4691.35	-65.22	4691.80	359.20	0.83
PTB	15030.00	89.50	359.30	10551.46	4740.67	4740.34	-65.82	4740.80	359.20	0.00

