Office Office	State of New Mexico			m C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural R	esources		ıly 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		30-025-06016	
District III – (505) 334-6178	1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410		STATE FEE FEE		
District IV - (505) 476-3460 Santa Fe, Nivi 87505 1220 S. St. Francis Dr., Santa Fe, NM		6. State Oil & Gas Lease No.		
87505			14896	Ì
SUNDRY NOTIC	ES AND REPORTS ON WELLS		7. Lease Name or Unit Agreemer	nt Name
(DO NOT USE THIS FORM FOR PROPOSA	LS TO DRILL OR TO DEEPEN OR PLUG BA	CK TO A		
DIFFERENT RESERVOIR. USE "APPLICA" PROPOSALS.)	TION FOR PERMIT" (FORM C-101) FOR SECTION FOR PERMIT (FORM C-101)	SOCD	Bertie Whitmine	
1. Type of Well: Oil Well Gas Well Other		8. Well Number		
2. Name of Operator	DEC 0	5 2011	9. OGRID Number	
OXY USA It	ic.	9 CO14	16696	
3. Address of Operator			10. Pool name or Wildcat	
P.O. Box 502	250 Midland, TX 79710	NED	Monument Abo, SE	
4. Well Location			· commerce 1.50, 32	
1	190 feet from the North	line and 7	310 feet from the east	- lina
				line
Section 8	Township 205 Range	37E	NMPM County Le	<u>`</u>
	11. Elevation (Show whether DR, RKB	, RT, GR, etc.		Section 1
	3555			
,				
12. Check Ap	opropriate Box to Indicate Nature	of Notice,	Report or Other Data	
NOTICE OF INT		E-PERM		
PERFORM REMEDIAL WORK 🗌	PLUG AND ABANDON 🗹 RE	P&A NR		
TEMPORARILY ABANDON	CHANGE PLANS CQ	INT TO F	P&A(P.W.) COMP	
PULL OR ALTER CASING	MULTIPLE COMPL CA	CSNG	CHG Loc	
DOWNHOLE COMMINGLE		TA	RBDMS CHART	
CLOSED-LOOP SYSTEM		· '^	KBBMO OHAKI_	
OTHER:	OTI ted operations. (Clearly state all pertin	HER:		
of starting any proposed worl proposed completion or recon	k). SEE RULE 19.15:7.14 NMAC. Fo mpletion. TD-7500' PBTD-7418' Perfs-7097-7273' 13-3/8" 48# csg @ 469' w/ 475sx, 17-1/2" H 9-5/8" 36# csg @ 2900' w/ 1700sx, 12-1/4" 7" 20-23# csg @ 5712' w/ 428sx, DVT @ 44 Sqz Perfs @ 2825-3265' sqz 550sx cmt to 4-1/2" 9.5# liner @ 4959-7500' w/ 270sx, 6 1. CIBP @ 7047' w/ 25sx cmt to 6795' 2. M&P 25sx cmt @ 5835-5585' WOC-Tag 3. M&P 25sx cmt @ 5835-5585' WOC-Tag 4. M&P 25sx cmt @ 3290-2800' WOC-Tag 5. M&P 110sx cmt @ 3290-2800' WOC-Tag 6. Perf @ 2460' sqz 95sx cmt to 2200' WOC-Ta 7. Perf @ 1130' sqz 40sx cmt to 1030' WOC-Ta 8. Perf @ 519' sqz 190sx cmt to Surface 10# MLF between plugs Above ground steel tanks will be utilized	nole, TOC-Surf-Cinhole, TOC-Surf-Cinhole, TOC-Surf-Cinhole, ToC-Surf-Cinhole, 2550' -1/4" hole, TOC-4	rc Circ TOC-2550'-TS	n of
I hereby certify that the information al	pove is true and complete to the best of	my knowledg	ge and belief.	
	. ,			
	<i></i>		12/2/1	d
SIGNATURE La Sty	TITLE Sr. Regi	ılatory Adviso	$\frac{\text{Dr}}{\text{DATE}} \frac{ \mathcal{A} \mathcal{A} }{ \mathcal{A} \mathcal{A} }$	I
	- · · · ·	• •	O DUONE 422 605	5717
Type or print name <u>David Stewart</u>	E-mail address: d	avid_stewart(@oxy.com PHONE: <u>432-685-</u>	<u>5717</u>
P. C. Mar C. I			/	
For State Use Only	,	_	· · · · · · · · · · · · · · · · · · ·	1
APPROVED BY	YNIM TITLE DILL	S. Da	12/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	7014
APPROVED BY:	TULE COL	Jupe	DATE	
Conditions of Approval (if any)	original and the second of the		er a	MAPOC
The second secon		الموسود المدارية الم	DF. 11. a	LUIT
		***** * **	and the second s	

OXY USA Inc. - Proposed Bertie Whitmore #6 API No. 30-025-06016

190sx @ 519'-Surface

40sx @ 1130-1030' WOC-Tag

95sx @ 2460-2200' WOC-Tag

110sx @ 3290-2800' WOC-Tag

4524-7427 25sx @ 4499-4399*WOC-Tag

25sx @ 5010-4910' WOC-Tag

25sx @ 5835-5585' WOC-Tag

CIBP @ 7047' w/ 25sx to 6795'

17-1/2" hole @ 469' 13-3/8" csg @ 469' w/ 475sx-TOC-Surf-Circ

Perf @ 519'

Perf @ 1130'

Perf @ 2460'

12-1/4" hole @ 2900' 9-5/8" csg @ 2900' w/ 1700sx-TOC-Surf-Circ

1995-Sqz perfs @ 2825' w/ 300sx 1987-Sqz perfs @ 2973-3265' w/ 250sx

Perfs @ 5175-5220' Sqz w/ 400sx-1995

Perfs @ 5647-5702'


8-3/4" hole @ 5712' 7" csg @ 5712' DVT @ 4474' w/ 428sx-TOC-2550'-TS

1999-6-1/4" hole @ 7500' 4-1/2" liner @ 4959-7500' w/ 270sx-TOC-4959'-Circ

Perfs @ 7097-7273'

PB-7418'

OXY USA Inc. - Current Bertie Whitmore #6 API No. 30-025-06016



17-1/2" hole @ 469' 13-3/8" csg @ 469' w/ 475sx-TOC-Surf-Circ

12-1/4" hole @ 2900' 9-5/8" csg @ 2900' w/ 1700sx-TOC-Surf-Circ

1995-Sqz perfs @ 2825' w/ 300sx 1987-Sqz perfs @ 2973-3265' w/ 250sx

Perfs @ 5175-5220' Sqz w/ 400sx-1995

Perfs @ 5647-5702'

8-3/4" hole @ 5712' 7" csg @ 5712' DVT @ 4474' w/ 428sx-TOC-2550'-TS

1999-6-1/4" hole @ 7500' 4-1/2" liner @ 4959-7500' w/ 270sx-TOC-4959'-Circ

Perfs @ 7097-7273'

PB-7418'

2-3/8" tbg @ 7246' w/ TAC @ 5983'