

January 18, 2006

New Mexico Oil Conservation Division District I 1625 N. French Drive Hobbs, New Mexico 88240

Attn: Environmental Engineering

RE: Final Drilling Pit Closure

North Hobbs Unit 29-625 Drilling Pit UL 'E', Sec. 29, T-18-S, R-38-E



This letter is being sent as a notification of pit closure for the drilling pit at the above mentioned location. This pit will be closed as follows:

- 1. All drill cuttings and liner will be removed from pit area.
- 2. All cuttings will be disposed of at Sundance Services, Parabo Facility near Eunice, New Mexico.
- 3. Native soils, stored on site, will be used for backfill of the area.
- 4. NMOCD Pit and Below-Grade Tank Guidelines, dated 11-01-2004, will be used for pit closure compliance.
- 5. Start date on drill cutting removal 02/01/2006.
- 6. Work should be completed by the end of March 2006.

TOVEN M. BISHO

6. A final form C-144 is attached.

If you have any questions, or if I can be of further assistance, please contact me at (505) 397-8251.

Steven M. Bishop

HES Technician/Hobbs RMT Steven_Bishop@oxy.com

(505) 397-8251

Attachments: Form C-144

Diagram of pit and well location

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \ No \ \

	or below-grade tank Closure of a pit or below-	
Operator: _Occidental Permian, LTDTelephone: 505.397.8251_ Address: 1017 W Stanolind Road, Hobbs, New Mexico 88240	•	•
Facility or well name:NHU 29-625API #: _30-025-		
County: _Lea Latitude_32°43'14.68"N Longitude_10		
<u>Pit</u>	Below-grade tank	
<u>Type:</u> Drilling ⊠ Production □ Disposal □	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Workover Emergency		
Lined 🛭 Unlined 🗌		
Liner type: Synthetic ☑ Thickness _12_mil Clay ☐ Volume		
_5,000_ьы		· · ·
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) 0
water source, or less than 1000 feet from all other water sources.)		(o points) v
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite offsite. If offsite, name of facility offsite. (4) Groundwater encountered: No Yes If yes, show depth belodiagram of sample locations and excavations.	(3) Attach a general description of remedial	action taken including remediation start date and end
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, a Date:1/18/2006	general permit [], or an (attached) alternative	OCD-approved plan .
Printed Name/Title_ Steven M. Bishop/HES Spec	Signature Signature	and M. GISHOP
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations	relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or
Approval: Date: 1/23/DG Printed Name/Title GARYW. WINK STAFFMBR.	Signature Hay W. Win	Je .



Occidental Permian Ltd.

North Hobbs Unit 29-625

API # 30-025-37213-00

Unit Letter 'E', Section 29, T-18-S, R-38-E

N 32°43`14.68", W103°10`32.14"

100' X 100' Pit 50' East of Wellhead