District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

	or below-grade tank	de tank 23											
Operator: CHESAPEAKE OPERATING. INC. Telephor	ne: 432-687-2992 e-mail address: BC	OFFMAN@CHKENERGY.COM											
Address: P. O. BOX 11050 MIDLAND, TEXAS 79702-8050													
	0-025-37204 U/L or Qtr/Qtr N	Sec 17 T 16S R 36E											
	Longitude.												
Surface Owner: Federal State Private Indian	· · · · · · · · · · · · · · · · · · ·												
Pit	Below-grade tank												
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:												
Workover	Construction material:												
Lined 🔀 Unlined 🗆	Double-walled, with leak detection? Yes If not, explain why not.												
Liner type: Synthetic X Thickness 12 mil Clay													
Pit Volume <u>12,139</u> bbl													
Depth to ground water (vertical distance from bottom of pit to seasonal													
high water elevation of ground water.)	Less than 50 feet	(20 points)											
60'	50 feet or more, but less than 100 feet	(10 points) 10											
	100 feet or more	(0 points)											
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)											
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0											
Distance to surface water: (horizontal distance to all wetlands, playas,	110	(o points)											
irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)											
and opininal waterooutses.)	200 feet or more, but less than 1000 feet	(10 points)											
	1000 feet or more	(0 points) 0											
	Ranking Score (Total Points)	10											
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	e relationship to other equipment and tanks. (2) India	to disposal locations (shock the queits how if											
22 June 10 to pre except (1) There is a diagram of the facility showing the pre													
your are burying in place) onsite ∇ offsite \Box If offsite name of facility	(3) Attach a general d	accription of romadial action taken including											
your are burying in place) onsite \(\sqrt{\omega} \) offsite \(\sqrt{\omega} \) If offsite, name of facility_ remediation start date and end date. (4) Groundwater encountered: No \(\sqrt{\omega} \)													
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	Yes If yes, show depth below ground surface												
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y (5) Attach soil sample results and a diagram of sample locations and excaval	Yes If yes, show depth below ground surface												
remediation start date and end date. (4) Groundwater encountered: No 🔯 (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments:	Yes If yes, show depth below ground surfacetions.	ft. and attach sample results.											
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT T	Yes If yes, show depth below ground surfacetions. O THE PIT. THE TRENCH WAS LINED WIT	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SE	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WIT ENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS SELINED TRENCH AND COMPACTED.	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WIT ENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COM	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO											
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WIT ENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COM THE EXCAVATED PIT PRIOR TO BACKFIL	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS SELINED TRENCH AND COMPACTED.	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WIT ENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COM THE EXCAVATED PIT PRIOR TO BACKFIL	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COMPACTED.	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WIT ENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COM THE EXCAVATED PIT PRIOR TO BACKFILL DMPLETED ON JANUARY 9, 2006.	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT											
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WITENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOULAS BACKFILLED WITH CLEAN SOIL, COMPLETED ON JANUARY 9, 2006. Of my knowledge and belief. I further certify that the	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS. WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT											
remediation start date and end date. (4) Groundwater encountered: No 🔯 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED OR NOVEMBER 17, 2005 AND COUNTED THE ORIGINAL PIT WAS STARTED THE ORIGINAL P	Yes If yes, show depth below ground surface tions. O THE PIT. THE TRENCH WAS LINED WITENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOULAS BACKFILLED WITH CLEAN SOIL, COMPLETED ON JANUARY 9, 2006. Of my knowledge and belief. I further certify that the	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS. WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT											
remediation start date and end date. (4) Groundwater encountered: No X 1 (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COUNTER WAS STA	Yes If yes, show depth below ground surface	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT the above-described pit or below-grade tank live OCD-approved plan .											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED TO THE CONTENT OF THE ORIGINAL PIT WAS SELINED TRENCH AND CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COUNTED TO THE CONTENT OF THE ORIGINAL PIT WAS SELINED TO	Yes If yes, show depth below ground surface	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT the above-described pit or below-grade tank live OCD-approved plan .											
remediation start date and end date. (4) Groundwater encountered: No X 1 (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COUNTER WAS STA	Yes If yes, show depth below ground surface	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT the above-described pit or below-grade tank live OCD-approved plan .											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TREAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE ORIGINAL PIT WAS SELINED TRENCH AND COMPACTED THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE ORIGINAL PIT WAS SELINED TO STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE PROPERTY OF	O THE PIT. THE TRENCH WAS LINED WITENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COM THE EXCAVATED PIT PRIOR TO BACKFILD DMPLETED ON JANUARY 9, 2006. of my knowledge and belief. I further certify that the Side of Management of January of Signature. Signature Clift P. Junear FOR the relieve the operator of Jiability should the contents.	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS. WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT THE AREA OF THE PIT THE AREA OF THE PIT THE P											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excavar Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TRENCH AND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COLOSURE WAS STARTED	O THE PIT. THE TRENCH WAS LINED WITENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COMFIE EXCAVATED PIT PRIOR TO BACKFILD OMPLETED ON JANUARY 9, 2006. of my knowledge and belief. I further certify that the Side of Management of Signature. Signature Clift P. Turnor FOR the operator of liability should the contents the operator of its responsibility for compliance with an entertain state.	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT The above-described pit or below-grade tank live OCD-approved plan . CHESAPEAKE OPERATING, INC of the pit or tank contaminate ground water or or tank contaminate ground											
remediation start date and end date. (4) Groundwater encountered: No 🗵 Y (5) Attach soil sample results and a diagram of sample locations and excaval Additional Comments: A SIDE DEEP BURIAL TRENCH WAS EXCAVATED NEXT TO PIT CONTENTS WERE THEN PLACED INTO THE LINED TREAND A TOP COVER OF 20 MIL SYNTHETIC LINER WAS SELINED TRENCH AND COMPACTED. THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE ORIGINAL PIT WAS SELINED TRENCH AND COMPACTED THE ORIGINAL PIT WAS GRADE. CONFIRMATION SAMPLES WERE TAKEN FROM TO CLOSURE WAS STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE ORIGINAL PIT WAS SELINED TO STARTED ON NOVEMBER 17, 2005 AND COMPACTED. THE PROPERTY OF	O THE PIT. THE TRENCH WAS LINED WITENCH. THE SIDES OF THE TRENCH WERE WED IN PLACE. THREE FEET OF TOP SOIL AS BACKFILLED WITH CLEAN SOIL, COMFIE EXCAVATED PIT PRIOR TO BACKFILD OMPLETED ON JANUARY 9, 2006. of my knowledge and belief. I further certify that the Side of Management of Signature. Signature Clift P. Turnor FOR the operator of liability should the contents the operator of its responsibility for compliance with an entertain state.	ft. and attach sample results. H A 20 MIL SYNTETIC LINER. THE FOLDED OVER THE CONTENTS WAS PLACED ON TOP OF THE PACTED, AND LEVELLED TO LING AND ARE ATTACHED. THE PIT The above-described pit or below-grade tank live OCD-approved plan . CHESAPEAKE OPERATING, INC of the pit or tank contaminate ground water or or tank contaminate ground											



PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR BBC INTERNATIONAL, INC. ATTN: CLIFF BRUNSON P.O. BOX 805 HOBBS, NM 88241 FAX TO: (505) 397-0397

Receiving Date: 12/05/05 Reporting Date: 12/06/05

Project Owner: CHESAPEAKE Project Name: NOT GIVEN

Project Location: CSW 17 WELL #1

12/06/05 Sampling Date: 12/05/05 CHESAPEAKE Sample Type: SOIL

Sample Condition: COOL & INTACT

Sample Received By: NF

Analysis Date: 12/05/05

Analyzed By: HM

CIT LAB NUMBER SAMPLE ID (mg/Kg)

H10474-1	PIT BOTTOM	80
Quality Control		1000
True Value QC		1000
% Recovery		100
Relative Percent Diffe	erence	4.0

METHOD: Standard Methods 4500-CIB

Note: Analysis performed on a 1:4 w:v aqueous extract.

Chemist Chemist

12-06-05

Date

ARDINAL LABOR

CHAIN-OF-CUSTODY AND ANALYSIS REQUES

ARDINAL LABORATORIES, INC.
2111 Beechwood, Abilene, TX 79603. 101 East Marland, Hobbs, NM 88240

Company Nam	Company Nama: BBC. TNTFRUATIONAL (505) 393-2326 Fax (505) 393-2476													·			:		•	Paga	(0110	, . -		
Project Manager Cliff Blunson							BILLTO						ANALYSIS REQUEST												
AGGRESS: /324 N AMADIANA								P:O. #:					1												
City: HOR	LARRE IM DOLLE								Company:						1 .					-	\ ·.				
Pronon (COT) 34 + 63 RV com com com 20 20 20							Attn:						↓ `								1	Ì			
Broiser F							Address:						4												
Project Nama:							City:						-	l											
Project Location: CSW. 17 WELL#1						State: Zip:						1				ł					1				
Samplar Kama:									Phone #: Fax #:						┨				-				'		
FOR LINE USE ONLY		;	7	T-		M	ATRI	X	PRESERV. SAMPLING						1										l
		•	A.	•	2		\top							<u> </u>	1 44		1								
12510	0		(G)RAB OR (C)OMP	# CONTAINERS	GROUNDWATER	EH.	1							j	2.	<u>.</u> .						İ			l
Lab LD.	Sample I	ι. ὑ ,	BOR	Z Z	Š	E S	뎔	ļ,	::	ASE:	OOT				18		1	}		İ					
			¥.	SO S	줯	WAST	CRUDE DIL	SLUDGE	OTHER:	ACID/BASE:	ICE / CODI	HE		1			j						'		
410474.1	PH Bottom	,	c	*	9	S	10	15	0	₹.	믝	Ö	12-05	TIME	19		ļ <u>.</u>		 		ļ		ļ		
						+	+-	\vdash		-	-		12.05	11:18	<u> </u>					ļ					
						1	1					\neg		 					 ~		-		 		
										7									1	ļ					
					\perp														1						
				_	_				_	1	4	_	· · · · · · · · · · · · · · · · · · ·												
					-		1		_	_	1	\bot													
				4	-			_	\dashv	-		4	····												
PLESS HOTE DATA N	Code fil inducenta was an oral see cont.	secure tened by an	dam aci	**************************************	water b	d h	COTATAG	or lor	, stat	Бе Тп	and to		armount make by th	a charl for the							cinions: In				
while in the ment and Car	Was to been for recovery or owners or					98 31 WH	and with	INCOM	ea by	CMAN	ol with	XU 30	chuck seyer schulc	torion of the applica	etde			•	30 de	ys pust au	n at Die Com composierie,	d 24% y	er emen k	ina da ani	
Sampler Relinqu	Ished:	Date:	4.00	100	न्त्र है। स्त्र है।	OUTSY ACT	an create	h bas	ed rbc	XI PA	of the	DOW	a stated towards	Phone Res	ult:	□ Yes		No	A l'bbAl			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	Mode2	17.05.05 Time: 3.8						;		Fax Result REMARKS					:	□Yes			Add'l F		······································				
Railnaulanaa By:		Dare:	Rec	elye	d B	7: []	a) S	JB 19	1		2/	7													
•	4. 90	Tima:	-	/		//	//					_	ļ	•											
Delivered By:	(Circle One)	<u> </u>		7	Sa	mg)e	Con	alto	\mathcal{L}_{1}	₹.	HEC	KE	о ву:												
Sampler - UPS •					Co	9 9 19 19 19 19 19 19 19 19 19 19 19 19	Intac	Y 88				ijia						•							
						No	П	No				<u>د</u> ے	<u>-</u>				_								

T Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.