



EOG Resources - Midland

Lea County, NM (NAD 27 NME)

Della 29 Fed

#701H

OH

Survey: Crescent MWD #1

EOG PVA

10 July, 2016

RECEIVED
DEC 19 2016
HOBBS OCD





EOG Resources, Inc.

EOG PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #701H
Project:	Lea County, NM (NAD 27 NME)	TVD Reference:	KB = 25 @ 3739.0usft (H&P 651)
Site:	Della 29 Fed	MD Reference:	KB = 25 @ 3739.0usft (H&P 651)
Well:	#701H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 27 NME)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Della 29 Fed		
Site Position:		Northing:	560,053.00 usft
From:	Map	Easting:	732,943.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 32' 14.721 N
		Longitude:	103° 34' 38.852 W
		Grid Convergence:	0.41 °

Well	#701H					
Well Position	+N/-S	0.0 usft	Northing:	560,053.00 usft	Latitude:	32° 32' 14.721 N
	+E/-W	0.0 usft	Easting:	732,943.00 usft	Longitude:	103° 34' 38.852 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	0.0 usft	Ground Level:	3,714.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	6/20/2016	7.09	60.36	48,224

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	
		Tie On Depth:	0.0	
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	10.58

Survey Program	Date 7/10/2016			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
146.0	16,172.0	Crescent MWD #1 (OH)	MWD	MWD - Standard



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 27 NME)
 Site: Della 29 Fed
 Well: #701H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #701H
 TVD Reference: KB = 25 @ 3739.0usft (H&P 651)
 MD Reference: KB = 25 @ 3739.0usft (H&P 651)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM 5000.1 Single User Db

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
0.0	0.00	0.00	0.00	0.0	0.0	0.00	0.00	0.00	0.00	0.0	0.0	0.0
146.0	0.44	116.26	146.0	-0.2	0.5	0.30	0.30	0.00	-0.6	0.0		0.0
338.0	0.44	130.05	338.0	-1.0	1.7	0.06	0.00	7.18	-2.0	0.3		
507.0	0.79	156.16	507.0	-2.5	2.7	0.26	0.21	15.45	-3.4	1.4		
707.0	0.26	106.94	707.0	-3.9	3.7	0.33	-0.26	-24.61	-4.7	-2.7		
895.0	0.44	107.47	895.0	-4.3	4.8	0.10	0.10	0.28	-5.8	-2.6		
1,055.0	0.62	121.97	1,055.0	-4.9	6.1	0.14	0.11	9.06	-7.8	-0.9		
1,247.0	0.62	104.39	1,247.0	-5.7	8.0	0.10	0.00	-9.16	-9.2	-3.6		
1,440.0	1.06	102.98	1,439.9	-6.4	10.7	0.23	0.23	-0.73	-11.9	-3.8		
1,631.0	1.58	94.81	1,630.9	-7.0	15.1	0.29	0.27	-4.28	-14.7	-5.6		
1,675.0	1.67	88.22	1,674.9	-7.0	16.3	0.47	0.20	-14.98	-14.5	-7.2		
1,749.0	1.76	89.19	1,748.8	-7.0	18.5	0.13	0.12	1.31	-15.3	-6.5		
1,941.0	3.52	98.77	1,940.6	-7.8	27.3	0.94	0.92	4.99	-18.0	-3.1		
2,134.0	5.36	97.97	2,133.0	-10.0	42.1	0.95	0.95	-0.41	-22.1	-2.7		
2,326.0	6.95	98.41	2,323.9	-12.9	62.5	0.83	0.83	0.23	-28.0	-1.6		
2,518.0	8.88	101.58	2,514.1	-17.6	88.5	1.03	1.01	1.65	-36.0	0.6		
2,711.0	10.02	99.82	2,704.5	-23.5	119.6	0.61	0.59	-0.91	-45.3	-0.2		
2,903.0	9.67	101.14	2,893.6	-29.4	151.9	0.22	-0.18	0.69	-51.9	1.5		
3,095.0	8.97	96.30	3,083.1	-34.2	182.6	0.55	-0.36	-2.52	-53.1	-1.4		
3,288.0	9.06	100.87	3,273.7	-38.7	212.5	0.37	0.05	2.37	-52.1	4.5		
3,480.0	8.71	99.38	3,463.4	-43.9	241.7	0.22	-0.18	-0.78	-50.8	4.0		
3,672.0	9.50	109.93	3,653.0	-51.7	270.9	0.96	0.41	5.49	-48.7	11.3		
3,864.0	9.67	111.51	3,842.3	-63.0	300.8	0.16	0.09	0.82	-49.8	7.8		
4,056.0	9.06	111.77	4,031.8	-74.5	329.9	0.32	-0.32	0.14	-50.4	2.7		
4,248.0	10.20	98.24	4,221.1	-82.6	360.7	1.32	0.59	-7.05	-50.5	-10.7		
4,440.0	9.67	101.31	4,410.2	-88.2	393.4	0.39	-0.28	1.60	-53.1	-6.9		
4,633.0	8.88	97.80	4,600.7	-93.4	424.0	0.50	-0.41	-1.82	-52.6	-9.0		



EOG Resources, Inc.
EOG PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #701H
Project:	Lea County, NM (NAD 27 NME)	TVD Reference:	KB = 25 @ 3739.0usft (H&P 651)
Site:	Della 29 Fed	MD Reference:	KB = 25 @ 3739.0usft (H&P 651)
Well:	#701H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM 5000.1 Single User Db

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)		TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
4,824.0	8.18	99.82	99.82	4,789.6	-97.7	452.0	0.40	-0.37	1.06	-50.3	-5.6	
5,017.0	9.50	98.50	98.50	4,980.3	-102.4	481.3	0.69	0.68	-0.68	-48.7	-5.3	
5,208.0	8.35	99.03	99.03	5,169.0	-106.9	510.6	0.60	-0.60	0.28	-47.5	-3.3	
5,343.0	7.56	96.92	96.92	5,302.7	-109.5	529.1	0.62	-0.59	-1.56	-44.3	-3.6	
5,489.0	6.86	93.93	93.93	5,447.5	-111.2	547.3	0.54	-0.48	-2.05	-38.9	-3.1	
5,662.0	10.29	104.92	104.92	5,618.6	-115.9	572.6	2.19	1.98	6.35	-36.5	4.6	
5,854.0	10.38	105.71	105.71	5,807.4	-125.0	605.8	0.09	0.05	0.41	-40.0	3.2	
6,047.0	10.38	103.86	103.86	5,997.3	-133.9	639.4	0.17	0.00	-0.96	-43.8	0.2	
6,239.0	10.46	103.07	103.07	6,186.1	-142.0	673.2	0.09	0.04	-0.41	-47.5	-1.4	
6,431.0	10.82	102.72	102.72	6,374.8	-149.9	707.7	0.19	0.19	-0.18	-52.0	-2.3	
6,624.0	8.97	102.28	102.28	6,564.9	-157.1	740.1	0.96	-0.96	-0.23	-54.1	-3.2	
6,816.0	8.00	103.42	103.42	6,754.8	-163.4	767.7	0.51	-0.51	0.59	-51.4	-2.7	
7,006.0	8.35	100.08	100.08	6,942.9	-168.9	794.2	0.31	0.18	-1.76	-47.4	-5.6	
7,198.0	7.47	100.26	100.26	7,133.1	-173.5	820.2	0.46	-0.46	0.09	-42.8	-4.6	
7,390.0	6.77	100.26	100.26	7,323.6	-177.8	843.6	0.36	-0.36	0.00	-35.6	-3.8	
7,582.0	5.89	98.77	98.77	7,514.4	-181.3	864.5	0.47	-0.46	-0.78	-25.6	-3.5	
7,774.0	5.19	98.15	98.15	7,705.5	-184.0	882.8	0.37	-0.36	-0.32	-13.0	-1.9	
7,966.0	4.48	98.77	98.77	7,896.8	-186.4	898.8	0.37	-0.37	0.32	-1.9	-0.3	
8,158.0	4.04	99.56	99.56	8,088.3	-188.7	912.9	0.23	-0.23	0.41	4.7	0.6	
8,351.0	2.37	90.77	90.77	8,281.0	-189.8	923.6	0.90	-0.87	-4.55	8.1	3.1	
8,543.0	1.67	118.70	118.70	8,472.9	-191.2	930.0	0.62	-0.36	14.55	10.0	-1.6	
8,735.0	0.44	99.20	99.20	8,664.8	-192.7	933.2	0.66	-0.64	-10.16	8.4	1.0	
8,926.0	0.79	99.73	99.73	8,855.8	-193.0	935.2	0.18	0.18	0.28	6.3	0.9	
9,119.0	0.35	113.79	113.79	9,048.8	-193.5	937.1	0.24	-0.23	7.28	4.5	-0.3	
9,310.0	0.35	159.32	159.32	9,239.8	-194.3	937.8	0.14	0.00	23.84	1.9	-3.0	
9,502.0	0.53	166.00	166.00	9,431.8	-195.7	938.2	0.10	0.09	3.48	0.1	-3.2	
9,693.0	0.53	149.65	149.65	9,622.8	-197.3	938.9	0.08	0.00	-8.56	-0.8	-3.3	



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 27 NME)
 Site: Della 29 Fed
 Well: #701H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #701H
 TVD Reference: KB = 25 @ 3739.0usft (H&P 651)
 MD Reference: KB = 25 @ 3739.0usft (H&P 651)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM 5000.1 Single User Db

Survey												
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)		
9,885.0	0.26	102.02	9,814.8	-198.2	939.8	0.21	-0.14	-24.81	0.9	-3.4		
10,077.0	0.62	84.40	10,006.8	-198.2	941.2	0.20	0.19	-9.18	0.4	-3.1		
10,268.0	1.58	89.89	10,197.8	-198.0	944.9	0.51	0.50	2.87	-3.6	-3.1		
10,461.0	0.88	243.78	10,390.7	-198.7	946.2	1.24	-0.36	79.74	2.8	5.5		
10,653.0	0.88	237.81	10,582.7	-200.1	943.6	0.05	0.00	-3.11	-0.8	5.6		
10,837.0	1.23	208.72	10,766.7	-202.6	941.5	0.34	0.19	-15.81	-6.6	3.8		
10,919.0	3.87	349.52	10,848.6	-200.7	940.6	5.96	3.22	171.71	5.4	1.8		
10,966.0	10.20	350.31	10,895.3	-195.0	939.6	13.47	13.47	1.68	1.6	2.0		
11,014.0	17.50	351.01	10,941.8	-183.7	937.7	15.21	15.21	1.46	-2.6	3.1		
11,061.0	23.13	354.53	10,985.9	-167.5	935.7	12.25	11.98	7.49	-6.4	4.8		
11,110.0	29.55	357.60	11,029.8	-145.8	934.3	13.39	13.10	6.27	-9.6	6.3		
11,157.0	34.73	358.83	11,069.6	-120.8	933.6	11.11	11.02	2.62	-11.9	7.0		
11,206.0	40.98	359.98	11,108.2	-90.8	933.3	12.84	12.76	2.35	-13.3	7.2		
11,253.0	44.67	1.65	11,142.7	-58.8	933.7	8.21	7.85	3.55	-13.0	6.8		
11,301.0	50.21	2.26	11,175.2	-23.5	935.0	11.58	11.54	1.27	-11.0	5.2		
11,349.0	55.57	0.86	11,204.1	14.7	936.0	11.41	11.17	-2.92	-7.8	3.7		
11,397.0	60.15	359.27	11,229.6	55.4	936.0	9.94	9.54	-3.31	-3.1	3.2		
11,429.3	63.83	359.21	11,244.8	83.9	935.6	11.41	11.40	-0.17	1.0	3.3		
HL Crossing 11429.3' MD; 11244.8' TVD; 83.9°; 935.6°; 63.83												
11,438.0	64.83	359.20	11,248.6	91.7	935.5	11.41	11.40	-0.17	2.2	3.4		
FTP(Della 29 Fed #701H)												
11,444.0	65.51	359.19	11,251.1	97.2	935.4	11.41	11.40	-0.16	3.0	3.4		
11,492.0	70.43	359.80	11,269.1	141.6	935.1	10.32	10.25	1.27	10.3	3.4		
11,540.0	75.53	1.82	11,283.1	187.5	935.7	11.36	10.62	4.21	18.9	2.3		
11,589.0	80.64	359.89	11,293.2	235.4	936.4	11.12	10.43	-3.94	28.5	1.3		
11,665.0	86.79	356.64	11,301.6	310.9	934.1	9.14	8.09	-4.28	38.0	2.9		
11,761.0	87.93	356.90	11,306.0	406.6	928.7	1.22	1.19	0.27	43.9	7.5		



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 27 NME)
 Site: Della 29 Fed
 Well: #701H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #701H
 TVD Reference: KB = 25 @ 3739.0usft (H&P 651)
 MD Reference: KB = 25 @ 3739.0usft (H&P 651)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM 5000.1 Single User Db

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
11,857.0	88.90	357.08	11,308.6	502.5	923.7	1.03	1.01	0.19	48.1	11.7	
11,953.0	89.78	358.83	11,309.7	598.4	920.3	2.04	0.92	1.82	50.7	14.4	
12,049.0	91.10	0.59	11,309.0	694.4	919.8	2.29	1.37	1.83	51.5	14.0	
12,144.0	90.48	0.86	11,307.7	789.4	921.0	0.71	-0.65	0.28	51.7	12.1	
12,240.0	90.31	0.68	11,307.0	885.4	922.3	0.26	-0.18	-0.19	52.6	10.0	
12,336.0	88.81	359.89	11,307.8	981.3	922.7	1.77	-1.56	-0.82	54.9	8.7	
12,431.0	88.37	0.15	11,310.1	1,076.3	922.8	0.54	-0.46	0.27	58.7	7.8	
12,527.0	88.29	359.98	11,312.9	1,172.3	922.9	0.20	-0.08	-0.18	63.0	6.9	
12,622.0	89.43	0.50	11,314.8	1,267.3	923.3	1.32	1.20	0.55	66.4	5.7	
12,706.5	89.19	0.19	11,315.8	1,351.8	923.8	0.46	-0.28	-0.36	68.8	4.5	
TGT#1(Della 29 Fed #701H)											
12,718.0	89.16	0.15	11,316.0	1,363.2	923.8	0.46	-0.28	-0.36	69.1	4.4	
12,814.0	89.87	0.59	11,316.8	1,459.2	924.5	0.87	0.74	0.46	71.4	2.9	
12,911.0	90.57	0.77	11,316.4	1,556.2	925.6	0.75	0.72	0.19	72.4	1.0	
13,007.0	91.19	1.12	11,314.9	1,652.2	927.2	0.74	0.65	0.36	72.4	-1.4	
13,102.0	91.98	1.29	11,312.3	1,747.2	929.2	0.85	0.83	0.18	71.1	-4.2	
13,199.0	92.51	1.56	11,308.5	1,844.0	931.6	0.61	0.55	0.28	68.8	-7.4	
13,295.0	93.12	1.65	11,303.8	1,939.9	934.3	0.64	0.64	0.09	65.5	-10.9	
13,391.0	90.57	1.47	11,300.7	2,035.8	936.9	2.66	-2.66	-0.19	63.8	-14.4	
13,487.0	88.99	359.10	11,301.1	2,131.8	937.4	2.97	-1.65	-2.47	65.5	-15.7	
13,584.0	90.48	358.92	11,301.5	2,228.8	935.7	1.55	1.54	-0.19	67.4	-14.8	
13,680.0	92.42	359.45	11,299.1	2,324.7	934.3	2.09	2.02	0.55	66.4	-14.3	
13,776.0	91.54	356.55	11,295.8	2,420.6	931.0	3.16	-0.92	-3.02	64.5	-11.8	
13,871.0	92.86	356.72	11,292.1	2,515.4	925.4	1.40	1.39	0.18	62.2	-7.0	
13,966.0	91.01	356.99	11,288.9	2,610.2	920.2	1.97	-1.95	0.28	60.4	-2.6	
14,062.0	91.89	357.25	11,286.5	2,706.0	915.4	0.96	0.92	0.27	59.4	1.4	
14,159.0	93.03	356.99	11,282.3	2,802.8	910.5	1.21	1.18	-0.27	56.7	5.5	



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland
 Project: Lea County, NM (NAD 27 NME)
 Site: Della 29 Fed
 Well: #701H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #701H
 TVD Reference: KB = 25 @ 3739.0usft (H&P 651)
 MD Reference: KB = 25 @ 3739.0usft (H&P 651)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM 5000.1 Single User Db

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
14,255.0	92.59	357.52	11,277.6	2,898.6	905.9	0.72	-0.46	0.55	53.4	9.3	
14,350.0	92.07	357.60	11,273.8	2,993.4	901.9	0.55	-0.55	0.08	50.9	12.5	
14,446.0	93.12	357.87	11,269.4	3,089.2	898.1	1.13	1.09	0.28	48.0	15.5	
14,542.0	92.42	359.36	11,264.8	3,185.1	895.8	1.71	-0.73	1.55	44.8	17.0	
14,638.0	93.03	359.54	11,260.2	3,281.0	894.8	0.66	0.64	0.19	41.6	17.1	
14,733.0	93.39	0.06	11,254.9	3,375.8	894.5	0.67	0.38	0.55	37.7	16.7	
14,749.3	93.06	0.23	11,254.0	3,392.1	894.6	2.26	-2.02	1.01	37.0	16.5	
TGT#2(Della 29 Fed #701H)											
14,829.0	91.45	1.03	11,250.8	3,471.7	895.4	2.26	-2.02	1.01	34.8	14.9	
14,925.0	92.68	1.47	11,247.4	3,567.6	897.5	1.36	1.28	0.46	32.5	12.0	
15,021.0	92.77	1.47	11,242.8	3,663.5	900.0	0.09	0.09	0.00	29.1	8.8	
15,117.0	92.07	0.68	11,238.8	3,759.4	901.8	1.10	-0.73	-0.82	26.2	6.1	
15,213.0	90.84	0.06	11,236.3	3,855.4	902.4	1.43	-1.28	-0.65	24.9	4.7	
15,309.0	90.66	0.06	11,235.1	3,951.4	902.5	0.19	-0.19	0.00	24.8	3.8	
15,405.0	89.96	359.62	11,234.6	4,047.3	902.2	0.86	-0.73	-0.46	25.4	3.3	
15,501.0	89.87	359.98	11,234.7	4,143.3	901.9	0.39	-0.09	0.37	26.7	2.8	
15,597.0	90.48	0.24	11,234.4	4,239.3	902.1	0.69	0.64	0.27	27.5	1.8	
15,693.0	90.66	0.06	11,233.5	4,335.3	902.3	0.27	0.19	-0.19	27.7	0.7	
15,790.0	91.19	0.68	11,231.9	4,432.3	903.0	0.84	0.55	0.64	27.3	-0.7	
15,886.0	91.54	0.86	11,229.6	4,528.3	904.2	0.41	0.36	0.19	26.2	-2.8	
15,982.0	92.68	1.29	11,226.1	4,624.2	906.0	1.27	1.19	0.45	23.8	-5.4	
16,070.5	93.09	1.29	11,221.6	4,712.6	908.0	0.46	0.46	0.00	20.4	-8.2	
HL Crossing 16070.5' MD; 11221.6' TVD; 4712.6'; 908.0'; 93.09											
16,077.0	93.12	1.29	11,221.3	4,719.1	908.2	0.46	0.46	0.00	20.1	-8.4	
16,119.0	93.47	1.56	11,218.8	4,761.0	909.2	1.05	0.83	0.64	18.2	-9.8	
Last MWD Survey											
16,172.0	93.47	1.56	11,215.6	4,813.9	910.7	0.00	0.00	0.00	15.6	-11.7	
Projection to Bit - PBHL(Della 29 Fed #701H)											



EOG Resources, Inc.
EOG PVA

Company: EOG Resources - Midland	Local Co-ordinate Reference: Well #701H
Project: Lea County, NM (NAD 27 NME)	TVD Reference: KB = 25 @ 3739.0usft (H&P 651)
Site: Della 29 Fed	MD Reference: KB = 25 @ 3739.0usft (H&P 651)
Well: #701H	North Reference: Grid
Wellbore: OH	Survey Calculation Method: Minimum Curvature
Design: OH	Database: EDM 5000.1 Single User Db

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
-----------	---------	-------------------	------------	------------	------------	------------------	-------------------	------------------	---------------------	----------------------

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
11,429.3	11,244.8	83.9	935.6	HL Crossing 11429.3' MD; 11244.8' TVD; 83.9°; 935.6'; 63.83
16,070.5	11,221.6	4,712.6	908.0	HL Crossing 16070.5' MD; 11221.6' TVD; 4712.6°; 908.0'; 93.09
16,119.0	11,218.8	4,761.0	909.2	Last MWD Survey
16,172.0	11,215.6	4,813.9	910.7	Projection to Bit

Checked By: _____ Approved By: _____ Date: _____