District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

| Pit or Below-Grade Tank Registration or Closure | |
|---|---|
| Is pit or below-grade tank covered by a "general plan"? Yes X No | _ |
| of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank | Ŋ |

| Telephon | ne: 918 • 491 • 4980 e-mail address: <u>S</u> | an 24 @ leace net | | | | | |
|--|---|---|--|--|--|--|--|
| Operator. | Tuba OK 74136- | | | | | | |
| Action 1 | 10 . 825 . 37236 U/L or Qtr/Qtr G | / A / A = | | | | | |
| 1 doint) of transfer and the second | 32 30' 43' Longitude 103 | | | | | | |
| County: | | | | | | | |
| Surface Owner: Federal 🖪 State 🗌 Private 🔲 Indian 🗍 | Below-grade tank | | | | | | |
| Pit | Volume:bbl Type of fluid: | Received R | | | | | |
| Type: Drilling Production Disposal | Construction material: | OCD & | | | | | |
| Workover Emergency | Double-walled, with leak detection? Yes If no | evalein why not | | | | | |
| Lined Unlined | Double-walled, with leak detection? Yes If not, explain why not. | | | | | | |
| Liner type: Synthetic Thickness 12 mil Clay | | | | | | | |
| Pit Volume 7195bbl | | 1 (20:) | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | Less than 50 feet | (20 points) | | | | | |
| high water elevation of ground water.) | 50 feet or more, but less than 100 feet | (10 points) | | | | | |
| B 7 00 | 100 feet or more | (0 points) | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic | Yes | (20 points) | | | | | |
| | No | (0 points) | | | | | |
| water source, or less than 1000 feet from all other water sources.) | | (Mar-1-1-1) | | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) | | | | | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) | | | | | |
| | 1000 feet or more | (0 points) | | | | | |
| | Ranking Score (Total Points) | 10 | | | | | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit' | s relationship to other equipment and tanks. (2) Indic | ate disposal location: (check the onsite box if | | | | | |
| your are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility_ | (3) Attach a general | description of remedial action taken including | | | | | |
| remediation start date and end date. (4) Groundwater encountered: No 🔲 | · | | | | | | |
| (5) Attach soil sample results and a diagram of sample locations and excava- | - | | | | | | |
| Additional Comments: We along to trench | busy on location. | 3 . | | | | | |
| 1- 1 1 10 1 700- 14 | 1 - 1 - 10 | a i / al / | | | | | |
| advaced to the dailing bit | Times French with | Amil pladio | | | | | |
| boy company of graphing by | n Trench cover with | 20 mil plantic and 3/7 | | | | | |
| of class sail backfill; le | sel gul contour. | | | | | | |
| Notifa BLM + OCD before | starting, file sun | un notice after closing | | | | | |
| Will begin soon after approve | | | | | | | |
| I hereby certify that the information above is true and complete to the best | of my knowledge and balled I further could the ac- | | | | | | |
| has been/will be constructed or closed according to NMOCD guideline | s 🔀, a general permit 🗌, or an (attached) alterna | tive OCD-approved plan [1]. | | | | | |
| Date: 41 13 04 | | | | | | | |
| Printed Name/Title Eddie W Sans Acart | Son. Y | | | | | | |
| | Signature Signature | , | | | | | |
| Your certification and NMOCD approval of this application/closure does n otherwise endanger public health or the environment. Nor does it relieve the regulations. | of relieve the operator of liability should the contents ne operator of its responsibility for compliance with a | of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or | | | | | |
| | | | | | | | |
| Approval: Printed Name/Title GARYW. WINK STAFF MG | R. Signature Lbuyw. Win | Date: 4/13/06 | | | | | |
| | | | | | | | |

Exhibit G CapStar Drilling, Inc. LOCATION SPECIFICATIONS AND RIG LAYOUT FOR EARTH PITS



Cellar can be 4X4X4 if using a screw-on wellhead Working Pits dug 5' below ground level

New Mexico Office of the State Engineer POD Reports and Downloads

| NAD27 X: | Y: Zone: | Search R | adius: |
|---------------------------|--------------|--------------|------------------------|
| County: Basin | : | Number: | Suffix: |
| Owner Name: (First) | (Last) | O Non-Do | omestic ODomestic @All |
| POD / Surface Data Report | Avg Depth to | Water Report | Water Column Repo |

AVERAGE DEPTH OF WATER REPORT 04/12/2006

| | | | | | | | | (Depth | Water in | Feet) | | |
|-----|-----|-------|-----|------|--------|---------|-------|--------|----------|------------|-----|------|
| Bsn | Tws | Rng S | 3ec | Zone | x | Y | Wells | Min | Max | Avg | | |
| CP | 21S | 37E 0 | 04 | | | | 2 | 75 | 75 | 175 | N | L. 1 |
| CP | 21S | 37E 0 | 06 | | | | 1 | 73 | 73 | 73 | Hue | 74 |
| CP | 21S | 37E 1 | 16 | | | | 1 | 70 | 70 | 70 | | - / |
| CP | 21S | 37E 2 | 22 | | | | 1 | 53 | 53 | 53 | | |
| CP | 21S | 37E 2 | 23 | | | | 1 | 65 | 65 | 65 | | |
| CP | 21S | 37E 2 | 23 | | 924000 | 6600000 | 1 | 65 | 65 | 65 | | |
| CP | 215 | 37E 2 | 27 | | | | 1 | 76 | 76 | 76 | | |
| CP | 21S | 37E 2 | 28 | | | | 3 | 65 | 75 | 71 | | |
| CP | 215 | 37E 3 | 33 | | | | 1 | 100 | 100 | 100 | | |

Record Count: 12

