

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-29920
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator RAM ENERGY LLC		6. State Oil & Gas Lease No. 313857
3. Address of Operator 2100 S. UTICA AVE., SUITE 175, TULSA, OK 74114		7. Lease Name or Unit Agreement Name WEST DOLLARHIDE QUEEN SAND UNIT
4. Well Location Unit Letter <u>I</u> : <u>150</u> feet from the <u>EAST</u> line and <u>2350</u> feet from the <u>SOUTH</u> line Section <u>30</u> Township <u>24S</u> Range <u>38E</u> NMPM LEA County		8. Well Number 70
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3182' KB		9. OGRID Number 309777
		10. Pool name or Wildcat DOLLARHIDE QUEEN (018810)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. NOTIFY NMOCD 24 HRS. BEFORE MIRU.
2. MIRU. ND WH, NU BOPE.
3. SET CIBP@3625' AND SPOT 25SX OF CLASS "C" CEMENT FROM 3600'-3350'. (PERFS)
4. CIRCULATE 9.5 PPG MLF AND TEST CASING.
5. SPOT 40SX OF CLASS "C" CEMENT FROM 2795'-2460'. WOC&TAG. (YATES/B.SALT)
6. SPOT 25SX OF CLASS "C" CEMENT FROM 1270'-1070'. WOC&TAG. (T.SALT)
7. PERF@446'. SQUEEZE 115SX OF CLASS "C" CEMENT FROM 446'-SURFACE. VERIFY CEMENT TO SURFACE. (FW/SOUE/SURFACE).
8. CUTOFF WELLHEAD, ANCHORS 3' BELOW SURFACE AND INSTALL DRYHOLE MARKER. TURN OVER FOR RECLAMATION.

CLOSED LOOP CONTAINMENT SYSTEM WILL BE USED FOR FLUIDS.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE MLP TITLE OPERATIONS MANAGER DATE 08/26/19

Type or print name MATTHEW PATTERSON E-mail address: MPATTERSON@RAMENERGY.NET PHONE: (918)947-6301
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

SUBJECT TO LIKE
APPROVAL BY BLM

**WELLBORE DIAGRAM
WEST DOLLARHIDE QUEEN SAND UNIT #70**

Created: 08/26/19 By: LEE R.
 Updated: _____ By: _____
 Lease: WEST DOOLARHIDE QUEEN SAND UNIT
 Field: QUEEN
 Surf. Loc.: 2350' FSL & 150' FEL
 Bot. Loc.: _____
 County: LEA St.: NM
 Status: _____

Well #: 70
 API: 30-025-29920
 Unit Ltr.: I Sec. 30
 TSHP/Rng: 24S-T38E
 Pool Code: OGRID: 309777
 Directions: _____


Surface Casing

Size: 8-5/8"
 Wt., Grd.: 24#
 Depth: 396'
 Sxs Cmt: 250
 Circulate: NO
 TOC: 100'
 Hole Size: 12-1/4"

FORMATION TOPS	
T. Salt	1220'
B. Salt	2560'

Intermediate Casing

Size: 5-1/2"
 Wt., Grd.: 15.5
 Depth: 3990'
 Sxs Cmt: 1670
 Circulate: NO
 TOC: 850' CBL
 Hole Size: 7-7/8"



Queen: 3718'-3750'(OA)

**WELLBORE DIAGRAM
WEST DOLLARHIDE QUEEN SAND UNIT #70**

Created: 08/26/19 By: LEE R.
 Updated: By:
 Lease: WEST DOLLARHIDE QUEEN SAND UNIT
 Field: QUEEN
 Surf. Loc.: 2350' FSL & 150' FEL
 Bot. Loc.:
 County: LEA St.: NM
 Status:

Well #: 70
 API: 30-025-29920
 Unit Ltr.: I Sec. 30
 TSHP/Rng: 24S-T38E
 Pool Code: OGRID: 309777
 Directions:


Surface Casing

Size: 8-5/8"
 Wt., Grd.: 24#
 Depth: 396'
 Sxs Cmt: 250
 Circulate: NO
 TOC: 100'
 Hole Size: 12-1/4"

FORMATION TOPS	
T. Salt	1220'
B. Salt	2560'

Intermediate Casing

Size: 5-1/2"
 Wt., Grd.: 15.5
 Depth: 3990'
 Sxs Cmt: 1670
 Circulate: NO
 TOC: 850' CBL
 Hole Size: 7-7/8"



**PERF AND SQUEEZE 115SX OF CMT FROM 446'-
SURFACE. VERIFY. (FW/SHOE/SURFACE)**

**SPOT 25SX OF CMT FROM 1270'-1070'.
WOC&TAG. (T.SALT)**

**SPOT 40SX OF CMT FROM 2795'-2460'.
WOC&TAG. (YATES/B.SALT)
SET CIBP@3625' AND SPOT 25SX ON TOP
FROM 3625'-3350'.(PERFS)**

Queen: 3678'-3858'(OA)