

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

NW CORNER SEC. 18
LAT. = 32.3116830°N
LONG. = 103.7229585°W

NMSP EAST (FT)
N = 477663.17
E = 729904.77

W/4 CORNER SEC. 18
LAT. = 32.3044384°N
LONG. = 103.7228618°W

NMSP EAST (FT)
N = 475023.97
E = 729919.08

SW CORNER SEC. 18
LAT. = 32.2971933°N
LONG. = 103.7228608°W

NMSP EAST (FT)
N = 472388.26
E = 729934.39

W/4 CORNER SEC. 19
LAT. = 32.2899380°N
LONG. = 103.7229587°W

NMSP EAST (FT)
N = 469748.81
E = 729947.60

SW CORNER SEC. 19
LAT. = 32.2826837°N
LONG. = 103.7229672°W

NMSP EAST (FT)
N = 467109.75
E = 729982.47

NE CORNER SEC. 18
LAT. = 32.3117748°N
LONG. = 103.7052219°W

NMSP EAST (FT)
N = 477724.51
E = 735384.50

E/4 CORNER SEC. 18
LAT. = 32.3045169°N
LONG. = 103.7052099°W

NMSP EAST (FT)
N = 475084.23
E = 735403.66

SE CORNER SEC. 18
LAT. = 32.2972667°N
LONG. = 103.7052095°W

NMSP EAST (FT)
N = 472446.64
E = 735419.26

LAST TAKE POINT
100' PBL 480' FWL
LAT. = 32.2829652°N
LONG. = 103.721413°W

NMSP EAST (FT)
N = 467214.91
E = 730441.78

E/4 CORNER SEC. 19
LAT. = 32.2900102°N
LONG. = 103.7052115°W

NMSP EAST (FT)
N = 468806.75
E = 735434.10

SE CORNER SEC. 19
LAT. = 32.2827586°N
LONG. = 103.7052086°W

NMSP EAST (FT)
N = 467168.68
E = 735450.43

"SURVEYOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Jenny Harms 5-20-19
Signature Date

Jenny Harms
Printed Name

Jenny.harms@dvn.com
E-mail Address

"SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 10, 2019
Date of Survey

FILIMON F. JARAMILLO
Signature and Seal of Professional Surveyor

Certificate Number FILIMON F. JARAMILLO, PLS 12797
PROFESSIONAL SURVEY NO. 7276

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

JAN 21 2020

☐ AMENDED REPORT

RECEIVED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30025-46286	² Pool Code 53800	³ Pool Name SAND DUNES; BONE SPRING
⁴ Property Code 327016	⁵ Property Name PURRITO 18-19 FED COM	⁶ Well Number 210H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3555.5

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	23S	32E		525	NORTH	1760	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	19	23S	32E	4	20	SOUTH	480	WEST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill 344.28	¹⁴ Consolidation Code	¹⁵ Order No.
---	--	----------------------------------	-------------------------

NMOCD REQUESTED TWO PLATS TO SHOW TWO DIFFERENT POOL CODES IN THE WELLBORE
No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 18 LAT. = 32.3116930°N LONG. = 103.7229585°W N/MSP EAST (FT) N = 477663.17 E = 729904.77		N/4 CORNER SEC. 18 LAT. = 32.3117365°N LONG. = 103.7137668°W N/MSP EAST (FT) N = 477695.30 E = 732744.70		NE CORNER SEC. 18 LAT. = 32.3117746°N LONG. = 103.7052219°W N/MSP EAST (FT) N = 477724.51 E = 735384.50	
W/4 CORNER SEC. 18 LAT. = 32.3044384°N LONG. = 103.7229618°W N/MSP EAST (FT) N = 475023.97 E = 729919.08		PURRITO 18-19 FED COM 210H ELEV. = 3555.5' LAT. = 32.3102772°N (NAD83) LONG. = 103.7172646°W N/MSP EAST (FT) N = 477158.17 E = 731867.14		E/4 CORNER SEC. 18 LAT. = 32.3045169°N LONG. = 103.7052099°W N/MSP EAST (FT) N = 475084.23 E = 735403.66	
SW CORNER SEC. 18 LAT. = 32.2971933°N LONG. = 103.7229608°W N/MSP EAST (FT) N = 472388.26 E = 729934.39		FIRST TAKE POINT 100' FSL, 480' FWL LAT. = 32.3114256°N LONG. = 103.7214062°W N/MSP EAST (FT) N = 477568.62 E = 730385.19		SE CORNER SEC. 18 LAT. = 32.2972667°N LONG. = 103.7052095°W N/MSP EAST (FT) N = 472446.64 E = 735419.26	
W/4 CORNER SEC. 19 LAT. = 32.2893380°N LONG. = 103.7229667°W N/MSP EAST (FT) N = 469748.81 E = 729947.60		NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83). LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE VERTICAL DATUM NAVD83.		LAST TAKE POINT 100' FSL, 480' FWL LAT. = 32.2829852°N LONG. = 103.7214143°W N/MSP EAST (FT) N = 467214.91 E = 730441.78	
SW CORNER SEC. 19 LAT. = 32.2826377°N LONG. = 103.7229672°W N/MSP EAST (FT) N = 467109.75 E = 729982.47		BOTTOM OF HOLE LAT. = 32.2827454°N LONG. = 103.7214143°W N/MSP EAST (FT) N = 467134.93 E = 730442.24		E/4 CORNER SEC. 19 LAT. = 32.2900102°N LONG. = 103.7052115°W N/MSP EAST (FT) N = 468808.75 E = 735434.10	
S/4 CORNER SEC. 19 LAT. = 32.282734°N LONG. = 103.7137479°W N/MSP EAST (FT) N = 467140.54 E = 732821.53		S/4 CORNER SEC. 19 LAT. = 32.282734°N LONG. = 103.7137479°W N/MSP EAST (FT) N = 467140.54 E = 732821.53		SE CORNER SEC. 19 LAT. = 32.2827586°N LONG. = 103.7052086°W N/MSP EAST (FT) N = 467168.68 E = 735450.43	

¹⁶ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Donny Harms 5-20-19
Signature Date

Jenny Harms
Printed Name
Jenny.harms@dmn.com
E-mail Address

¹⁷ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 10, 2019
Date of Survey

FILIMON F. JARAMILLO
Signature and Seal of Professional Surveyor
Certificate Number **FILIMON F. JARAMILLO, PLUS 12797**
PROFESSIONAL SURVEY NO. 7276

Intent ☒ As Drilled ☐

API # <i>02446796</i>		
Operator Name: DEVON ENERGY PRODUCTION CO., L.P.	Property Name: PURRITO 18-19 FED COM	Well Number 210H

Kick Off Point (KOP)

UL D	Section 18	Township 23S	Range 32E	Lot 1	Feet 200	From N/S FNL	Feet 573	From E/W FWL	County LEA
Latitude 32.311189					Longitude -103.721101			NAD 83	

First Take Point (FTP)

UL D	Section 18	Township 23S	Range 32E	Lot 1	Feet 100	From N/S NORTH	Feet 480	From E/W WEST	County LEA
Latitude 32.3114256					Longitude 103.7214062			NAD 83	

Last Take Point (LTP)

UL	Section 19	Township 23S	Range 32E	Lot 4	Feet 100	From N/S SOUTH	Feet 480	From E/W WEST	County LEA
Latitude 32.2829652					Longitude 103.7214143			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐ no

Is this well an infill well? ☐ yes

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018