

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07755
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Warren McKee Unit
8. Well Number 401
9. OGRID Number 192463
10. Pool name or Wildcat Warren McKee

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	2. Name of Operator OXY USA WTP Limited Partnership
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>south</u> line and <u>2310</u> feet from the <u>west</u> line Section <u>7</u> Township <u>20S</u> Range <u>38E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3563'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>60'</u> Distance from nearest fresh water well <u><100'</u> Distance from nearest surface water <u><1000'</u> Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	


12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

See Attachment :

**FOR
CHANGES**



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 8/15/06

Type or print name David Stewart

E-mail address:

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Larry W. Wink TITLE _____ DATE AUG 17 2006

Conditions of Approval, if any

Warren McKee Unit #401

TD-9200' PBD-3609' Perfs-9112-9160'

13-3/8" 36# csg @ 295' w/ 300sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 24-32# csg @ 3800' w/ 1300sx, 11" hole, TOC-1535'
5-1/2" 17# csg @ 9197' w/ 500sx, 7-7/8" hole, TOC-6015'

CIBP @ 9050' CR @ 3609' Sqz Csg Lk @ 3650-5110' w/ 600sx cmt
*Csg Collapsed @ +/- 5110'

1. DO CR @ 3609' & Cmt, RIH & Tag CIBP @ 9050'
*If unable to get through collapsed csg @ 5110', Contact NMOCD
2. M&P 25sx cmt @ 9050-8950'
3. M&P 25sx cmt @ 6900-6800'
4. M&P 25sx cmt @ 6390-6290'
5. M&P 25sx cmt @ 5160-5060'
6. Perf 5-1/2" csg @ 4200' sqz 50sx cmt to 4100' - **WOC+TAG**
7. Perf 5-1/2" csg @ 3850' sqz 50sx cmt to 3750' WOC-Tag
8. Perf 5-1/2" & 8-5/8" csg @ 1500' sqz 75sx cmt to 1400' - **WOC+TAG**
9. Perf 5-1/2" & 8-5/8" csg @ 345' sqz 75sx cmt to 245' WOC-Tag
10. 10sx cmt Surface Plug
10# MLF between plugs

TD-9200'

OXY USA WTP LP - Current
Warren McKee Unit #401
API No. 30-025-07755

