District l 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fc, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No } \subseteq \)
Section: Beginstern of a mit or helper and tank [ Closure of a mit or helper and stank [

t ype of action: Registration of a pit or below-grade tank   Closure of a pit or below-grade tank			
Operator: LEWIS B. BURLESON, INC. Telephone: (432)683-4747c-mail address: GEOTTECH@PRODIGY.NET			
Address: P.O. BOX 2479 MIDLAND, TEXAS 79702			
Facility or well name: TC FEDERAL #2  API POLICY OF QUI/QU Sec 19 T 20S R 39E			
County: LEA Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian			
Pit	Below-gradetank		
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.		
	Double-walled, with leak detection? Yes L II not, explain why not.		
Liner type: Synthetic D Thickness 12 mil Clay			
Pit Volume 1700 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	
, , , , , , , , , , , , , , , , , , ,	100 feet or more	( Opoints)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic		(0 points)	
water source, or less than 1000 feet from all other water sources.)		Copolita	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(Opoints)	
	Ranking Score (Total Points)	a 80	
If this is a pit closure (1) attached diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite offsite for fisite, name of facility (3) Attach a general description of remedial action taken including			
remediationstart date and end date (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft.and attach sample results. (5)			
Attach soil sample results and a diagram of sample locations and excavations.			
AdditionalComments:			
i hereby certify that the informationabove is true and complete to the hest of my knowledge and belief. I further certify that the above-described pit or below-gradetank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an fattoched) alternative OCD-approvedplan.			
Date: 09/07/2006			
Printed Name/Title STEVEN L. BURLESON, VICE-PRESIDENT gnature			
Your certification and NMOCD approval of this application/closure loss not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the crivironment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
ORIGINAL SIGNED BY			
Approval: CHRIS WILLIAMS			
Printed Name/Title OC DISTRICT SUPERVISOR/GENERAL MANAGES  Date P 0 7 2006			