

District I
1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88212

District III
1000 Rio Brazos Road, Aztec, NM 87412

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-101
May 27, 2004

Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit to appropriate District Office

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address Pride Energy Company P.O. Box 701950 Tulsa, OK 74178		OGRID Number 151323
Property Code 36144	Property Name Bagley	API Number 38192
Well No. 2		
Proposed Pool 1 N. Bagley Permo Penn		Proposed Pool 2

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	9	11S	33E	G	1,905'	North	2,130'	East	Lea

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Additional Well Information

Work Type Code N	Well Type Code O	Cable/Rotary R	Lease Type Code P	Ground Level Elevation 4282
Multiple N	Proposed Depth 10,500	Formation Penn	Contractor Unknown	Spud Date ASAP
Depth to Groundwater 25 50'		Distance from nearest fresh water well		Distance from nearest surface water
Pit: Liner: Synthetic <input checked="" type="checkbox"/> 12_mils thick Clay <input type="checkbox"/> Pit Volume: __bbls Drilling Method: Closed-Loop System <input type="checkbox"/> Fresh Water <input checked="" type="checkbox"/> Brine <input type="checkbox"/> Diesel/Oil-based <input type="checkbox"/> Gas/Air <input type="checkbox"/>				

Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17.5	13.375	48	360'	300	Surface
11	8.625	24	4,150	2,200	Surface
7.875	5.5	15.5	10,500	2,500	3,650

22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Approximately 360' of surface casing will be set and cemented to surface. Approximately 4,150' of 8 5/8" casing will be run and cemented to surface with approximately 2,200 sacks of cement. If warranted after logs evaluated, approximately 10,500' of 5 1/2" casing will be run and cemented with approximately 2,500 sacks of cement, estimated TOC at 3,650'.

**Permit Expires 1 Year From Approval
Date Unless Drilling Underway**

23 I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Printed name: John W. Pride
Title: President of Pride Oil & Gas Co. Inc. as G. P. of Pride Energy Company
E-mail Address: johnp@pride-energy.com
Date: 11/10/06 Phone: (918) 524-9200

OIL CONSERVATION DIVISION

Approved by:

Chris Williams

Title:

DISTRICT SUPERVISOR/GENERAL MANAGER

Approval Date:

Expiration Date:

Conditions of Approval ☒

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2005

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-38192	Pool Code 3820	Pool Name N. Bagley Perm Penn
Property Code 36144	Property Name BAGLEY	Well Number 2
OGRID No. 151323	Operator Name PRIDE ENERGY COMPANY	Elevation 4282'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	9	11 S	33 E		1905	NORTH	2130	EAST	LEA ✓

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Dedicated Acres 80	Joint or Infill	Consolidation Code	Order No.
------------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
S 1/2 NE 1/4 OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>John W. Pride</i> 11/27/06 Signature Date John W. Pride Pres. of Pride Oil & Gas Co, Inc. Gen. Partner of Pride Energy Company Printed Name Company</p>	
	<p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>NOVEMBER 20, 2006</p> <p>Date Surveyed Signature & Seal Professional Surveyor </p>	
	<p>Certificate No. Gary L. Jones 7977</p>	
	<p>BASIN SURVEYS</p>	

Kelly

Fill Up Line

Annular


Kill Line
2" min.

Check Valve
sequence optional

Intermediate Well Head

Intermediate Casing

Typical 5,000 psi choke manifold assembly with at least these minimum features



District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural ResourcesOil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit to appropriate District Office

Form C-101
May 27, 2004*FLAMENDED REPORT***APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

Operator Name and Address Pride Energy Company P.O. Box 701950 Tulsa, OK 74170		UGRID Number 151323
Property Code	Property Name Bagley	API Number 30-025-38192
Proposed Pool 1 N. Bagley Permian Penn		Proposed Pool 2

Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	9	11S	33E	G	1,905'	North	2,130'	East	Lea

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Additional Well Information

Work Type Code N	Well Type Code O	Cable/Rotary R	Lease Type Code P	Ground Level Elevation
Multiple N	Proposed Depth 10,500	Formation Penn	Contractor Unknown	Start Date ASAP
Depth to Groundwater 52'		Distance from nearest fresh water well 1860'		Distance from nearest surface water None < 1 mile
Pit: Liner: Synthetic <input checked="" type="checkbox"/> 12_mils thick Clay <input type="checkbox"/> Pit Volume: ___ bbls Drilling Method:				
Closed-Loop System <input type="checkbox"/> Fresh Water <input checked="" type="checkbox"/> Brine <input type="checkbox"/> Diesel/Oil-based <input type="checkbox"/> Gas <input type="checkbox"/>				

Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17.5	13.375	48	360'	300	Surface
11	8.625	24	4,150	2,200	Surface
7.875	5.5	15.5	10,500	2,500	3,650

22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Approximately 360' of surface casing will be set and cemented to surface. Approximately 4,150' of 8 5/8" casing will be run and cemented to surface with approximately 2,200 sacks of cement. If warranted after logs evaluated, approximately 10,500' of 5 1/2" casing will be run and cemented with approximately 2,500 sacks of cement, estimated TOC at 3,650'.

23 I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

OIL CONSERVATION DIVISION

Approved by:

Chris Williams

Title:

DISTRICT SUPERVISOR/GENERAL MANAGER

Approval Date:

DEC 08 2006

Expiration Date:

Printed name: John W. Pride

John W. Pride

Title: President of Pride Oil & Gas Co., Inc. as G. P. of Pride Energy Company

E-mail Address: johnp@pride-energy.com

Date: 11/10/06

Phone: (918) 524-9200

Conditions of Approval Attached ☐