

Office

Energy, Minerals and Natural Resources

June 19, 2008

District I

1625 N. French Blvd., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-30424

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil &amp; Gas Lease No.

NMNM0631

7. Lease Name or Unit Agreement Name

Federal 11-20-34

8. Well Number

3

9. OGRID Number

20165

10. Pool name or Wildcat

Bone Spring

## GENERAL NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Samson Resources Compan

3. Address of Operator

200 N. Loraine St. Ste 1010, Midland, TX 79701

4. Well Location

Unit Letter L: 1890 feet from the S line and 660 feet from the W lineSection 11 Township 20S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3636.5' GL

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: ☐

Perf + frac Third Bone Spring  
 OTHER: Refrac Upper Bone Springs Zones ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

05/02/08 -

POH w/ completion assembly.

Perf Third Bone Spring 10860'-70' and 10912'-22' w/ 2 spf.

GIH w/ pkr. Acdz w/ 1000 gal.

Frac w/ 65655 gal of 126,755# 20/40 PRC sand.

POH w/ pkr.

RePerf Bone Spring 9854'-66', 9835'-44', 9530'-38' and 9500'-10' w/ 3 spf.

Set RBP @ 9962'. Set pkr @ 9743'.

Frac w/ 1000 gal acid, 60454 gal; 115381 # 20/40 PRC sand.

Set RBP @ 9650'. Set pkr @ 9400'.

Frac w/ 1000 gal acid, 44957 gal 105049 # 20/40 PRC sand.

POH w/ RBP's.

Ran rod pumping completion assembly.

09/07/08 -

Pump 47 BO 105 BW and 45 MCF.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE District Engineer

DATE

09/09/08

Type or print name

Kenny KrawietzE-mail address: KKrawietz@samson.comPHONE: 432-686-6337

For State Use Only

PETROLEUM ENGINEER

APPROVED BY:

TITLE

DATE

SEP 16 2008

Conditions of Approval (if any):