

Office

Energy, Minerals and Natural Resources

June 19, 2008

District I

1625 N. French Dr., Hobbs, NM

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM

87505

**RECEIVED**

OIL CONSERVATION DIVISION

JAN 13 2009 1220 South St. Francis Dr.

Santa Fe, NM 87505

**HOBBSOCD**

WELL API NO. 30-005-29036	✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	✓
6. State Oil & Gas Lease No. VA-2929	
7. Lease Name or Unit Agreement Name Boomerang State Unit	✓
8. Well Number 1	✓
9. OGRID Number 025575	✓
10. Pool name or Wildcat Tobac; Upper Penn	✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4341'GR	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐2. Name of Operator  
Yates Petroleum Corporation3. Address of Operator  
105 South Fourth Street, Artesia, NM 88210

## 4. Well Location

Unit Letter I : 1650 feet from the South line and 990 feet from the East line  
Section 26 Township 8S Range 33E NMPM Chaves County ✓

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: ☐OTHER: Completion Operations ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/11/08 – TOC at 6710' CBL. Perforated Bough C 9384'-9392' (16). Acidized with 1000g 15% HCL acid.

12/17/08 – Perforated Bough C 9344'-9355' (22). Acidized with 1000g 15% HCL acid. 2-7/8" tubing at 9387.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE January 12, 2009Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE PETROLEUM ENGINEERDATE JAN 15 2009

Conditions of Approval (if any):