Office	Diale of New Mexico			Form C-103 June 19, 2008		
District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410  OIL CONSERVATION DIVISION  OIL CONSERVATION DIVISION  OIL CONSERVATION DIVISION  NAME of the construction		W	VELL API NO. / 0-025-23625	June 19, 2000		
		NON 5	Indicate Type of Lease			
		L	STATE FEE			
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			State Oil & Gas Lease No.			
SUNDRY NOTICES AND REPORTS OF (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEED			Lease Name or Unit Agreer	nent Name		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		<u> </u>	FPRR			
1. Type of Well: Oil Well  Gas Well Other			Well Number #011			
2. Name of Operator  Mar Oil & Gas Corp			OGRID Number			
3. Address of Operator PO Box 5155 Santa Fe, NM 87502		1	O. Pool name or Wildcat  Newyer; San Andres, West			
4. Well Location		36	iwyer, San Andres, West			
Unit Letter L: 1980 feet from the	e South li	ne and 860	feet from the West	line 🗸		
Section 28 Township 98			NMPM Lea Count	y		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)						
12. Check Appropriate Box to In	dicate Nature of	f Notice, Re	port or Other Data			
NOTICE OF INTENTION TO:		SUBSE	QUENT REPORT OF			
PERFORM REMEDIAL WORK  PLUG AND ABANDON  REMEDIAL WORK			ALTERING	CASING 🗌		
TEMPORARILY ABANDON ☐ CHANGE PLANS PULL OR ALTER CASING ☐ MULTIPLE COMPL		IENCE DRILLII G/CEMENT JO		U		
DOWNHOLE COMMINGLE	LI CASIN	O/OLIVILIVI JC				
OTUED	CT CT					
OTHER:  13. Describe proposed or completed operations. (Clearly	State all pertinent		ve pertinent dates, including	estimated date		
of starting any proposed work). SEE RULE 1103. For recompletion.						
No earthen pits will be constructed x all well fluids will be ci						
8 5/8" casing set at 404ft x Cemented with 325sx cement x Cement Circulated 4 ½"casing set at 5025ft x Cemented with 250sx cement x TOC calculated at 4100ft						
Perfs 4928-4993ft TS - 2330ft BS - 2795ft						
Run and set CIBP at 4900ft x Spot 25sx cmt plug x WOC x tag cement plug x displace well with gelled brine						
Perf casing at 2845ft x squeeze with 25sx cement x WOC x tag cement plug  Perf casing at 2845ft x squeeze with 25sx cement x WOC x tag cement plug  PERF @ 2330'						
Perf casing at 454ft x Circulate cement to surface via 8 5/8						
Cut off wellhead and SU anchors x Install NMOCD regula	tion PA marker					
The	Oil Conservation [	Division <b>Must</b> I	e notified			
Spud Date: 24 h	ours prior to the l	beginning of pl	ugging operations.			
I hereby certify that the information above is true and complet	e to the best of my	knowledge an	d belief.			
SIGNATURE Belly & Kruhun TITI	E Field Superv	visor	DATE //2/	109		
	s: <u>billy@pwllc.ne</u>	<u>t</u>	PHONE: <b>432-934</b> -	7680		
For State Use Only	A 1-			0.0.2000		
APPROVED BY: Maley & Stown TITLE Compliance Officer DATE 1AN 28 2009						
Conditions of Approval (if any):						
V						

Mar Oil and Gas SFPRR # 011 API # 30-025-23625 **Before** 8 5/8" Csg at 404ft Cement with 325sx Cement **Cement Circulated** - TOC calculated at 4100ft Perfs 4928-4993ft 4 1/2" Casing at 5025ft -Cmt w/ 250sx Cmt BEP

Mar Oil and Gas SFPRR # 011 API # 30-025-23625

