Office	State of New Mexico	Form C-103
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural R	wesources June 19, 2008 WELL API NO. 30-041-20933
District II 1301 W. Grand Ave., Artesia, NM 8	EQUITONSERVATION DIV 1220 South St. Francis I	TSION 5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	12 7 Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	SOUD	n/a
SUNDRY NÖTICES (DO NOT USE THIS FORM FOR PROPOSALS DIFFERENT RESERVOIR. USE "APPLICATION OF THE PROPOSALS		
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other		8. Well Number 1
2. Name of Operator		9. OGRID Number 231429
MANZANO, LLC 3. Address of Operator P.O. BOX 2107 – ROSWELL, NM 88202-2107		10. Pool name or Wildcat CHAVEROO, PERMO PENN, NORTH
4. Well Location		
Unit Letter K : 165		
Section 33	Township 6S Range 1. Elevation (Show whether DR, RKB)	33E NMPM County ROOSEVELT RT GR etc.)
	4,396' GR	(1)
12. Check App	ropriate Box to Indicate Nature	of Notice, Report or Other Data
NOTICE OF INTE	NTION TO:	SUBSEQUENT REPORT OF:
		MEDIAL WORK ☐ ALTERING CASING ☐ MMENCE DRILLING OPNS.☑ P AND A ☐
		SING/CEMENT JOB
DOWNHOLE COMMINGLE		
	, 1	
OTHER:		IER:
13. Describe proposed or completed	d operations. (Clearly state all pertine	ent details, and give pertinent dates, including estimated date
13. Describe proposed or completed of starting any proposed work). or recompletion.	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Con	ent details, and give pertinent dates, including estimated date inpletions: Attach wellbore diagram of proposed completion
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Con LING RIG #40 – SPUD IN DRILLING T&C CASING W/ TEXAS PATTERN G	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Con LING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN G TE 162sx TO PITS – WOC - NU 3000# V	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL-RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'"C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL-24-07 TD 11" HOLE @3,740'	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Con LING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN G TE 162sx TO PITS – WOC - NU 3000# V ILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'"C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL -24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO THE PROPOSED START OF TH	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON 11-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM 1
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'"C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL -24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO THE PROPOSED START OF TH	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP & TEST BOPE TO 1	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIIRAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S' "C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRI 1-24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO START OF CIRCULATE 320sx TO PIT, WOC-10 DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM 1500#, START DRILLING ON SHOE 2:00AM 1-26-07, START
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL-RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'"C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL-24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO 25-07, CIRCULATE 320sx TO PIT, WOC-1DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225"W/ DV TOOL SE	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP & TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEME	ent details, and give pertinent dates, including estimated dates in the proposed completions: Attach wellbore diagram of proposed completion of 17 1/2" HOLE @ 9:45 PM- TD 17 1/2" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON 11-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM 1500#, START DRILLING ON SHOE 2:00AM 1-26-07, START
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIIRAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S' "C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRI 1-24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO START DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225'W/ DV TOOL SE 35;65 POZ "C"+ 250 sx CLASS "C"- PLUG	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP & TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEME	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion of 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL-RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'"C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL-24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO 25-07, CIRCULATE 320sx TO PIT, WOC-1DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225"W/ DV TOOL SE	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple ConLING RIG #40 – SPUD IN DRILLING I&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP & TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEME	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS VP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S' "C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL -24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO 25-07, CIRCULATE 320sx TO PIT, WOC-1DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225'W/ DV TOOL SE 35;65 POZ "C"+ 250 sx CLASS "C"- PLUG	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Corling RIG #40 – SPUD IN DRILLING T&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 FO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP & TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376' - RU BJ SERVICES & CEMENT @9576' - RU BJ SERVICES & CEMENT & RU BJ SERVICES & RU	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion of 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S' "C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIL -24-07 TD 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO 25-07, CIRCULATE 320sx TO PIT, WOC-1DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225'W/ DV TOOL SE 35;65 POZ "C"+ 250 sx CLASS "C"- PLUG	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Corp. LING RIG #40 – SPUD IN DRILLING T&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEMED ON @ 5:15PM 2-15-07, RELEASE RIG Release Date:	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion of 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385' UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS PROPE & TEST BOPE TO 500#, START DRILLING ON N 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM 1500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRIL -RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S' "C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRITTON TO 11" HOLE @3,740' W/FLOAT SHOE AND FLOAT COLLAR TO 25-07, CIRCULATE 320sx TO PIT, WOC-10 DRILLING NEW 7 7/8" HOLE @ 3:30AM 2-12-07 TD 7 7/8" HOLE @9225 N80 J-55 LT&C TO 9,225 W/ DV TOOL SE 35;65 POZ "C"+ 250 sx CLASS "C"- PLUG Spud Date:	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Corp. LING RIG #40 – SPUD IN DRILLING T&C CASING W/ TEXAS PATTERN GE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 TO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07 S' – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEMED ON @ 5:15PM 2-15-07, RELEASE RIG Release Date:	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion in 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON WI-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM II 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07 2/16/07
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRII. RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIVED TO	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Corn. SEE RULE 1103. For Multiple Corn. SEE RULE 1103. For Multiple Corn. LING RIG #40 – SPUD IN DRILLING T&C CASING W/ TEXAS PATTERN GOE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 FO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07 SY – RU SCHLUMBERGER & RUN OPIET @8376'- RU BJ SERVICES & CEMED DOWN @ 5:15PM 2-15-07, RELEASE RIG Release Date:	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion in 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07 2/16/07 my knowledge and belief.
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRII. RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIVED TO	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Consider SEE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 FO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07 S' - RU SCHLUMBERGER & RUN OPICT @8376' - RU BJ SERVICES & CEMED DOWN @ 5:15PM 2-15-07, RELEASE DOWN @ 5:15PM 2-15-07, RELEASE RIG Release Date: Rig Release Date: TITLE Engine E-mail address: ksalpe	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion in 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07 2/16/07 my knowledge and belief. er DATE 9/25/09 PHONE: 575-623-1996
13. Describe proposed or completed of starting any proposed work). or recompletion. 1-15-07 MI &RU UNITED DRII. RAN 9 JTS(387.5') 13 3/8" 48#/FT H-40 S'C", PLUG DOWN @ 2:15PM, CIRCULAT SHOE @ 2:15AM ON 1-17-07, START DRIVED TO	d operations. (Clearly state all pertine SEE RULE 1103. For Multiple Consider SEE 162sx TO PITS – WOC - NU 3000# VILLING NEW 11" HOLE @ 4:45AM ON @9:00AM 1-24-07, RUN 1876.05' 8 5/8 FO TD & CEMENT W/ 1000 SX 35/65/6 NU 3000# WP BOP &TEST BOPE TO 11-26-07 S' - RU SCHLUMBERGER & RUN OPICT @8376' - RU BJ SERVICES & CEMED DOWN @ 5:15PM 2-15-07, RELEASE DOWN @ 5:15PM 2-15-07, RELEASE RIG Release Date: Rig Release Date: TITLE Engine E-mail address: ksalpe	ent details, and give pertinent dates, including estimated date impletions: Attach wellbore diagram of proposed completion in 17 1/2" HOLE @ 9:45 PM- TD 17 ½" HOLE @ 385" UIDE SHOE & INSERT FLOAT & CEMENT W/ 450sx CLASS WP BOPE & TEST BOPE TO 500#, START DRILLING ON I 1-17-07 "32#/FT J-55 CASING + 1867.92' 8 5/8" 24 #/ft J-55 CASING CLASS "C" + 250SX CLASS "C", PLUG DOWN @ 11:00AM I 500#, START DRILLING ON SHOE 2:00AM 1-26-07, START EN HOLE LOGS – RUN 213 JTS OF 5 ½" 17#/ft ENT 1 ST STAGE W/ 200 sx SUPER "C", 2 ND STAGE 1475sx UNITED DRILLING RIG #40 @12:00AM 2-16-07 2/16/07 my knowledge and belief.

Submit 3 Copies To Appropriate District Office State of New Mexico	Form C-103			
District I Energy, Minerals and Natural Resources	June 19, 2008 WELL API NO. 30-041-20933			
District II 1301 W. Grand Ava. Actasia NIM 983 C CONSERVATION DIVISION				
District III 1000 Rio Brazos Rd., Aztec, NM 8741 OCT 0 2 2009 Santa Fe, NM 87505	5. Indicate Type of Lease STATE ☐ FEE ☒			
District IV Santa Fe, NM 87505	6. State Oil & Gas Lease No.			
1220 S. St. Francis Dr., Santa Fe, NHOBBSOCD 87505	n/a			
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name			
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	Geneva-Fee			
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other	8. Well Number 1			
2. Name of Operator	9. OGRID Number 231429			
MANZANO, LLC 3. Address of Operator	10. Pool name or Wildcat			
P.O. BOX 2107 – ROSWELL, NM 88202-2107	CHAVEROO, PERMO PENN, NORTH			
4. Well Location				
Unit Letter K: 1650 feet from the SOUTH line and Section 33 Township 6S Range 33E N				
11. Elevation (Show whether DR, RKB, RT, GR, etc.)				
4,396' GR				
12 Cheek Ammonista Dou to Indicate Nature of Natio	Damant on Other Data			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WITH TEMPORARILY ABANDON CHANGE PLANS COMMENCE I	ORK ☐ ALTERING CASING ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐			
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEM				
DOWNHOLE COMMINGLE				
OTHER: OTHER: Co	mpletion Operations			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date				
of starting any proposed work). SEE RULE 1103. For Multiple Completions: or recompletion.	Attach welloore diagram of proposed completion			
•				
3/12 - 4/2/07 Perforate 9101'-9107', Acidize w/2000gl 7.5%, Swab test w/no shows, Set CIBP @ 9089' & cap w/35' cement 4/3 - 4/5/07 Perforate 9080'-9083', Swab test w/no show, Set CIBP @ 9055' & cap w/35' cement				
4/9 - 4/12/07 Perforate 8901'-8906', Swab test w/no show, Set CIBP @ 8800' & cap w/35' cement				
4/16 - 4/20/07 Perforate 8438'-8442', Acidize w/2000gl 15% NeFe, Swab test w/no shows, Set CIBP @ 8365' & cap w/35' cement				
4/23 - 4/28/07 Perforate 8264'-8269' & 8304'-8307', Acidize w/3000gl 15% NeFe acid, Swab test w/no show, Set CIBP @ 7910' & cap w/35' cement				
5/11 - 5/17/07 Perforate 7758'-7759', Acidize w/1000gl 15%, Swab test w/no show, Set CIBP @ 7675' & cap w/35' cement				
5/20 - 5/23/07 Perforate 7266'-7272', Swab test w/no shows				
Sand Date: 1/15/07 Rig Release Date: 2/16/07	<u></u>			
Spud Date: Rig Release Date: 2/16/07				
I hereby certify that the information above is true and complete to the best of my knowledge.	edge and belief.			
SIGNATURE TITLE Engineer	DATE 9/25/09			
Type on print name Vyle Alacar	PHONE 575 (22 100)			
Type or print name Kyle Alpers E-mail address: ksalpers@qwestoffice.net PHONE: 575-623-1996 For State Use Only				
PETRAL SI M ENC	NATE OCT 2 3 2009			
APPROVED BY: DATE DATE DATE				

RECEIVED

OCT 02 2009

HOBBSOCD

WELL NAME AND NUMBER _ LOCATION Section 33, T6S, R3	Geneva Fee #1	sevelt. Co.
OPERATOR Manzano, LLC	5L, 1050 10L, 2510 1 W 2, 1000	
	Inited Drilling, Inc.	
The undersigned hereby certiwho drilled the above described wresults:		esentative of the drilling contractor test and obtained the following
Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
3/4 @ 500'	3/4 @ 3835'	1 @ 7519'
1 @ 1000'	1/6 @ 3929'	1/2 @ 8051'
1 @ 1513'	1/2 @ 4525'	1 @ 8521'
1-1/4 @ 2039'	1/2 @ 4992'	1 @ 9225'
1/2 @ 2517'	3/4 @ 5503'	
1/2 @ 3017'	1 @ 6007'	
1 @ 3520'	1 @ 6510'	
1/2 @ 3740'	1 @ 7011'	
	Drilling Contractor-	UNITED DRILLING, INC.
	By:	MUATMACIA (Luisa Garcia)
	Title:	Assistant Office Manger
Subscribed and sw	orn to before me this <u>j 6</u> day	of February 2007 Muy a. alle Notary Public
My Commission Expires:		Chaves NM County State